Author Index to Volume 95

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (T) designate title only. References with (L) are to Letters to the Editor. References with (E) are to Errata.

Aarons, M. W., M. Pobereskin, J. E. Gates, and E. B. Dale. Distribution of mass transported from collector into Ge crystal by forming process—1345(L)

Abeles, B. and S. Meiboom. Theory of galvanomagnetic effects in Ge—31

Abrahams, Elihu. Electron-electron scattering in alkali metals—839(L)

Abrahams, I. C. Color television (with demonstrations)—309(T)

Acton, Forman S. (see Herman, Frank)—371

Ajzenberg, Fay and Wolfgang Franzen. Neutrons from proton bombardment of B^{10}—1531

——, W. Franzen, and J. G. Likely. Neutrons from proton bombardment of B^{10}—641(A)

Akers, Lawrence K. and Ernest A. Jones. Vibrational spectra of pentafluorides of Sb, As, and Br—300(A)

Albert, R. D., M. L. Yeater, and E. R. Gaerttner. Neutron capture measurements with G. E. betatron velocity selector—644(A)

Albrecht, H. O. (see Mandeville, C. E.)—598(A)

Alburger, D. E. Experimental and theoretical studies of levels in Pb^{206}—632(T)

—— and M. H. L. Pryce. Energy levels in Pb^{206} from decay of Bi^{206}—1482

Alei, E. Felix (see Fermi, E.)—1581

Alei, E. P. (see de Hoffmann, F.)—1586

Alexander, B. H. (see Levitas, A.)—846(L)

Alford, W. Parker and Donald R. Hamilton. Recoil spectrum in β decay of Ne^{19}—1351(L)

Allen, Lew, Jr., and A. O. Hanson. Photodistintegration of deuterium by 95-Mev bremsstrahlung—629(A)

Allen, Robert C. Sphere measurements of neutron inelastic collision cross sections—637(A)

Allison, B. A. (see Scherrer, V. E.)—637(A)

—— (see Shapiro, P.)—751

Altshuler, Edward E. (see Sampson, John L.)—298(A); 617(A)

Altshuler, Saul and J. F. Carlson. Time-dependent variational principle—546

Ambler, E. and R. P. Hudson. Measurements on chromium potassium alum below 1°K—1143

——, R. P. Hudson, and G. M. Temmer. Anisotropic γ radiation from aligned Ce^{141} nuclei—625(A)

Anderson, C. D. (see van Lint, V. A. J.)—295(L)

Anderson, W. S. (see Sakai, M.)—101

Andrews, David H. Automatic electrostatic field plotter—633(A)

Ard, W. B. (see Fairbank, William M.)—566(L)

Arnowitt, Richard and S. Gasiorowicz. Approximate equations for meson-nucleon systems—618(A)

—— and S. Gasiorowicz. Covariant approximation scheme for Green's functions of coupled fields—538

Arons, Arnold. Amherst program: Experience with calculus-physics course required of all students—297(T)

Aschenbrenner, F. A. Particle selection technique used at M.I.T. cyclotron—600(A)

Ashkin, J. (see Blaser, J.)—624(A)

Aström, Björn (see Atterling, Hugo)—585(L)

Atkinson, W. R., R. G. Fowler, and W. R. Holden. Magneto-hydrodynamic flows in H and He—634(A)

Atterling, Hugo, Wilhelm Forsling, Lennart W. Holm, Lars Melander, and Björn Aström. Element 100 produced by means of cyclotron-accelerated oxygen ions—585(L)

Austern, N. and S. T. Butler. Coulomb effects in deuteron stripping—605(A)

Austin, Pauline M. Quantitative measurements of radar echoes from precipitation—297(A)

Autler, S. H. and W. F. Roat. Light decay from electroluminescent phosphors—599(A)

Axel, P. and J. D. Fox. Implications of photonuclear effect in Zr^{90}—613(A)

Babiskin, J. and M. C. Steele. Magnetic dependence of thermoelectric power of Bi at low temperatures—602(A)

Baer, W. Migration areas of Po-Be neutrons in H_2O-Zr mixtures—660(A)

Bair, Joe K. (see Willard, Harvey B.)—1359(L)

Baker, C. P. (see Draper, J. E.)—644(A)

Baker, E. (see Hudis, J.)—612(A)

Baker, N. and O. Bergmann. Decay scheme of τ meson—174

Balazs, N. L. General properties of solutions in Dirac's new electrodynamics—305(A)

—— Resolution of four-dimensional vector fields and tensor fields—305(A)

Baldwin, G. C., F. R. Elder, and W. F. Westendorp. Betatron orbit stability as function of n—600(A)

Balestrini, Silvio J. Mass-spectrometric study of deuteron-induced reactions in iodine—1502

Bandel, H. W. Measurement of current during formative time lag of sparks in uniform fields in air—1117

Bandtel, Kenneth C., Wilson J. Frank, Richard Madey, and Burton J. Moyer. Comparison of reactions $H^2(H^1, \pi^+)H^3$ and $H^2(H^1,\pi^0)He^3$ as test of charge independence—639(A)

Banta, H. E. (see Macklin, R. L.)—302(A)

Bardeen, J. (see Hall, L. H.)—559(L)

Baril, Alnert, Jr. Photolysis of para-diazo-N, N-dimethylaniline ZnCl dihydrate—306(A)

Barnett, C. F., P. M. Stier, and G. E. Evans. Relative secondary electron emission for ions and atoms—307(A)

—— (see Stier, P. M.)—303(A)

Barrett, C. S. (see Cohen, M. H.)—1094(L)

Barrett, P., G. Cocconi, Y. Eisenberg, and K. Greisen. Atmospheric temperature effect for mesons far underground—1573

——, G. Cocconi, Y. Eisenberg, and K. Greisen. Diurnal variations of intensity of cosmic rays far underground—1571

Bartholomew, G. A., F. Brown, H. E. Gove, A. E. Litherland, and E. B. Paul. Resonances in proton bombardment of C^{14}—649(A)

—— (see Gove, H. E.)—650(A)

Bartnoff, Shepard. Drop size distribution and visibility in clouds and rain—615(A)

—— (see Fish, Joseph K.)—297(A)

Barton, M. Q. and J. H. Smith. Proton-neutron coincidences in high-energy photodistintegration of Li—573(L)

—— (see Yamagata, T.)—574(L)

Bashkin, Stanley. $Li^7(d,p)Li^8$ yield curve—640(A); 1012

Baumann, N. P., F. W. Prosser, Jr., and R. W. Krone. γ-ray resonances in proton bombardment of Na^{23}—650(A)

Bazorgan, G. A., J. W. Irvine, Jr., and C. D. Coryell. Preparation and half-life of Cr^{56}—781

Beams, J. W. and J. B. Breazeale. Methods of spinning rotors at low temperatures—601(A)

Beard, C. I. (see Massey, J. T.)—622(A)

Beard, George and M. L. Wiedenbeck. Natural radioactivity of Sm^{147}—1246
Becker, R. A. (see Brown, H. N.)—626(A)
Bedo, D. E. and D. H. Tomboulian. *L*-absorption spectrum of Si and SiO_2—621(A)
Beeman, W. W. and R. H. Neynaber. Equipment for measurement of very small x-ray scattering cross sections —617(A)
Beer, A. C. (see Harman, T. C.)—596(A); 699
—— (see Willardson, R. K.)—597(A)
Béique, R. (see Lorrain, Paul)—599(A)
Belinfante, F. J. and J. C. Swihart. Quantized linear theory of gravitation. I—630(A)
—— (see Swihart, J. C.)—630(A)
Beljers, H. G., L. van der Kint, and J. S. van Wieringen. Overhauser effect in free radical—1683(L)
Bell, P. R. Recent advances in scintillation spectrometry—299(T)
—— (see Lazar, N. H.)—612(A)
Bell, R. E. Measurement of (p,xn) cross sections in Bi—651(A)
Belmont, E. and J. M. Miller. Reactions of 370-Mev protons with Co—1554
Belser, Richard B. and Margaret C. Chester. Structures and resistivities of sputtered films of Pt metals before and after aging by heating—307(A)
—— (see Brown, John L.)—308(A)
—— (see Chester, Margaret C.)—307(A)
Bender, R. S. (see Levine, S. H.)—640(A)
Bennett, A. Measurements of distribution of velocities in K molecular beams—608(A)
Bennett, W. E. (see Sugihara, T. T.)—298(A)
Bennett, W. H. and E. O. Hulburt. Theory of aurora based on magnetic self-focusing of solar ion streams—315
Bent, R. D., R. W. Bonner, and R. F. Sippel. Energy levels in C^{14} and N^{14}—649(A)
Bergmann, O. (see Baker, N.)—174
—— (see Green, H. S.)—516
Bergmann, Peter G. Quantum theory of gravitation—631(A)
Bergström, I. (see Passell, T. O.)—999
Beringer, R. and Mark A. Heald. Electron spin magnetic moment in atomic hydrogen—1474
Berkowitz, A. E., F. E. Jaumot, Jr., and F. C. Nix. Diffusion of Co^{60} in Ni-Al alloys containing excess vacancies —1185
Berlincourt, Ted G. and M. C. Steele. De Haas-van Alphen effect in Zn at liquid O_2 temperatures—603(A)
—— **and M. C. Steele.** Temperature-dependent de Haas-van Alphen parameters in Zn—1421
Berman, A. S. (see Lassettre, E. N.)—635(A)
Berman, R. and C. A. Swenson. Absolute temperature scale between 4.2° and 5.2°K—311
Bernardini, G. and E. L. Goldwasser. Photopion *S* wave near threshold and pion-nucleon coupling constant—857(L)
Bernstein, E. M. and H. W. Lewis. *L*-shell ionization by protons of 1.5- to 4.25-Mev energy—83
Bernstein, J. and A. Klein. Exchange current effects in deuteron—655(A)
Bernstein, S. (see Roberts, L. D.)—105
—— (see Stanford, C. P.)—302(A)
Bernstein, W., J. Weiss, and J. B. H. Kuper. Oxidation yield of ferrous sulfate dosimeter by x-rays—609(A)
Bersohn, R. Double bond character of C—Cl bond—614(A)
Bethe, H. A. and F. de Hoffmann. Meson-proton scattering phase shift analysis—1100(L)
—— (see de Hoffman, F.)—1586
—— (see Dyson, F. J.)—1644
—— (see Nelkin, M. S.)—618(A)
Bhatia, A. B. Minimum in electrical resistance of metals at low temperatures—914
Bhattacherjee, S. K., B. Waldman, and W. C. Miller. Energy determination of Cs^{137} *K* conversion electrons—404
Biedenharn, L. C., R. L. Gluckstern, and M. H. Hull, Jr. Coulomb wave functions for large values of parameter *n* —656(A)
Bird, George R. Saturation in microwave spectrum of methyl chloride—1686(L)
Birkhoff, R. D. (see Blackstock, A. W.)—303(A)
—— (see Hungerford, E. T.)—6
Birks, J. B. Temperature dependence of organic scintillation materials—277(L)
Birman, Joseph. Calculation of electrostatic lattice potentials, including ionic overlap—618(A)
Birnbaum, G. and A. A. Maryott. Microwave absorption in compressed gases—622(A)
Birnbaum, W., W. E. Crandall, G. P. Millburn, and R. V. Pyle. Excitation function for $C^{12}(d;\ p,2n)C^{11}$, $C^{12}(He^3;\ 2p,2n)C^{11}$, and $C^{12}(\alpha;\ 2p,3n)C^{11}$—649(A)
—— (see Crandall, W. E.)—620(A)
—— (see Millburn, G. P.)—620(A); 1268
Bitter, Francis (see Waymouth, John F.)—941
Bjørnerud, E. K. (see York, Carl M., Jr.)—159
Blackstock, A. W., R. D. Birkhoff, and M. Slater. Discrete electron energy losses in thin foils—303(A)
Blair, J. M. (see Holmgren, H. D.)—1544
Blair, J. S. Theory of elastic scattering of α particles by heavy nuclei—605(A); 1218
Blakewood, C. H. (see Dyba, R. V.)—1365
Blaser, J., J. Ashkin, F. Feiner, J. Gorman, and M. O. Stern. Total cross sections for scattering of positive pions by hydrogen—624(A)
Blatt, F. J. Properties of thin metallic films—13
—— (see Hall, L. H.)—559(L)
Blevins, Gilbert (see Jache, Albert)—299(A)
Bloch, Ingram (see Hsieh, Yu-Chang)—305(A)
Block, M. M. and D. T. King. Contributions of bremsstrahlung conversion in trident experiments—171
—— **and D. T. King.** Pairs formed by bremsstrahlung of great energy. II. Theoretical separation distribution—648(A)
—— (see King, D. T.)—648(A)
Bloembergen, N. and R. V. Pound. Radiation damping in magnetic resonance experiments—8
Bludman, Sidney A. Classical radiation from moving charges—654(A)
—— **and P. B. Daitch.** Validity of Born-Oppenheimer approximation—823
Blume, M. (see Treiman, S. B.)—646(A)
Boag, J. and B. Zendle. Scattered radiation contribution to depth dose data for 35- and 90-Mev synchrotron x-rays —608(A)
Boehm, F., P. Marmier, and J. W. M. DuMond. γ transitions in W^{188}—864(L)
Bok, Bart J. Radio studies of clouds in Milky Way—297(T)
Bollinger, L. M., R. R. Palmer, and D. A. Dahlberg. Total neutron cross sections of Bi and Mn—645(A)
—— (see Dahlberg, D. A.)—645(A)
Bolsterli, M. and E. Feenberg. Superallowed transitions in $4n$-type nuclides—612(A)
Bonner, R. W. (see Bent, R. D.)—649(A)
Bonner, T. W. (see Cook, C. F.)—639(A)
Borowitz, Sidney. Perturbation calculation of elastic exchange scattering of electrons by H atoms—656(A)
Bortner, T. E. and G. S. Hurst. Ionization of pure gases and mixtures of gases by 5-Mev α particles—609(A)
—— **and G. S. Hurst.** w value in electron volts for 5-Mev α particles in gases and gas mixtures—303(A)

Box, Harold C. and G. Stanley Klaiber. γ-ray spectrum of Ac^{228}—1247
Boyd, G. E. Tc activities at mass 97--113
Bozorth, R. M. (see McSkimin, H. J.)—616(A)
Braams, C. M. (d,p) reactions of Ca^{43} and Ca^{44}—650(A)
Braden, C. H., E. T. Patronis, Jr., and L. D. Wyly. Decay of Hg^{195}—627(A)
——, **L. D. Wyly, and E. T. Patronis, Jr.** Activities produced in Au by proton bombardment—758
Bradner, Hugh and Robert Donaldson. Asymmetry in neutron production by bombardment targets with 285-Mev polarized protons—1701(L)
—— **and R. E. Donaldson.** Search for polarization in charge exchange scattering—663(A)
Brattain, W. H. (see Garrett, C. G. B.)—1091(L)
Bray, P. J. Method for detection of pure quadrupole resonances—606(A)
Breazeale, J. B. (see Beams, J. W.)—601(A)
Brentano, J. C. M. and J. D. Richards. Evaporated multiple layers with semiconductor properties—841(L)
Breton, A. (see Lorrain, Paul)—599(A)
Bridge, H. S., H. Courant, B. Dayton, H. C. DeStaebler, Jr., B. Rossi, and D. Willard. Recent results on S particles—662(A)
——, **H. Courant, H. DeStaebler, Jr., and B. Rossi.** Possible example of annihilation of heavy particle—1101(L)
—— (see DeStaebler, H. C., Jr.)—662(A)
Brisbout, Françoise A. (see Parsons, R. W.)—193
Brody, Selma B. Aging of crushed Si and Ge powders—298(A)
Broida, H. P. and J. R. Pellam. Phosphorescence of atoms and molecules of solid N_2 at 4.2°K—845(L)
Brolley, J. E., Jr., W. C. Dickinson, and R. L. Henkel. Angular distribution of U^{235} fragments from neutron-induced fission as function of incident neutron energy—651(A)
Brown, Fielding and Charles L. Gravel. Domain rotation in sintered Ni ferrite—652(A)
—— (see Bartholomew, G. A.)—649(A)
Brown, H. A. and J. M. Luttinger. Calculation of ferromagnetic and antiferromagnetic Curie temperatures—652(A)
Brown, H. N., F. B. Smith, and R. A. Becker. Radiations from Ho^{164}—626(A)
Brown, John L. and Richard B. Belser. Electron microscope and diffraction traversing technique for examination of bimetal films—308(A)
Brown, L. Carlton and Dudley Williams. Magnetic resonance spectra of beryl crystals—1110(L)
Brown, Sanborn C. (see Champion, K. S. W.)—634(A)
—— (see Gould, Lawrence)—897
—— (see Reder, Fritz H.)—885
Browne, Cornelius P. Energy levels of Al^{28}—860(L)
—— (see Buechner, W. W.)—609(A)
Broyles, A. A. W.K.B. approximation through turning point—656(A)
Brueckner, K., C. Levinson, and H. Mahmoud. Two-body forces and nuclear saturation. I. Method—655(A)
—— (see Levinson, C.)—655(A)
Brysk, Henry (see Goldman, David T.)—305(A)
Buechner, W. W., C. P. Browne, H. Enge, M. Mazari, and C. D. Buntschuh. Magnetic spectrograph for nuclear disintegration studies—609(A)
Bunker, M. E., J. W. Starner, and J. P. Mize. Disintegration of Ga^{70}—612(A)
—— (see Mize, J. P.)—627(A)
Buntschuh, C. D. (see Buechner, W. W.)—609(A)
Burford, A. O., J. F. Perkins, and S. K. Haynes. Intensities of radiations from Hf^{178}—303(A)
Burgess, James H. Magnetic resonance enhancement in multilevel system—608(A)
Burgus, Warren H., George A. Cowan, J. W. Hadley, Wilmot Hess, Theodore Shull, M. L. Stevenson, and H. F. York. Cross sections for reactions $Ti^{48}(d,2n)V^{48}$; $Cr^{52}(d,2n)Mn^{52}$; and $Fe^{56}(d,2n)Co^{56}$—750
Burgwald, G. M. (see Reiffel, L.)—1294
Burkhardt, J. L. and E. J. Winhold. $In^{115}(\gamma,\gamma')In^{115m}$ cross section—629(A)
Burrus, Charles A., Albert Jache, and Walter Gordy. Mm wave spectrum of phosphine—299(A)
——, **Albert Jache, and Walter Gordy.** 1–2 mm wave spectroscopy. V. PH_3 and PD_3—706
Burson, S. B., W. C. Jordan, and J. M. LeBlanc. Isomeric states in $_{32}Ge^{75}$ and $_{32}Ge^{77}$—613(A)
—— (see LeBlanc, J. M.)—627(A)
Burwell, J. R. (see Kim, Y. B.)—661(A)
—— (see Thompson, R. W.)—661(A); 1576
Butler, S. T. (see Austern, N.)—605(A)

Callaway, Joseph. Approximate correlation potential—656(A)
—— (see Herman, Frank)—371
Camac, M. (see McGuire, A. D.)—625(A)
Cameron, A. G. W. (see Katz, L.)—464
Campbell, E. C. (see Stelson, P. H.)—301(A)
Campbell, J. G. Resonance absorption of γ radiation by O^{16} nuclei—1357(L)
Cap, Ferdinand. Nonlinear meson theory of nuclear forces—287(L)
Cap, C. (see Rohrer, R. H.)—302(A)
Caren, R. P. and C. E. Nielsen. Vapor expansion chamber using ammonia and water. II—601(A)
Cargill, W. H. (see Rohrer, R. H.)—308(A)
Carlson, B. C. (see Talmi, I.)—606(A)
Carlson, J. F. (see Altshuler, Saul)—546
Carlson, R. R. and E. B. Nelson. Capture γ rays from 315-kev proton bombardment of Be^9—641(A)
—— (see Nelson, E. B.)—650(A)
Carroll, Thomas J. Air-guided propagation of short radio waves around earth bulge—623(A)
Carter, R. S. and J. A. Harvey. Parameters of neutron resonances in Cs, In, Sn, and Pr—645(A)
—— (see Pilcher, V. E.)—645(A)
Carver, T. R. (see Schumacher, R. T.)—1089(L)
Case, K. M. Some generalizations of Foldy-Wouthuysen transformation—1323
Castle, J. G., Jr. Paramagnetic resonance absorption in soft carbon—846(L)
Chamberlain, Owen, Robert Donaldson, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis. Experiments on nucleon-nucleon scattering with 312-Mev polarized protons—850(L)
—— **and John D. Garrison.** p-p scattering experiments at 170 and 260 Mev—1349(L)
——, **G. Pettengill, E. Segrè, and C. Wiegand.** Small-angle p-p cross sections and polarization at 300 Mev—1348(L)
——, **Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis.** Mechanism of proton polarization in high-energy collisions—1105(L)
——, **Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis.** Polarization of high-energy deuterons—1104(L)
—— **and Martin O. Stern.** Elastic scattering of 190-Mev deuterons by protons—1705(E)
Champion, K. S. W. and S. C. Brown. Phenomena of plasma resonance—634(A)

Chang, W. Y. Sea level mesons stopped in thin Pb and Al foils. I. Possible emission of charged nuclear particles and related events—1282; II. Low-energy (1–5 Mev) γ-rays —1288
Chase, C. E. and Melvin A. Herlin. Ultrasonic measurements in magnetically cooled He—565(L)
Chase, D. M. Equations of motion of charged test particles in general relativity—243
Chaudhury, N. K. (see Ganguly, S. C.)—1148
Chen, F. F. (see Shapiro, A. M.)—663(A)
Chester, Margaret C. (see Belser, Richard B.)—307(A)
—— **and Richard B. Belser.** Solder-shear tests to metal films deposited on glass substrates by evaporation and sputtering—308(A)
—— (see Belser, Richard B.)—307(A)
Chester, P. F. and J. S. Dugdale. Melting curves of deuterium and hydrogen—278(L)
Cheston, W. B. Compton scattering—247
Chew, Geoffrey F. Comparison of cut-off meson theory with experiment—1669
—— Improved calculation of p-wave pion-nucleon scattering phase shifts in cut-off theory—285(L)
Chinowsky, W. and J. Steinberger. Absorption of negative pions in deuterium: Parity of pion—1561
—— **and Jack Steinberger.** Parity of pion—623(A)
—— (see Steinberger, Jack)—623(A)
Choppin, G. R. (see Harvey, B. G.)—581(L)
Christian, Schuyler M. (see Johnson, Everett R.)—560(L)
Church, E. L. and M. Goldhaber. Low-energy transitions in Gd and related rare-earth activities—626(A)
Clark, Arnold F. (see Kao, S. K.)—662(A)
—— (see Mann, Leonard A.)—648(A)
Clarke, Edward N. Oxygen and surface energy-level structure on Ge—284(L)
Class, C. M. (see Eisinger, J.)—628(A)
—— (see Hanna, S. S.)—110
Cleland, J. W. and J. H. Crawford, Jr. Neutron irradiation of InSb—1177
Clement, J. R. Effect of temperature scales on low-temperature calorimetric data—601(A)
—— (see Overton, W. C., Jr.)—602(A)
Clifford, Joseph M. and R. B. Sawyer. Analysis of Forbes bar method for measuring thermal conductivity of metals —665(A)
Cocconi, Giuseppe. Influence of earth's magnetic field on extensive air showers—1705(E)
—— (see Barrett, P.)—1571, 1573
Cochran, Lewis W. (see Stone, W. G.)—304(A)
Codrington, R. S., J. D. Olds, and H. C. Torrey. Paramagnetic resonance in organic free radicals at low fields —607(A)
Coester, F. Hyperquantization of Feynman amplitudes—631(A); 1318
Cohen, B. L., D. J. Coombe, and B. L. Ferrell. Recent progress in fission fragment angular distribution measurements—303(A)
——, **G. H. McCormick, T. H. Handley, and E. Newman.** $(p,2n)$, $(p,2p)$, (p,t), (p,He^6) and (p,f) cross sections and excitation functions—639(A)
—— (see Handley, T. H.)—611(A)
Cohen, David, Burton J. Moyer, Harlan Shaw, and Charles Waddell. Proton bremsstrahlung and high-energy γ emission from C—664(A)
Cohen, M. H. Decomposition of scalar product of 2 symmetric tensors—674
—— **and C. S. Barrett.** Interaction of electrons with grain boundaries—1094(L)
Cohen, Marshall H. Electromagnetic scattering by dielectric bodies—657(A)
Cohen, V. W. and D. A. Gilbert. Nuclear spin and hfs interaction of 3.1-hr Cs^{134} isomer—569(L)
Cohn, H. O. (see Kim, Y. B.)—661(A)
—— (see Thompson, R. W.)—661(A)
Colli, L. Uv photons in decay of metastable A atoms—892
Collier, Robert J. Direct l-doublet transition of HCN in 10-cm wavelength region—1201
Collins, T. L., T. T. Scolman, and A. O. Nier. Precision double-focusing mass spectrometer—615(A)
Collinson, J. A. and W. W. Watson. Spectroscopic isotope shift in Hf I and Hf II—621(A)
Cook, C. F., T. W. Bonner, and J. B. Marion. Neutron thresholds from (d,n) and (p,n) reactions—639(A)
—— (see Eisinger, J.)—628(A)
Coombe, D. J. (see Cohen, B. L.)—303(A)
Cooper, Daniel I. (see Zimmerman, Robert L.)—662(A)
Cooper, John N. (see Green, D. W.)—610(A)
—— (see Russell, Leonard N.)—99
Cooper, Leon N. and James Rainwater. Theory of multiple Coulomb scattering from extended nuclei—1107(L)
Corenzwit, E. (see Matthias, B. T.)—1435
Cork, J. M. (see LeBlanc, J. M.)—627(A)
Cormack, A. M. Heat generation in earth by solar neutrinos —580(L)
Coryell, Charles D. (see Bazorgan, G. A.)—781
—— (see Richter, Harold G.)—1550
—— (see Sugihara, T. T.)—298(A)
Courant, H. (see Bridge, H. S.)—662(A); 1101(L)
—— (see DeStaebler, H. C., Jr.)—662(A)
Cowan, D. A. (see Winnemore, B. J.)—301(A)
Cowan, George A. (see Burgus, Warren H.)—750
Cox, John, W. J. Orville Thomas, and Walter Gordy. Centrifugal distortion in methyl halides—299(A)
Cox, S. A. (see Goldburg, W. I.)—628(A)
Crandall, W. E., W. Birnbaum, L. Schecter, and G. P. Millburn. Nuclear radii and transparencies from inelastic cross-section measurements. II. Interpretation—620(A)
—— (see Birnbaum, W.)—649(A)
—— (see Millburn, G. P.)—620(A); 1268
—— (see Schecter, L.)—659(A)
Crane, W. W. T. and G. M. Iddings. New isotope protactinium-237—1702(L)
Crawford, F. S., Jr., and M. L. Stevenson. Reaction $p+p\rightarrow\pi^{+}+d$ with polarized protons—1112(L)
Crawford, J. H., Jr. (see Cleland, J. W.)—1177
Croft, G. T., W. F. Love, and F. C. Nix. De Haas-van Alphen effect in Sn and Sn-Sb alloys—1403
Cronemeyer, Donald C. Recombination center density measurements in Ge—309(T)
Cross, W. G. and T. A. Eastwood. γ radiation from the decay of UX_2 (Pa^{234})—628(A)
Crussard, J., M. F. Kaplon, J. Klarmann, and J. H. Noon. Heavy unstable particles in stripped emulsions—584(L)
——, **W. D. Walker, and M. Koshiba.** π^{-} interactions at 1.5 Bev. II—624(A)
—— (see Kaplon, M. F.)—660(A)
—— (see Noon, J. H.)—1103(L)
—— (see Walker, W. D.)—624(A); 852(L)
Culler, Vaughn and R. W. Waniek. Total cross sections for high-energy neutrons—585(L)
—— (see Hillman, Peter)—462
—— (see Waniek, R. W.)—659(A)
Cummerow, Robert L. Photovoltaic effect in p-n junctions —16
—— Use of Si p-n junctions for converting solar energy to electrical energy—561(L)
Cunnell, F. A. and E. E. Schneider. Ionic conductivity and x-ray coloration of alkali halides—598(A)
Cure, J. W. and G. S. Hurst. Neutron scattering—302(A)

Curtis, C. D. (see Winnemore, B. J.)—301(A)
Cutkosky, R. E. Internal bremsstrahlung—1222
—— Solutions of Bethe-Salpeter equation—653(A)

Dabbs, J. W. T. and L. D. Roberts. Method for brute force polarization of H nuclei—307(A)
—— **and L. D. Roberts.** Polarization of Mn^{56} nuclei; cryogenic aspects—970
—— (see Roberts, L. D.)—105; 307(A)
Daggett, E. H. and G. R. Grove. γ-ray spectrum of Po^{209}—627(A)
Dahlberg, D. A. and L. M. Bollinger. Analyses of neutron resonances in Zn isotopes—645(A)
—— (see Bollinger, L. M.)—645(A)
Daitch, P. B. (see Bludman, S.)—823
Dale, E. B. (see Aarons, M. W.)—1345(L)
Dalitz, R. H. Sachs exchange moment—799
Damon, P. E. and R. R. Edwards. Absolute intensities of γ rays and x-rays of RaD—1698(L)
Davies, R. W. Energy spectrum of turbulence for entire range—912
Davis, Charles F., Jr., and M. W. P. Strandberg. Paramagnetic resonance absorption in ammonium chrome alum—607(A)
Davis, L., Jr., G. A. deMars, L. G. Rubin, and W. D. Straub. Some electrical properties of several Si-Ge alloys—597(A)
Dawson, J. M. and Z. I. Slawsky. Effect of intermolecular forces on rapid expansion of gas from initial condition of very high density and temperature—614(A)
Day, E. A. (see Johnston, L. H.)—599(A)
Day, Robert B. and Torben Huus. γ radiation from B^{10} bombarded by protons—1003
Dayton, B. (see Bridge, H. S.)—662(A)
Dayton, Irving E. Elastic scattering of 18-Mev protons by Al, Fe, Ni, and Cu—754
DeBenedetti, S. (see Stearns, M. B.)—625(A); 1353(L)
de Boisblanc, D. R. and K. A. McCollom. MTR time-of-flight instrumentation—609(A)
Deeds, W. E. Vibrational analysis of polypeptide chains—300(A)
de Hoffmann, F., N. Metropolis, E. P. Alei, and H. A. Bethe. Pion-hydrogen phase shift analysis between 120 and 217 Mev—1586
—— (see Bethe, H. A.)—1100(L)
DeLuca, Lloyd B. Self-diffusion coefficient of nitrogen—306(A)
deMars, G. A. (see Davis, L., Jr.)—597(A)
Dempsey, E. and D. ter Haar. Statistics of face-centered cubic ferromagnet—651(A)
De Pangher, J. n-p scattering at 300 Mev—578(L)
der Mateosian, E. Applications of "internal source" scintillation spectrometer—646(A)
—— **and C. S. Wu.** β spectrum of I^{128} and its decay scheme—458
—— (see Muehlhause, C. O.)—598(A)
DeStaebler, Herbert, Jr. Nuclear absorption of negative K particles—1110(L)
——, **H. S. Bridge, H. Courant, and B. Rossi.** Unusual cosmic-ray event—662(A)
—— (see Bridge, H. S.)—662(A); 1101(L)
Dettman, J. W. and A. Schild. Conservation theorems in modified electrodynamics—631(A); 1057
Deverall, G. V., K. W. Meissner, and G. J. Zissis. Precision wavelength and isotopic shift measurements of Ge arc lines—1463
Devlin, G. E. (see Schawlow, A. L.)—1344(L)
DeWire, J. W. (see Edwards, D. A.)—629(A)
Dexter, R. N., H. J. Zeiger, and Benjamin Lax. Anisotropy of cyclotron resonance of holes in Ge—557(L)
——, **H. J. Zeiger, Benjamin Lax, and E. S. Rosenblum.** Anisotropy of cyclotron resonance in Ge. Part II. Experiment—597(A)
—— (see Lax, Benjamin)—597(A)
Diamond, R. M. New isotopes of Nb: Nb^{88} and Nb^{89m}—410
Dick, J. L. (see Sakai, M.)—101
Dickinson, W. C. (see Brolley, J. E., Jr.)—651(A)
Dillinger, J. R. (see Knudsen, W. C.)—279(L)
Dillon, J. A., Jr. (see Sheridan, W. F.)—635(A)
Dolan, W. W. and W. P. Dyke. Temperature-and-field emission of electrons from metals—327
Domenicali, C. A. and F. A. Otter. Thermoelectric power and electron scattering in metal alloys—1134
Donaghy, Charles F. and Clark Goodman. Determination of thickness of Li targets from position of geometric peak—298(A)
Donahoe, F. J. and F. C. Nix. Temperature and field dependence of de Haas-van Alphen effect—1395
Donaldson, Robert E. (see Bradner, H.)—663(A); 1701(L)
—— (see Chamberlain, Owen)—850(L)
Dondes, S. (see Harteck, P.)—320
Dorain, Paul B. (see Thacher, H. C., Jr.)—615(A)
Dorfman, Leon M. Absorption of tritium β particles in hydrogen and other gases—393
Drachman, R. J. and D. C. Peaslee. Isotopic spin factors in nuclear reactions—605(A)
Draper, J. E. and C. P. Baker. Self-indication measurement of σ_{t_0} for 5.2-ev neutron resonance in Ag—644(A)
Dratz, A. F. (see Rohrer, R. H.)—308(A)
Dresden, M. Estimate of lifetime of positrons in superconductors—603(A)
Dresselhaus, G., A. F. Kip, and C. Kittel. Spin-orbit interaction and effective masses of holes in Ge—568(L)
Drisko, R. M. Angular dependence of annihilation quanta from magnetic substates of triplet positronium—611(A)
Dropkin, J. J. and S. Orgel. Ac photoconductivity in phosphors—597(A)
Drougard, M. E. and D. R. Young. Dielectric constant behavior of single-domain single crystals of $BaTiO_3$ in vicinity of Curie point—1152
Dudziak, Walter F. Charged pion production from C by protons—866(L)
—— (see Sagane, Ryokichi)—863(L)
Duffield, Robert B. (see Huizenga, J. R.)—1009
—— (see Sugarman, Nathan)—1704(L)
Dugdale, J. S. (see Chester, P. F.)—278(L)
DuMond, Jesse W. M. (see Boehm, F.)—864(L)
—— (see Snelgrove, Philip)—1203
Dunlap, W. C., Jr. (see Leifer, H. N.)—51
Dyba, R. V., C. T. Lane, and C. H. Blakewood. Film flow and bulk formation of He II in capillaries—1365
Dyke, W. P. (see Dolan, W. W.)—327
Dyson, F. J., M. Ross, E. E. Salpeter, S. S. Schweber, M. K. Sundaresan, W. M. Visscher, and H. A. Bethe. Meson-nucleon scattering in Tamm-Dancoff approximation—1644

Eastwood, T. A. (see Cross, W. G.)—628(A)
Edwards, D. A., B. Wolfe, A. Silverman, and J. W. DeWire. Angular distributions of photodeuterons—629(A)
Edwards, R. R. (see Damon, P. E.)—1698(L)
Efremov, N. Role of principal quantum number (n) in calculation of radii of ions with low (1^+,2^+,3^+,4^+) valence—614(A)
Eggler, C. and C. M. Huddleston. Gaseous scintillation counter—600(A)
Eisberg, R. M., H. Palevsky, M. E. Rickey, and T. I. Taylor. Total cross section of O_2 for cold neutrons—659(A)

—— (see Palevsky, H.)—659(A)
Eisenberg, Y. Interaction of heavy primaries in Pb—647(A)
—— (see Barrett, P.)—1571; 1573
Eisinger, J., C. F. Cook, and C. M. Class. Electric excitation of Au—628(A)
Elbek, B., K. O. Nielsen, and O. B. Nielsen. Determination of maximum β energy in decay of P^{32}—96
Elder, F. R. (see Baldwin, G. C.)—600(A)
El-Hussaini, Jassim (see Snelgrove, Philip)—1203
Ellis, R. A., Jr., M. B. Gottlieb, and J. A. Van Allen. Low-momentum end of spectrum of heavy primary cosmic rays—304(A)
Elsasser, Walter M. Dimensional relations in magnetohydrodynamics—1
Enatsu, Hiroshi, Hiroichi Hasegawa, and Pong Yul Pac. Theory of unstable heavy particles—263
Endt, P. M., J. C. Kluyver, and C. van der Leun. γ rays from $Si^{29}(p,\gamma)P^{30}$—580(L)
Enge, H. (see Buechner, W. W.)—609(A)
Engel, Olive G. Some aspects of dynamics of waterdrop collisions with solids—615(A)
Engler, A. and U. Haber-Schaim. Primary cosmic-ray spectrum deduced from analysis of jets—1700(L)
Ennis, Malcolm E. and Arthur Hemmendinger. Small-angle cross sections for scattering of protons by tritons—772
Enright, Dorothy P. (see Talley, Robert M.)—1092(L)
Eriksen, Erik (see Foldy, Leslie L.)—1048
Evans, G. E. (see Barnett, C. F.)—307(A)
—— (see Stier, P. M.)—303(A)

Fafarman, A. and M. H. Shamos. Cosmic-ray μ-meson low-energy differential range spectrum—648(A)
Fairbank, Henry A. and J. Wilks. Thermal conductivity of liquid He below 1.0°K—277(L)
Fairbank, William M., W. B. Ard, and G. K. Walters. Fermi-Dirac degeneracy in liquid He^3 below 1°K—566(L)
Falkoff, D. L. Random pulses and electron-spin line widths in metals—607(A)
Fan, H. Y., W. Kaiser, E. E. Klontz, K. Lark-Horowitz, and R. R. Pepper. Energy levels and photoconductivity in electron-bombarded Ge—1087(L)
Fang, P. H. Variance properties of general field operator—631(A)
Fano, U. Ionizing collisions of very fast particles and dipole strength of optical transitions—1198
Farney, G. K. (see Givin, H. H.)—302(A); 641(A)
Farwell, George W. and Harvey E. Wegner. Elastic scattering of intermediate-energy α particles by heavy nuclei—664(A); 1212
Faust, W. R. (see Scherrer, V. E.)—637(A)
—— (see Shapiro, P.)—751
Feenberg, E. (see Bolsterli, M.)—612(A)
Feeny, Harold (see Trambarulo, Ralph)—622(A)
Feher, G. and A. F. Kip. Electron spin resonance in Be—1343(L)
Feiner, F. (see Blaser, J.)—624(A)
Feingold, A. M. (see Lyons, D. H.)—606(A)
Feldman, G. Antiproton production—1697(L)
Ferguson, G. A., J. Halpern, R. Nathans, and P. F. Yergin. Photoneutron cross sections in He, N, O, F, Ne, and A—659(A); 776
Fermi, E., N. Metropolis, and E. Felix Alei. Phase shift analysis of scattering of negative pions by hydrogen—1581
Ferrell, B. L. (see Cohen, B. L.)—303(A)
Fields, P. R. (see Friedman, A. M.)—1501
Fields, T. H., J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton. π^+ production in H by 437-Mev protons—638(A)
—— (see Kane, J. A.)—662(A); 1694(L)
Fine, S. (see Hendee, C. F.)—281(L)
Finkelstein, R. J. and S. A. Moszkowski. Mesonic corrections to β-decay coupling constants—1695(L)
Finlay-Freundlich, E. Red-shifts in spectra of celestial bodies—654(A)
Firor, J. W., J. A. Simpson, and S. B. Treiman. Production of cosmic radiation at sun—1015
Fischer, David and Gerson Goldhaber. Small angle p-p scattering at 330 Mev—1350(L)
Fischer, G. E. Scattering of 10-Mev protons on Mg and C—664(A)
Fischer, Vera Kistiakowsky. Disintegration of Pm^{150}—626(A)
Fish, Joseph K. and Shepard Bartnoff. Study of drop-size frequency distribution in clouds and rain—297(A)
Fisher, L. H. Buildup processes in sparks and positive corona—620(T)
Fitch, V. (see Koslov, S.)—291(L); 625(A)
Fitzpatrick, P. M. (see Howard, R. A.)—661(A)
Fleming, J. R. (see Hourd, R. F.)—647(A)
Fletcher, R. C., W. A. Yager, G. L. Pearson, and F. R. Merritt. Hyperfine splitting in spin resonance of Group V donors in Si—844(L)
Fletcher, William H. and W. E. Shuler. Infrared spectrum of allene-d_4—300(A)
Flood, W. F., Jr. (see Hrostowski, H. J.)—1683(L)
Fluharty, R. G. MTR fast chopper—609(A)
Foldy, Leslie L. and Erik Eriksen. Physical consequences of vacuum polarization—1048
Foley, H. M. (see Sucher, J.)—966
Foner, Simon. Measuring magnetic properties of ferromagnetic materials by means of Hall effect—652(A)
Ford, Kenneth W. Nuclear deformation and moment of inertia of nuclear rotational states—1250
Forsling, Wilhelm (see Atterling, Hugo)—585(L)
Fowler, Charles A., Jr., and Edward M. Fryer. Magnetic domains in CO by longitudinal Kerr effect—564(L); 652(A)
Fowler, J. L. (see Johnson, C. H.)—637(A)
Fowler, R. G. (see Atkinson, W. R.)—634(A)
Fowler, W. B., R. P. Shutt, A. M. Thorndike, and W. L. Whittemore. Meson production in n-p collisions at Cosmotron energies—1026
Fox, J. D. (see Axel, P.)—613(A)
Fox, J. G. (see Fields, T. H.)—638(A)
—— (see Kane, J. A.)—662(A); 1694
Frank, Wilson J. (see Bandtel, Kenneth C.)—639(A)
Frankel, Sherman (see Golden, Robert K.)—613(A)
Franzen, Wolfgang (see Ajzenberg, F.)—641(A); 1531
Fraser, J. S. (see Milton, J. C. D.)—628(A)
Frenkiel, F. N. Theory of turbulent diffusion—658(T)
Fried, Burton D. Phase shifts for high-energy nucleon-nucleon scattering—851(L); 1706(E)
Friedlander, G. (see Hudis, J.)—612(A)
—— (see Sugarman, Nathan)—1704(L)
Friedman, A. M., A. L. Harkness, P. R. Fields, M. H. Studier, and J. R. Huizenga. α half-lives of Cm^{244}, Cm^{245}, and Cm^{246}—1501
Friedman, A. S. (see Haar, Lester)—614(A)
Frisch, David H. 2-body forces and nuclear stability—865(L)
—— (see Pugh, G. E.)—590(L); 611(A)
—— (see Storrs, C. L.)—1252
—— (see Zimmerman, Robert L.)—662(A)
Frisch, Harry L. and Joel L. Lebowitz. Simplified model of stationary nonequilibrium process—643(A)
Fryer, Edward M. (see Fowler, Charles A., Jr.)—564(L); 652(A)
Fuchs, L. (see Primak, W.)—22

Fujino, Takuzo (see Ishiguro, Masakazu)—1347(L)
Fuller, E. G. (see Hayward, Evans)—1106(L)
Fulton, Thomas and Paul C. Martin. Two-body system in quantum electrodynamics. Energy levels of positronium—811
Fung, Si-Chang and Anthony Turkevich. Radiochemical evidence for the $Cu^{65}(p,p\pi^+)Ni^{65}$ reaction—176
Furlong, L. R. Low-temperature luminescence of CdS—1086(L)
Furuichi, Jiro (see Mitsui, Toshio)—558(L)
Fuson, Nelson, Marie-Louise Josien, and Essie M. Shelton. Infrared spectroscopic study of influence of molecular structure upon $\nu(NH)$, $\nu(CO)$, and $\nu(CH_3)$ in benzopyrroles and their analogs—300(A)

Gaerttner, E. R. (see Albert, R. D.)—644(A)
Gaffney, John and W. C. Overton, Jr. Temperature variations of elastic constants of Cu single crystals from 4.2°K to 300°K—602(A)
Ganguly, S. C. and N. K. Chaudhury. Anisotropy of fluorescence of some organic crystals—1148
Garber, M. and D. E. Mapother. Effect of pressure on superconducting transition of Sn—603(A)
Garlick, G. F. J. (see Halperin, A.)—1098(L)
Garrett, C. and G. N. Whyte. Build-up measurements on Co^{60} γ radiation in Fe and Pb—889
Garrett, C. G. B. and W. H. Brattain. Self-powered semiconductor amplifier—1091(L)
Garrison, John D. (see Chamberlain, Owen)—1349(L)
Gasiorowicz, S. (see Arnowitt, Richard)—538; 618(A)
Gates, J. E. (see Aarons, M. W.)—1345(L)
Geballe, T. H. and F. J. Morin. Ionization energies of groups III and V elements in Ge—1085(L)
—— (see Matthias, B. T.)—1435
Geer, E. H. (see Nelson, E. B.)—650(A)
Geiger, K. W. and D. C. Rose. Neutron multiplicity from spontaneous fission of U—646(A)
Geller, K., J. Halpern, and Paul F. Yergin. Photoneutron angular distribution—659(A)
Geller, S. (see Matthias, B. T.)—1435
Gell-Mann, M., M. L. Goldberger, and W. E. Thirring. Use of causality conditions in quantum theory—1612
—— **and F. E. Low.** Quantum electrodynamics at small distances—1300
—— (see Goldberger, M. L.)—654(A)
Gerardo, H. (see Toms, M. E.)—629(A)
Gerhart, J. B. O^{14} decay and Fermi coupling constant in β decay—288(L)
Ghiorso, A., S. G. Thompson, G. H. Higgins, B. G. Harvey, and G. T. Seaborg. Evidence for subshell at $N = 152$—293(L)
—— (see Harvey, B. G.)—581(L)
—— (see Hulet, E. K.)—1703(L)
Ghosh, S. N. (see Sheridan, W. F.)—635(A)
Gibbons, J. H. and H. W. Newson. Total neutron cross sections in kev region: Tl^{205} and Tl^{206}—644(A)
—— (see Newson, H. W.)—640(A)
—— (see Rohrer, R. H.)—302(A)
Gibson, G. and P. Stehle. Interference effects in annihilation process—657(A)
Gilbert, D. A. (see Cohen, V. W.)—569(L)
Gilmore, P. (see Lorrain, Paul)—599(A)
Gilvarry, J. J. Relativistic Thomas-Fermi atom model—71
Gindler, J. E. (see Huizenga, J. R.)—1009
Girard, P. E. (see Lorrain, Paul)—599(A)
Givin, H. H., G. K. Farney, T. M. Hahn, and B. D. Kern. Angular distribution of 12-Mev and 16-Mev γ rays from proton bombardment of boron—641(A)
——, **G. K. Farney, B. D. Kern, and T. M. Hahn.** Angular distribution of 12-Mev γ rays from reaction $B^{11}(p,\gamma)C^{12}$—302(A)
Glasser, R. G. (see Schein, Marcel)—855(L)
Glauber, R. J. and P. C. Martin. Radiative capture of orbital electrons—572(L)
—— (see Zemach, A. C.)—605(A)
Glendenin, L. E. (see Steinberg, E. P.)—431; 867(L)
Glicksman, Maurice. Scattering of 187-Mev negative pions by hydrogen—1045
Gluckstern, R. L. (see Biedenharn, L. C.)—656(A)
Gold, R. (see Koerts, L.)—612(A)
Goldberger, M. L., M. Gell-Mann, and W. E. Thirring. General conditions on scattering matrix—654(A)
—— (see Gell-Mann, M.)—1612
Goldburg, W. I., S. A. Cox, and R. M. Williamson. Coulomb excitation of Au—628(A)
—— **and R. M. Williamson.** Coulomb excitation of Ta, W, and Au—767
Goldemberg, J. and L. Katz. Fine structure in neutron yield curves from (γ,n) reactions in Li^7, C^{12}, O^{16}, and F^{19}—471
—— (see Spicer, B. M.)—629(A)
Golden, Robert K. and Sherman Frankel. K-conversion electron—γ angular correlation in Sn^{117}—613(A)
Goldhaber, Gerson (see Fischer, David)—1350(L)
Goldhaber, M. (see Church, E. L.)—626(A)
—— (see Sunyar, A. W.)—570(L)
Goldman, David T. and Henry Brysk. Spatial distribution of energy dissipation by bremsstrahlung spectrum—305(A)
Goldman, J. E. (see Urquhart, H. M. A.)—653(A)
Goldschmidt-Clermont, Y. (see Osborne, L. S.)—637(A)
Goldstein, J. H. (see Slayton, George R.)—299(A)
Goldstein, Louis. Theory of liquid He^3–He^4 mixtures—869
Goldwasser, E. L., L. J. Koester, Jr., and F. E. Mills. Elastic photoproduction of π^0 mesons from He—1692(L)
—— (see Bernardini, G.)—857(L)
Gomez, R. (see Pugh, G. E.)—590(L); 611(A)
Good, W. M. (see Kunz, W. E.)—640(A)
—— (see Moak, C. D.)—641(A)
Goodenough, John B. Theory of domain creation and coercive force in polycrystalline ferromagnetics—917
—— (see Loeb, A. L.)—616(A)
Goodman, Clark (see Donaghy, Charles F.)—298(A)
—— (see Guernsey, Janet B.)—297(A); 636(A)
—— (see Kiehn, Robert M.)—636(A); 989
—— (see Mark, Hans)—628(A)
Goodman, L. S. and S. Wexler. Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}—570(L)
Gordon, Carroll K. Electrical conductivity of S—306(A)
Gordon, J. P., H. J. Zeiger, and C. H. Townes. Molecular microwave oscillator and new hfs in microwave spectrum of NH_3—282(L)
Gordy, Walter (see Burrus, Charles A.)—299(A); 706
—— (see Cox, John)—299(A)
—— (see Jache, Albert)—299(A)
Gorman, J. (see Blaser, J.)—624(A)
Gottlieb, M. B. (see Ellis, R. A., Jr.)—304(A)
Gould, Lawrence and Sanborn C. Brown. Microwave determination of probability of collision of electrons in He—897
Gourary, B. S. and R. W. Hart. Spherical model of antiferromagnet—652(A); 676
Gove, H. E., E. B. Paul, A. E. Litherland, and G. A. Bartholomew. Some spin assignments and partial width measurements of resonances in S^{32} from reaction $P^{31}(p,\gamma)S^{32}$—650(A)
—— (see Bartholomew, G. A.)—649(A)
Grandey, Ray A. (see Mann, Leonard A.)—648(A)

Gravel, Charles L. (see Brown, Fielding)—652(A)
Graves, Ernest D. and H. C. Thomas. Proportional counter for Auger electrons—304(A)
Green, Alex E. S. Coulomb radius constant from nuclear masses—1006
Green, C. D. and D. Ter Haar. Statistical aspects of second law of thermodynamics—643(A)
Green, D. W., J. N. Cooper, and J. C. Harris. Stopping powers of metals for low-energy protons—610(A)
Green, F. L. and J. A. Martin. High-intensity beam of low-energy protons in ORNL 86-inch cyclotron—304(A)
Green, H. S. Integral equations of quantized field theory—548
—— **and O. Bergmann.** Core structure in soft component showers—516
Greenberg, J. Mayo. High-energy electron scattering—619(A)
Greenberg, L. H., J. G. V. Taylor, and R. N. H. Haslam. Yield of α particles from photonuclear reactions at 23-Mev bremsstrahlung—1540
Greenblatt, M. H. Time delay in secondary emission—633(A)
Greisen, K. (see Barrett, P.)—1571; 1573
Griffith, Gordon L. De-excitation γ rays from inelastic scattering of neutrons—636(A)
Grove, G. R. (see Daggett, E. H.)—627(A)
Guernsey, Janet B. and Clark Goodman. Low-lying states in nuclei from $(n,n'\gamma)$ interactions—297(A)
—— **and Clark Goodman.** Neutron inelastic scattering in Ta and I—636(A)
Gupta, Suraj N. Electromagnetic interaction of particles of spin $\frac{1}{2}$—630(A)
—— Fierz-Pauli theory of particles of spin 3/2—1334
Gursky, H. (see Winnemore, B. J.)—301(A)
Guss, Donald, Lawrence Killion, and F. T. Porter. β spectra of Re^{186} and Re^{188}—627(A)
Gutowsky, H. S. Structural determinations by nuclear magnetism—596(T)

Haar, Lester and A. S. Friedman. General method for high-speed machine computation of ideal gas thermal properties. Diatomic free radicals of isotopic hydrides—614(A)
Haber-Schaim, U. (see Engler, A.)—1700(L)
Hadley, J. W. (see Burgus, Warren H.)—750
Hafner, Everett Mark. Refinement of uniform model—604(A)
—— (see Roberts, A.)—663(A); 1099(L)
Hahn, B. (see Hofstadter, R.)—512
Hahn, T. M. (see Givin, H. H.)—302(A); 641(A)
—— (see Lafferty, D. L.)—637(A)
—— (see Rayburn, L. A.)—301(A); 637(A)
Halbert, M. L. (see McGuire, A. D.)—625(A)
Hall, Harold H. Analysis of proton-proton scattering at 9.7 Mev—424
Hall, L. H., J. Bardeen, and F. J. Blatt. Infrared absorption spectrum of Ge—559(L)
Hall, T., M. Siegel, L. M. Sharpe, and D. Pressman. Production of I^{126} by deuteron bombardment of Te—1208
Halperin, A. and G. F. J. Garlick. Low-temperature bleaching and restoration of color centers—1098(L)
Halpern, I. (see Sugihara, T. T.)—630(A)
Halpern, J., R. Nathans, and P. F. Yergin. $A^{40}(\gamma,n)$ threshold and mass of A^{39}—1529
—— (see Ferguson, G. A.)—659(A); 776
—— (see Geller, K.)—659(A)
—— (see Weinstock, E. V.)—630(A)
Hamermesh, Bernard (see Recksiedler, Arthur)—650(A)
Hamilton, Donald R. (see Alford, W. Parker)—1351(L)
Hamlin, D. (see Merritt, J.)—638(A)
Handley, T. H. and B. L. Cohen. New isotope identification program on Oak Ridge 86-inch cyclotron—611(A)
—— (see Cohen, B. L.)—639(A)
Hanna, S. S., E. C. LaVier, and C. M. Class. β-α correlation in decay of Li^8—110
—— (see Shafroth, S. M.)—86; 641(A)
Hanson, A. O. (see Allen, Lew, Jr.)—629(A)
—— (see Yamagata, T.)—574(L)
Hanson, H. P. and J. R. Knight. K-absorption edge studies of compounds—621(A)
Hanson, W. B. and J. R. Pellam. Second sound attenuation in liquid He II—321; 604(A)
Hardy, W. A. and G. Silvey. Microwave spectrum of TeCS and masses of stable Te isotopes—385
Harkness, A. L. (see Friedman, A. M.)—1501
Harman, T. C., R. K. Willardson, and A. C. Beer. Analysis of magnetoresistance and Hall coefficient in p-type InSb and p-type Ge—699
——, **R. K. Willardson, and A. C. Beer.** Comparison of Hall and magnetoresistance phenomena in InSb with those in Ge—596(A)
—— (see Willardson, R. K.)—597(A)
Harris, D. R. and A. L. Hodson. Production of V^0 particles in Cu—661(A)
Harris, J. (see Green, D. W.)—610(A)
Hart, Edward W. Electronic energy of ordered alloys—666(A)
Hart, Robert W. (see Gourary, Barry S.)—652(A); 676
Harteck, P. and S. Dondes. Origin of N_2O in atmosphere—320
Hartman, P. L. (see Tomboulian, D. H.)—600(A)
Hartzler, A. J. and R. T. Siegel. 400-Mev n-p scattering—185
——, **R. T. Siegel, and W. Opitz.** Small-angle n-p scattering at 400 Mev—591(L)
Harvey, B. G., H. P. Robinson, S. G. Thompson, A. Ghiorso, and G. R. Choppin. Some pile neutron cross sections of isotopes of americium, berkelium, californium, and element 99—581(L)
—— (see Ghiorso, A.)—293(L)
Harvey, J. A., C. E. Porter, and D. J. Hughes. Variation of $\bar{\Gamma}_n^0/\bar{D}$ ratio with atomic weight—645(A)
—— (see Carter, R. S.)—645(A)
Hasegawa, Hirochi (see Enatsu, Hiroshi)—263
Haskin, D. M. (see Schein, Marcel)—855(L)
Haslam, R. N. H. (see Greenberg, L. H.)—1540
—— (see Katz, L.)—464
Hayden, R. J. (see Steinberg, E. P.)—867(L)
Haynes, Sherwood K. (see Burford, A. O.)—303(A)
—— (see Meneely, George R.)—308(A)
Hayward, Evans and E. G. Fuller. Nuclear elastic scattering of photons—1106(L)
Heald, Mark A. (see Beringer, R.)—1474
Hebb, Elizabeth (see Mitchell, Allan C. G.)—727
Heckrotte, Warren. Nuclear cross sections and size of nucleus—619(A); 1279
—— **and Joseph V. Lepore.** Polarization of nucleons elastically scattered from nuclei—1109(L)
Heinz, O. Range and specific ionization for high-energy protons in nuclear emulsions—610(A)
Hellens, R. L. (see Jennings, B.)—636(A)
Hemmendinger, Arthur (see Ennis, Malcolm E.)—772
Hendee, C. F. and S. Fine. Moseley's law applied to proportional counter resolution of adjacent elements—281(L)
Henkel, John H. Equation of state and thermal dependence of elastic coefficients of crystalline argon—617(A)
Henkel, R. L. (see Brolley, J. E., Jr.)—651(A)

Hennig, G. R. Thermal neutron capture cross section of C^{13}—92
——, **B. Smaller, and E. L. Yasaitis.** Paramagnetic resonance absorption in graphite—1088(L)
Henry, Warren E. Low-temperature magnetization of two Ce salts—603(A)
—— Strong field induced paramagnetic anomaly in $NiSiF_6 \cdot 6H_2O$—1449
Herber, R. H. (see Sugihara, T. T.)—298(A)
Hereford, Frank L. Annihilation of positrons in liquid He—1097(L)
—— (see McMaster, William H.)—723
Herlin, Melvin A. (see Chase, C. E.)—565(L)
Herman, Frank. Speculations on energy band structure of Ge-Si alloys—847(L)
——, **Joseph Callaway, and Forman S. Acton.** Comparison of various approximate exchange potentials—371
Herman, R. C., L. L. Mador, R. F. Wallis, and M. C. Williams. X-ray production of *F* centers in NaCl and LiF—598(A)
Herr, W., H. Hintenberger, and H. Voshage. Half-life of rhenium—1691(L)
—— (see Hintenberger, H.)—1690(L)
Herring, Conyers. Role of low-energy phonons in thermal conduction—954
Herwig, Lloyd O. and Glenn H. Miller. Relative ionization yields for fission fragments in various gases—413
Hesketh, R. V. and E. E. Schneider. Shape of *F* band—837(L)
—— **and E. E. Schneider.** Thermal restoration of color centers at low temperature—598(A)
Hess, Wilmot (see Burgus, Warren H.)—750
Heydenburg, N. P. and G. M. Temmer. Coulomb excitation of energy levels in Rh and Ag—861(L)
—— **and G. M. Temmer.** Coulomb excitation *vs* compound nucleus formation in the lighter elements—629(A)
Hibi, Tadatosi and Kazuo Ishikawa. Spectral dependence of thermionic emission with activation from (Ba–Sr)O cathodes over 0.6–3.5 ev region—1183
Hickam, W. M. Ionization probability curves near threshold for Zn, Cd, and Hg—703
Hidalgo, John U., Sr. Measurements of solvent volume changes in sugar factory using radioactive tracer technic—306(A)
Higgins, G. H. (see Ghiorso, A.)—293(L)
Hill, R. D., E. O. Salant, and M. Widgoff. τ meson produced by 3.0-Bev protons—1699(L)
Hillman, Peter, Vaughn Culler, and N. F. Ramsey. Polarization in high-energy p-n-n double scattering—462
Hinnov, Einar and Hedwig Kohn. Intensity measurements of resonance lines in flame source—301(A)
—— (see Kohn, Hedwig)—301(A)
Hintenberger, H., W. Herr, and H. Voshage. Radiogenic Os from Re-containing molybdenite—1690(L)
—— (see Herr, W.)—1691(L)
Hodson, A. L. (see Harris, D. R.)—661(A)
Hoffman, H. E. (see Howard, R. A.)—661(A)
Hofstadter, R., B. Hahn, A. W. Knudsen, and J. A. McIntyre. High-energy electron scattering and nuclear structure determinations. II—512
Holden, W. R. (see Atkinson, W. R.)—634(A)
Holm, D. M. (see Terrell, J.)—650(A)
Holm, Lennart W. (see Atterling, Hugo)—585(L)
Holmes, John R. and Leon Pape. Pressure shift in He λ5875—621(A)
Holmgren, H. D., J. M. Blair, B. E. Simmons, T. F. Stratton, and R. V. Stuart. Differential cross sections for $C^{13}(d,p)C^{14}$ and $C^{13}(d,t)C^{12}$—1544
Honig, A. and A. F. Kip. Electron spin resonance of impurity level in silicon—1686(L)
Hood, H. P. (see Sands, R. H.)—607(A)
Hopper, V. D. (see Parsons, R. W.)—193
Hopson, J. E. and C. E. Nielsen. Vapor expansion chamber using pure water. I—601(A)
—— (see Nielsen, C. E.)—601(A)
Horrocks, D. L. and A. F. Voigt. Half-life of Tl^{205}—1205
Horsley, R. J. (see Katz, L.)—464
Horton, G. K. and E. Phibbs. Effect of nuclear charge on internally produced pairs—604(A)
Hourd, R. F., J. R. Fleming, and J. J. Lord. Flux of primary heavy nuclei at equator—647(A)
Howard, R. A., P. M. Fitzpatrick, H. E. Hoffman, and J. S. Urban. Decay of heavy neutral particle—661(A)
Howland, P. R. and W. E. Kreger. γ-ray absorption coefficients for NaI, Cu, Ta, and W—407
Hoyle, Fred. Observational tests in cosmology—309(T)
Hrostowski, H. J., G. H. Wheatley, and W. F. Flood, Jr. Anomalous optical behavior in InSb and InAs—1683(L)
Hsieh, Yu-Chang and Ingram Bloch. Normal coordinates in nuclear photoeffect—305(A)
Huddleston, C. M. (see Eggler, C.)—600(A)
Hudis, J., E. Baker, and G. Friedlander. Production of Be^7 in high-energy reactions—612(A)
Hudson, R. P. and C. K. McLane. Magnetic and thermal properties of chromic methylamine alum below 1°K—932
—— (see Ambler, E.)—625(A); 1143
Huebner, W. F. (see Phelps, John)—441
Huggett, R. W. (see Thompson, R. W.)—661(A); 1576
Hughes, D. J. (see Harvey, J. A.)—645(A)
—— (see Levin, J. S.)—645(A)
—— (see Seidl, F. G. P.)—476
Hughes, Raymond H. Isotope shift in Li I spectrum—621(A)
Hughes, Vernon W. (see Marder, S.)—611(A)
—— (see Teutsch, Werner B.)—1461
—— (see Weinreich, Gabriel)—1451
Huizenga, J. R., J. E. Gindler, and R. B. Duffield. Relative photofission yields of several fissionable materials—1009
—— (see Friedman, A. M.)—1501
Hulburt, E. O. (see Bennett, W. H.)—315
Hulet, E. K., S. G. Thompson, and A. Ghiorso. Isotopes of curium, berkelium, and californium—1703(L)
Hull, M. H., Jr. (see Biedenharn, L. C.)—656(A)
Hungerford, E. T. and R. D. Birkhoff. Electron straggling in thin foils—6
Hunt, W. A., R. M. Kline, and D. J. Zaffarano. β endpoint energies and half-lives for some mirror transitions—611(A)
Hurley, J. P. and P. S. Jastram. γ ray studies of Re^{186}—627(A)
Hurst, G. S. (see Bortner, T. E.)—303(A); 609(A)
—— (see Cure, J. W.)—302(A)
Hurwitz, H., Jr. (see Zweifel, P. F.)—660(A)
Hutchinson, Franklin (see Phelps, John)—441
Hutchison, Clyde A., Jr., and W. Burton Lewis. Paramagnetic resonance absorption in sodium plutonyl acetate—1096(L)
Huus, Torben (see Day, Robert B.)—1003
Hyde, Earl K. (see Mathur, Hirdaya B.)—708

Iddings, G. M. (see Crane, W. W. T.)—1702(L)
Igo, G. and M. S. Wertheim. Isotope shift in x-ray spectra of heavy elements—1097(L)
Inghram, M. G. (see Steinberg, E. P.)—867(L)
—— (see Malm, R.)—641(A); 993
Inoki, M., T. Yasaki, and Y. Matsukawa. Mass measurements of slow cosmic-ray mesons—1565
Irvine, J. W., Jr. (see Bazorgan, G. A.)—781

Ise, J. (see Schecter, L.)—659(A)
Ishiguro, Masakazu, Fujio Oda, and Takuzo Fujino. Plastic flow and low-frequency dispersion in alkali halide crystal—1347(L)
Ishikawa, Kazuo (see Hibi, Tadatosi)—1183

Jaccarino, Vincent (see King, John Gordon)—1706(E)
Jache, Aloert, Gilbert Blevins, and Walter Gordy. Mm wave spectrum of arsine—299(A)
—— (see Burrus, Charles A.)—299(A); 706
Jackson, J. David. Schematic calculation of (p,xn) cross sections of heavy elements—651(A)
Jackson, J. L. Equations of motion of coupled ordered and dissipative systems—642(A)
Jacobs, Donald H. and Milton E. Pugh. JAINCOMP-C and -D digital computers—616(A)
Jacobsohn, B. A. Nuclear rotational levels and μ-mesonic atom—654(A)
Jakobson, M. and J. H. Manley. Phase properties of deflected ion beam from fixed-frequency cyclotron—600(A)
Jan, J.-P. and J. S. Koehler. Small angle x-ray scattering from cold-worked Al-Ag and Al-Zn alloys—665(A)
Jancovici, B. G. Coulomb energy and nuclear radius—389; 619(A)
—— **and I. Talmi.** Tensor forces and β decay of C^{14} and O^{15}—289(L)
Jansen, L. and Z. I. Slawsky. Deviations from additivity of intermolecular field at high densities—614(A)
Jastram, P. S. (see Hurley, J. P.)—627(A)
Jaumot, F. E., Jr. (see Berkowitz, A. E.)—1185
Jen, C. K. (see Massey, J. T.)—622(A)
Jenkins, T. L., D. Luckey, T. R. Palfrey, and R. R. Wilson. Photoproduction of charged π mesons from hydrogen and deuterium—179
Jennings, B., J. B. Weddell, and R. L. Hellens. Inelastic scattering of 4.3-Mev neutrons by Fe^{56}—636(A)
Jensen, E. N. (see Pohm, A. V.)—1523
Jentschke, W. (see Robinson, W. H.)—1412
Johnson, C. H. and J. L. Fowler. Differential cross section for elastic scattering of neutrons from N—637(A)
—— (see Trail, Carroll C.)—640(A); 1363(L)
Johnson, Everett R. and Schuyler M. Christian. Properties of Ge-Si alloys—560(L)
Johnson, F. S., J. D. Purcell, and R. Tousey. Extension of extreme uv solar spectrum—621(A)
Johnson, Peter D. and Ferd E. Williams. Effect of pressure on optical absorption of activator in luminescent solid—598(A)
—— **and Ferd E. Williams.** Effect of pressure on optical absorption of activator system in KCl: Tl—69
Johnson, T. H. AEC research programs and policies—299(T)
Johnston, L. H., E. A. Day, and J. H. Williams. Proposed design of 50-Mev proton linear accelerator—599(A)
Jones, D. R. Production of neutrons by negative μ mesons by complex nuclei—624(A)
Jones, Ernest A. (see Akers, Lawrence K.)—300(A)
—— (see Lovell, R. J.)—300(A)
Jones, Harry. Electronic wave functions in metals in relation to nuclear magnetic resonance—606(T)
Jordan, W. C. (see Burson, S. B.)—613(A)
Josien, Marie-Louise. Application of infrared spectroscopy to study of molecular interactions in solutions—299(T)
—— (see Fuson, Nelson)—300(A)

Kaiser, H. F. Microtron maximum particle energy—667(A)
—— Microtrons (electron cyclotrons for X and K band operation)—600(A)
—— Recent progress in microtron research—632(T)
Kaiser, W. (see Fan, H. Y.)—1087(L)
Kalos, M. (see Tobocman, W.)—605(A)
Kammer, E. W. Effect of small strains on electrical resistance of U wire—307(A)
Kanda, Eizo (see Sugawara, Tadashi)—1355(L)
Kanda, Teinosuke (see Sugawara, Tadashi)—1355(L)
Kane, J. A., R. A. Stallwood, R. B. Sutton, T. H. Fields, and J. G. Fox. External proton beam of Carnegie synchrocyclotron—662(A)
——, **R. A. Stallwood, R. B. Sutton, T. H. Fields, and J. G. Fox.** Polarization in p-p scattering at 415 Mev—1694(L)
—— (see Fields, T. H.)—638(A)
Kao, S. K. and A. F. Clark. p-p scattering in nuclear emulsions—662(A)
Kaplon, M. F., J. Crussard, J. Klarmann, and J. Noon. Observations on unstable particles in photographic emulsion—660(A)
—— (see Crussard, J.)—584(L)
—— (see Koshiba, M.)—647(A)
—— (see Noon, J. H.)—647(A); 1103(L)
Karle, I. L. Electron-diffraction studies of internal motion in molecules—633(T)
Karp, Samuel N. (see Shmoys, Jerry)—656(A)
Karplus, Robert. Hall effect in ferromagnetics—297(T)
—— **and J. M. Luttinger.** Hall effect in ferromagnetics—1154
Karzmark, C. J. (see Kim, Y. B.)—661(A)
—— (see Thompson, R. W.)—661(A); 1576
Kasper, J. S. (see Wilson, V. C.)—1408
Kato, Susumu (see Shinoda, Gunji)—840(L)
Kato, W. Y. (see Seidl, F. G. P.)—476
Katz, L., R. N. H. Haslam, R. J. Horsley, A. G. W. Cameron, and R. Montalbetti. Fine structure in $C^{13}(\gamma,n)C^{12}$ and $O^{16}(\gamma,n)O^{15}$ activation curves—464
—— (see Goldemberg, J.)—471
Keller, J. M. and E. Koenigsberg. Electronic quadrupole-quadrupole interactions in Ce metal—665(A)
Kelly, W. H. (see Lu, D. C.)—121; 1533
Kennedy, J. M. and W. T. Sharp. γ radiation from reactions induced by polarized particles—440
Kent, D. C. (see Levinger, J. S.)—418
Kereiakes, J. G. and A. T. Krebs. Use of scintillation counters in studies on luminous efficiency of biological materials—308(A)
Kern, B. D. (see Givin, H. H.)—302(A); 641(A)
—— (see Lamarsh, J. R.)—307(A)
Kerner, Edward H. Periodic impurities in periodic lattice—687
Kerr, Robert J. (see Meneely, George R.)—308(A)
Keuffel, J. W. (see Mezzetti, L.)—858(L)
Kiehn, Robert M. and Clark Goodman. Neutron inelastic scattering—636(A); 989
Killion, Lawrence (see Guss, Donald)—627(A)
Kim, Y. B., J. R. Burwell, H. O. Cohn, C. J. Karzmark, and R. W. Thompson. Magnetic cloud-chamber observation of V particles. I. Charged V particles—661(A)
King, Allen L. Rheological problem—298(A)
King, D. T. and M. M. Block. Pairs formed by bremsstrahlung of great energy. I. Experimental—648(A)
—— (see Block, M. M.)—171; 648(A)
King, Jean I. F. Potential theory formulation of radiant heat transfer—298(A)
King, John Gordon and Vincent Jaccarino. Hfs and nuclear moments of stable Br isotopes—1706(E)
Kington, Joe D. (see Willard, Harvey B.)—1359(L)
Kip, A. F. (see Dresselhaus, G.)—568(L)
—— (see Feher, G.)—1343(L)
—— (see Honig, A.)—1686(L)
Kirkwood, Robert L. Gravitational field equations—1051

Kittel, C. Statistical mechanics and Overhauser nuclear polarization effect—589(L)
—— (see Dresselhaus, G.)—568(L)
Klaiber, G. Stanley (see Box, Harold C.)—1247
Klarmann, J. (see Crussard, J.)—584(L)
—— (see Kaplon, M. F.)—660(A)
Klein, Abraham. Dyson's new Tamm-Dancoff method—654(A)
—— New Tamm-Dancoff formalism—1676
—— Suppression of pair coupling in nuclear forces—1061
—— Suppression of pair effects in nuclear forces—667(A)
—— (see Bernstein, J.)—655(A)
Klein, Martin J. and Paul H. E. Meijer. Principle of minimum entropy production—642(A)
Kleinman, D. A. (see Ryder, E. J.)—1342(L)
Kline, R. M. (see Hunt, W. A.)—611(A)
Klontz, E. E. (see Fan, H. Y.)—1087(L)
Kluyver, J. C. (see Endt, P. M.)—580(L)
Knight, J. R. (see Hanson, H. P.)—621(A)
Knowles, C. Harry and R. T. Lagemann. Some thermodynamic constants of liquid HF—306(A)
Knudsen, A. W. (see Hofstadter, R.)—512
Knudsen, W. C. and J. R. Dillinger. Experimental evidence for structure in He II film—279(L)
Koehler, J. S. (see Jan, J.-P.)—665(A)
Koehler, W. C. and E. O. Wollan. Neutron magnetic diffraction studies of La, Ca manganites—653(A)
—— **and E. O. Wollan.** Search for antiferromagnetism in V_3Si, Cr_3Si, and Mo_3Si—280(L)
Koenigsberg, E. (see Keller, J. M.)—665(A)
Koerts, Leo. Ground state of Re^{186}—1358(L)
——, **A. Schwarzschild, R. Gold, and C. S. Wu.** β spectrum of K^{42}—612(A)
Koester, L. J., Jr. (see Goldwasser, E. L.)—1692(L)
Kohn, Hedwig and Einar Hinnov. Photoelectric measurement of reversal temperature—301(A)
—— (see Hinnov, Einar)—301(A)
Kojima, S., K. Tsukada, S. Ogawa, and A. Shimauchi. New absorption lines of crystals in submicrowave region—1705(E)
Kooi, Clarence. Hall effect in ferromagnetics—843(L)
Korff, Serge A. Effect of melting of polar ice on length of day—296(L)
Kortright, J. M. (see Yearian, H. J.)—653(A)
Koshiba, M. and M. F. Kaplon. Observations on high-energy soft cascade—647(A)
—— (see Crussard, J.)—624(A)
—— (see Walker, W. D.)—624(A); 852(L)
Koslov, S., V. Fitch, and J. Rainwater. Experimental study of μ^--meson mass and vacuum polarization in mesonic atoms—291(L)
——, **V. Fitch, and J. Rainwater.** Mass of μ^- meson from mesonic x-rays—625(A)
Koster, G. F. Theory of scattering in solids—1436
—— **and J. C. Slater.** Wave functions for impurity levels—1167
Krasnow, M. E. (see Lassettre, E. N.)—635(A)
Kraushaar, J. J., J. W. Mihelich, and A. W. Sunyar. Directional correlation of γ rays of A^{38}—456
Krebs, A. T. (see Kereiakes, J. G.)—308(A)
Kreger, W. E. (see Howland, P. R.)—407
Krohn, V. E. and S. Raboy. Decay scheme of Pb^{204m}—1354(L)
—— **and S. Raboy.** Magnetic moment of first-excited state of Pb^{204}—608(A)
—— (see Raboy, S.)—1689(L)
Krone, R. W. (see Baumann, N. P.)—650(A)
Kruse, U. E. and J. M. Teem. p-p cross section at 95 Mev—662(A)
—— (see J. M. Teem)—664(A)
Kunz, W. E., C. D. Moak, and W. M. Good. $Li^7(He^3,p)Be^9$ reaction—640(A)
—— (see Moak, C. D.)—641(A)
Kuper, J. B. H. (see Bernstein, W.)—609(A)
Kurbatov, J. D. (see Sakai, M.)—101

Lackner, Henry (see Trambarulo, Ralph)—622(A)
Lafferty, D. L., L. A. Rayburn, and T. M. Hahn. γ-ray spectrum from inelastic scattering of fast neutrons in Fe—637(A)
—— (see Rayburn, L. A.)—301(A); 637(A)
Lagemann, R. T. (see Knowles, C. Harry)—306(A)
Lamarsh, J. R. and B. D. Kern. Metastable magnetic states—307(A)
Landsberg, P. T. Statistical mechanics of temperature-dependent energy levels—643(A)
Lane, C. T. (see Dyba, R. V.)—1365
Langenheim, R. H. (see Yearian, H. J.)—653(A)
Laporte, Otto. Interaction of shock waves—658(T)
Lark-Horowitz, K. (see Fan, H. Y.)—1087(L)
Lassettre, E. N., A. S. Berman, S. Silverman, and M. E. Krasnow. Electron spectrometer for study of inelastic collision cross sections—635(A)
LaVier, E. C. (see Hanna, S. S.)—110
Lawson, J. R. and M. B. Towns. Molecular association in perfluoroalkyl carboxylic acids—300(A)
Lax, Benjamin, H. J. Zeiger, and R. N. Dexter. Anisotropy of cyclotron resonance in Ge. I. Theory—597(A)
—— (see Dexter, R. N.)—557(L); 597(A)
Lax, Melvin. Infrared absorption in semiconductors—309(T)
—— **and Joel L. Lebowitz.** Vibration spectra of crystal lattices—617(A)
Lazar, N. H. Decay of Sb^{124}—292(L)
—— **and P. R. Bell.** γ radiation from K^{40}—612(A)
Leavitt, C. P. (see Shapiro, A. M.)—663(A)
LeBlanc, J. M., J. M. Cork, and S. B. Burson. Decay of Pt^{190}—627(A)
—— (see Burson, S. B.)—613(A)
Lebowitz, Joel L. (see Frisch, Harry L.)—643(A)
—— (see Lax, Melvin)—617
Leder, Lewis B. and L. Marton. Characteristic energy loss of electrons—634(A)
—— **and L. Marton.** Effect of chemical combination on characteristic energy loss of electrons—1345(L)
Lee, T. D. Some special examples in renormalizable field theory—1329
Lehner, J. and G. M. Wing. Solution of transport equation for case of slab geometry—642(A)
Leifer, H. N. and W. C. Dunlap, Jr. Some properties of p-type GaSb between 15°K and 925°K—51
Leighton, R. B. (see van Lint, V. A. J.)—295(L)
—— (see York, Carl M., Jr.)—159
Leipuner, L. (see Stearns, M. B.)—625(A); 1353(L)
Leiss, J. E. and C. S. Robinson. Photoproduction of π^+ mesons from hydrogen—638(A)
—— (see Penfold, A. S.)—637(A)
—— (see Robinson, C. S.)—638(A)
Lemonick, Aaron and Francis M. Pipkin. Spins and hyperfine splittings of Ag^{111} and Cu^{64}—1356(L)
Lepore, Joseph V. (see Heckrotte, Warren)—1109(L)
Lesk, I. A. Survey of Ge and Si devices—309(T)
Levin, J. S. and D. J. Hughes. Measurements of neutron resonance parameters in U, Th, Hg, and Au—645(A)
—— (see Seidl, F. G. P.)—476
Levine, S. H., R. S. Bender, J. N. McGruer, and W. F. Vogelsang. Reaction particles from 14.5-Mev deuteron bombardment of Li^7 and Li^6—640(A)

Levinger, J. S. and D. C. Kent. Independent particle model and nuclear photoeffect—418
Levinson, C., K. Brueckner, and H. Mahmoud. Two-body forces and nuclear saturation. II. Results—655(A)
—— (see Brueckner, K.)—655(A)
Levinson, John. Generator of linearly varying current for electromagnet—651(A)
Levinthal, Cyrus. Molecular structure and biological control mechanism—606(T)
Levitas, A., C. C. Wang, and B. H. Alexander. Energy gap of Ge-Si alloys—846(L)
Lewis, H. W. (see Bernstein, E. M.)—83
—— (see Schawlow, A. L.)—1344(L)
Lewis, W. Burton (see Hutchison, Clyde A., Jr.)—1096(L)
Lewis, W. E. (see Pohm, A. V.)—1523
Libby, W. F. (see Suttle, A. D., Jr.)—866(L)
Likely, J. G. (see Ajzenberg, F.)—641(A)
Lindenbaum, S. J. and Luke C. L. Yuan. Production of positive and negative pions in Be by 1.0 and 2.3-Bev protons—638(A)
Lindqvist, Torsten and Allan C. G. Mitchell. Disintegration of K^{42}—444; 612(A)
—— **and Allan C. G. Mitchell.** Nuclear levels in Ca^{42}—1535
Lindsay, John C. and A. V. Masket. High-speed transient dynamic analysis—665(A)
Linsley, John. Čerenkov counter measurement of fast multiply charged cosmic rays—647(A)
Litherland, A. E. (see Bartholomew, G. A.)—649(A)
—— (see Gove, H. E.)—650(A)
Loeb, A. L. and J. B. Goodenough. Influence of covalence on ion ordering and distortion in spinels—616(A)
Loeb, L. B. Some fundamental processes of gaseous electronics—620(T)
Loeliger, H. R. and L. R. Sarles. Magnetic moment of Os^{189}—291(L)
Lokanathan, S., J. Steinberger, and H. B. Wolfe. High-energy electrons in the capture of μ^- mesons by complex nuclei—624(A)
Lord, J. J. (see Fleming, J. R.)—647(A)
—— (see Orear, Jay)—624(A)
Lorrain, Paul, R. Béique, P. Gilmore, P. E. Girard, A. Breton, and P. Piché. Pressurized 500-kv high-frequency Cockroft-Walton accelerator—599(A)
Love, W. F. (see Croft, G. T.)—1403
—— (see Passaglia, E.)—666(A)
Lovell, R. J. and E. A. Jones. Potential constants for carbonyl fluoride—300(A)
Low, F. E. (see Gell-Mann, M.)—1300
Lu, D. C., W. H. Kelly, and M. L. Wiedenbeck. Decay schemes of Cd^{114} and Te^{125}—121
——, **W. H. Kelly, and M. L. Wiedenbeck.** γ-ray spectra following β-decay of Br^{80}, Sb^{124}, and I^{131}—1533
Luckey, D. (see Jenkins, T. L.)—179
Luckey, G. W. Formation of photographic latent image in Ag halides—309(T)
Lutes, O. S. (see Maxwell, E.)—333
Luttinger, J. M. (see Brown, H. A.)—652(A)
—— (see Karplus, Robert)—1154
Lyon, W. S. and J. E. Strain. Decay of Rb^{86}—1500
Lyons, D. H. and A. M. Feingold. Level structure of Li^8—606(A)
Lyons, Harold. Recent determinations of velocity of light—633(T)

Macdonald, J. Ross and John E. Robinson. Ac Hall and magnetoresistive effects in photoconducting alkali halides—44
Mackin, R. J. (see Mills, W. R., Jr.)—1206
Macklin, R. L. and H. E. Banta. $Li^8(d,t)$ reaction—302(A)
Madey, Richard (see Bandtel, Kenneth C.)—639(A)
Mador, L. L. (see Herman, R. C.)—598(A)
Magnuson, D. W. Molar polarization, dipole moment, and nonideality of trichloroheptafluorobutane vapor—301(A)
Mahmoud, H. (see Brueckner, K.)—655(A)
—— (see Levinson, C.)—655(A)
Malenka, Bertram J. Polarization in high-energy elastic nucleon-nucleus scattering—522
—— Polarization in scattering by nuclei at high energies—620(A)
Malm, R. and D. R. Inglis. Conservation of isobaric spin in reaction $Be^9(p,\alpha)Li^8$—993
—— **and D. R. Inglis.** Magnetic analysis indicating charge symmetry in reaction $Be^9(p,\alpha)Li^8$—641(A)
Malmberg, P. R. (see Sun, K. H.)—600(A)
Mandeville, C. E. and H. O. Albrecht. Phosphorescence of and energy storage in some uv-emitting phosphors—598(A)
Manley, J. H. (see Jakobson, M.)—600(A)
Mann, D. E. and Earle K. Plyler. Vibrational spectrum of fluorotrichloroethylene—622(A)
Mann, Leonard A., Ray A. Grandey, and Arnold F. Clark. Cross sections for meson-induced stars in Ilford G5 nuclear emulsions—648(A)
Mapother, D. E. (see Garber, M.)—603(A)
—— (see Mould, R. E.)—604(A)
Marcus, Jules A. (see Plumb, Harmon H.)—602(A)
Marder, S., V. W. Hughes, and C. S. Wu. Effect of angular dependence of annihilation radiation of orthopositronium in magnetic field—611(A)
Marion, J. B. (see Cook, C. F.)—639(A)
Mark, Hans, Clyde McClelland, and Clark Goodman. Electric excitation of Mn^{55} with protons—628(A)
Marmier, P. (see Boehm, F.)—864(L)
Marquez, Luis. Disintegration of Rh^{103}—67
Marshall, J. F., R. A. Shatas, and M. A. Pomerantz. Target-thickness dependence of δ-ray emission produced by 1.3-Mev electrons—634(A)
—— (see Pomerantz, M. A.)—633(A)
Marshall, John. Polarization of high-energy protons—644(T)
——, **L. Marshall, D. Nagle, and W. Skolnik.** Scattering of 314-Mev polarized protons by deuterium—1020
—— (see Nagle, D.)—663(A)
Marshall, L. (see Marshall, J.)—1020
—— (see Nagle, D.)—663(A)
Martin, J. A. (see Green, F. L.)—304(A)
Martin, P. C. (see Fulton, Thomas)—811
—— (see Glauber, R. J.)—572(L)
Martin, Ronald L. Phase shift analysis of scattering of negative pions on H—1606
Marton, L. Survey of characteristic energy losses of electrons—620(T)
——, **Tommy F. McCraw, and J. Arol Simpson.** Electron scattering in solids at 20 kev—634(A)
—— (see Leder, Lewis B.)—634(A); 1345(L)
Maryott, A. A. (see Birnbaum, G.)—622(A)
Masket, A. V. Interior value problems—305(A)
—— (see Lindsay, John C.)—665(A)
Massey, J. T., C. I. Beard, and C. K. Jen. Microwave spectral series of deuterated hydrogen peroxide—622(A)
Masuda, Yoshika (see Sugawara, Tadashi)—1355(L)
Mathur, Hirdaya B. and Earl K. Hyde. Spectrometer studies of radiation of neutron-deficient isotopes of Cs and of $E3$ isomers, Xe^{127m} and Xe^{129m}—708
Matsukawa, Y. (see Inoki, M.)—1565
Matthias, B. T. Superconducting compounds—633(T)

——, **T. H. Geballe, S. Geller, and E. Corenzwit.** Superconductivity of Nb_3Sn—1435
—— (see Schawlow, A. L.)—1344(L)
Maxwell, E. and O. S. Lutes. Threshold field properties of some superconductors—333
Mayburg, Sumner. Precipitation of impurities at dislocations in heat-treated Si—838(L)
—— Vacancies and interstitials in heat-treated Ge—38
Mayo, E. E. Generalization of theorem by Pappus—305(A)
Mazari, M. (see Buechner, W. W.)—609(A)
McCarthy, John T. Mass differences for isobars capable of double-β decay—447
McClelland, Clyde (see Mark, Hans)—628(A)
McClure, J. W. Axial ratios in hexagonal metals—665(A)
McCollom, K. A. (see de Boisblanc, D. R.)—609(A)
McCormick, G. H. (see Cohen, B. L.)—639(A)
McCormick, Philip T. Theoretical energy and angular distributions of bremsstrahlung electrons—657(A)
McCraw, Tommy F. (see Marton, L.)—634(A)
McGruer, J. N. (see Levine, S. H.)—640(A)
McGuire, A. D., M. Camac, M. L. Halbert, and J. B. Platt. X-rays from π mesonic atoms—625(A)
McIntyre, J. A. (see Hofstadter, R.)—512
McKeown, Michael (see Muehlhause, C. O.)—598(A)
—— (see Scharff-Goldhaber, Gertrude)—613(A)
McLane, C. K. (see Hudson, R. P.)—932
McMaster, William H. and Frank L. Hereford. Angular distribution of photoelectrons produced by 0.4–0.8 Mev polarized photons—723
McReynolds, A. W. and T. Riste. Magnetic neutron diffraction from Fe_3O_4—1161
McSkimin, H. J., A. J. Williams, and R. M. Bozorth. Elastic constants of Co and of CoZn ferrite crystals—616(A)
Meiboom, S. (see Abeles, B.)—31
Meijer, Paul H. E. Calculation of wavefunctions in symmetrical crystalline field—1443
—— (see Klein, Martin J.)—642(A)
Meissner, K. W. (see Deverall, G. V.)—1463
Melander, Lars (see Atterling, Hugo)—585(L)
Melton, Charles E. Measurements of ionization produced by 5-Mev α particles in argon mixtures—303(A)
Melvin, M. Avramy. Law of impact for generally shaped bodies—615(A)
Meneely, George R., Robert J. Kerr, Jesse E. Hoffman, and Sherwood K. Haynes. Rotating-sphere solid-angle scanner for γ rays—308(A)
Meneghetti, David and S. S. Sidhu. Neutron diffraction study of Cu-Mn system—666(A)
Mercer, C. F. (see Williams, Jack H.)—306(A)
Merritt, F. R. (see Fletcher, R. C.)—844(L)
Merritt, J. and D. Hamlin. Yield of π^+ mesons by 335-Mev protons as function of atomic number—638(A)
Merz, Walter J. Domain formation and domain wall motions in ferroelectric $BaTiO_3$ single crystals—690
Metropolis, N. (see de Hoffmann, F.)—1586
—— (see Fermi, E.)—1581
Metzger, F. R. and W. B. Todd. Nuclear resonance fluorescence in Hg^{198} and lifetime of 411-kev excited state of Hg^{198}—853(L)
—— **and W. B. Todd.** Resonance fluorescence with nuclei: Tl^{205}—627(A)
—— (see Swann, C. P.)—636(A)
Meyerott, R. E. Approximate Hartree type wave functions and matrix elements for K and L shells of atoms and ions—12
Mezzetti, L. and J. W. Keuffel. Decay curve of K particles—858(L)
Michel, M. C. (see Passell, T. O.)—999
Mihelich, J. W. Disintegration of Ta^{180}—626(A)
——, **A. W. Schardt, and E. Segrè.** Energy levels in Po^{210}—1508
—— (see Kraushaar, J. J.)—456
—— (see Sunyar, A. W.)—570(L)
Millburn, G. P., W. Birnbaum, W. E. Crandall, and L. Schecter. Nuclear radii and transparencies from inelastic cross-section measurements. I. Method—620(A)
——, **W. Birnbaum, W. E. Crandall, and L. Schecter.** Nuclear radii from inelastic cross-section measurements—1268
—— (see Birnbaum, W.)—649(A)
—— (see Crandall, W. E.)—620(A)
—— (see Schecter, L.)—659(A)
Miller, D. W., V. K. Rasmussen, and M. B. Sampson. Energy levels of C^{13} by inelastic α scattering—649(A)
Miller, Glenn H. (see Herwig, Lloyd O.)—413
Miller, J. M. (see Belmont, E.)—1554
—— (see Sugarman, Nathan)—1704(L)
Miller, R. C. High-energy, large-angle distribution of pair electrons produced by bremsstrahlung—796
Miller, W. C. (see Bhattacherjee, S. K.)—404
—— (see Noyes, J. C.)—396
Mills, F. E. (see Goldwasser, E. L.)—1692(L)
Mills, R. (see Yang, C. N.)—631(A)
Mills, W. R., Jr., and R. J. Mackin, Jr. Observations on 4.43-Mev γ-rays from C^{13}—1206
Milton, J. C. D. and J. S. Fraser. α-γ angular correlation in decay of Ra^{224}, Ra^{226}, and Pu^{239}—628(A)
Mingins, Charles R. (see Sampson, John L.)—617(A)
Miskel, J. A. and M. L. Perlman. Double vacancies in K shell associated with K-electron capture in A^{37}—612(A)
Mitchell, Allan C. G. and Elizabeth Hebb. Disintegration of Ba^{130}—727
—— (see Lindqvist, Torsten)—444, 612(A); 1535
Mitra, A. N. Modified nucleon propagators—1697(L)
Mitsui, Toshio and Jiro Furuichi. Kinetic properties of domains in Rochelle salt—558(L)
Mize, J. P., J. W. Starner, and M. E. Bunker. Radiations of Ir^{192m}—627(A)
—— (see Bunker, M. E.)—612(A)
Moak, C. D., W. M. Good, and W. E. Kunz. Be^9+He^4 reactions—641(A)
—— (see Kunz, W. E.)—640(A)
Montalbetti, R. (see Katz, L.)—464
Morin, F. J. (see Geballe, T. H.)—1085(L)
Morrison, P. Solar-connected variations of cosmic rays—646(A)
Moser, Paul (see Trambarulo, Ralph)—622(A)
Moses, H. E. Canonical transformation for electron-positron field coupled to time-independent electromagnetic field. II—237
Moszkowski, Steven A. Energy levels in spheroidal well—604(A)
—— (see Finkelstein, R. J.)—1695(L)
Mould, R. E. and D. E. Mapother. Superconductivity of precipitation hardening Al alloy—604(A)
Moyer, Burton J. (see Bandtel, Kenneth C.)—639(A)
—— (see Cohen, David)—664(A)
—— (see Wilcox, J. M.)—664(A)
Moyer, James W. (see Ruth, Ralph P.)—562(L)
Muckenthaler, F. (see Neiler, J. H.)—640(A)
Muehlhause, C. O., E. der Mateosian, and Michael McKeown. Effects of preparation and temperature on response of NaI phosphors—598(A)
Murray, R. B. Specific heat of $MnCl_2$ at temperatures of liquid He—307(A)
Muschlitz, E. E., Jr. Scattering of H^- ions in range 20–400 ev—635(A)

Myers, H., A. Odian, P. C. Stein, and A. Wattenberg. Neutrons in coincidence with high-energy photoprotons—576(L)

Nagle, D., J. Marshall, L. Marshall, and W. Skolnik. Polarization of 310-Mev protons by deuterium—663(A)
—— (see Marshall, J.)—1020
Nathans, R. (see Ferguson, G. A.)—659(A); 776
—— (see Halpern, J.)—1529
Neaves, A. and D. ter Haar. Thermal conductivity of semiconductors—596(A)
Neiler, J. H., F. Muckenthaler, and James Schenck. Fast neutron scintillation spectra of $Li^6(n,\alpha)H^3$ reaction in LiI(Eu)—640(A)
Nelkin, M. S. and H. A. Bethe. Meson production in meson-proton scattering—618(A)
Nelson, E. B., E. H. Geer, and R. R. Carlson. Scintillation counter study of γ rays from proton capture in Na—650(A)
—— (see Carlson, R. R.)—641(A)
Neufeld, Jacob. Bohr's theory of energy losses of moving charged particles—1128
Newkirk, J. B. Growth of CdI_2 crystals—616(A)
Newman, E. (see Cohen, B. L.)—639(A)
Newson, H. W. and J. H. Gibbons. Resonance near $Li^7(p,n)$ threshold—640(A)
—— (see Gibbons, J. H.)—644(A)
—— (see Rohrer, R. H.)—302(A)
Newson, Henry. Shell effects in highly excited nuclei—299(T)
Neynaber, R. H. (see Beeman, W. W.)—617(A)
Nickell, William E. Yield and angular distribution of protons from $Li^6(d,p)Li^7$—426
Nicklas, J. P. Isotope shift in neutral C—1469
Nielsen, Alvin H. Infrared spectrum of σ_3 for $B^{10}F_3$ and $B^{11}F_3$—300(A)
Nielsen, C. E. and J. E. Hopson. Vapor expansion chamber using pure gases at low temperatures. III—601(A)
—— (see Caren, R. P.)—601(A)
—— (see Hopson, J. E.)—601(A)
Nielsen, K. O. (see Elbek, B.)—96
Nielsen, O. B. (see Elbek, B.)—96
Nier, A. O. (see Collins, T. L.)—615(A)
Nix, F. C. (see Berkowitz, A. E.)—1185
—— (see Croft, G. T.)—1403
—— (see Donahoe, F. J.)—1395
Noon, J. H. and M. F. Kaplon. Fragmentation of heavy primary nuclei into light elements—647(A)
——, **M. F. Kaplon, and J. Crussard.** Anomalous event observed in photographic emulsion—1103(L)
—— (see Crussard, J.)—584(L)
—— (see Kaplon, M. F.)—660(A)
Noyes, H. P. Pion-nucleon S phase shifts at low energy—619(A)
Noyes, J. C., J. E. Van Hoomissen, W. C. Miller, and B. Waldman. Photodisintegration thresholds of D_2O and Be—396
Nyborg, Wesley L. Self-maintained oscillations in fluid flow—297(T)

Oda, Fujio (see Ishiguro, Masakazu)—1347(L)
Odian, A. (see Myers, H.)—576(L)
Ogawa, S. (see Kojima, S.)—1705(E)
O'Kelley, G. D. (see Olsen, J. L.)—1539
Olds, J. D. (see Codrington, R. S.)—607(A)
Olsen, J. L. and G. D. O'Kelley. Decay of Cs^{130}—1539
O'Neill, Gerard K. Time-of-flight measurements of inelastic neutron scattering—635(A)
—— Time-of-flight measurements on inelastic scattering of 14.8-Mev neutrons—1235
Opitz, W. (see Hartzler, A. J.)—591(L)
Orear, Jay, C. H. Tsao, J. J. Lord, and A. B. Weaver. Scattering of 145-Mev π^+ by H in emulsion—624(A)
Orgel, S. (see Dropkin, J. J.)—597(A)
Osborne, L. S., Y. Goldschmidt-Clermont, and G. Parker. Photoproduction of π^+ mesons near threshold—637(A)
Otter, F. A. (see Domenicali, C. A.)—1134
Overton, W. C., Jr., and J. R. Clement. Correlation techniques for testing Born-von Kármán theory of specific heats—602(A)
—— (see Gaffney, John)—602(A)
Owen, Henry R. (see Schaeffer, Oliver A.)—615(A)

Pac, Pong Yul (see Enatsu, Hiroshi)—263
Packard, M. E. Chemical applications of nuclear magnetic resonance—596(T)
Palevsky, H. and R. M. Eisberg. Magnetic scattering of cold neutrons by gaseous oxygen—659(A)
—— (see Eisberg, R. M.)—659(A)
—— (see Seidl, F. G. P.)—476
Palfrey, T. R. (see Jenkins, T. J.)—179
Palma, M. B., M. U. Palma, and D. Palumbo. Paramagnetic resonance absorption of $VOSO_4 \cdot 5H_2O$—608(A)
Palma, M. U. (see Palma, M. B.)—608(A)
Palmer, R. R. (see Bollinger, L. M.)—645(A)
Palumbo, D. (see Palma, M. B.)—608(A)
Pape, Leon (see Holmes, John R.)—621(A)
Park, David. Ferrimagnetic resonance in sintered masses—652(A)
Parker, G. (see Osborne, L. S.)—637(A)
Parker, Vincent E. (see Snyder, Conway W.)—635(A)
Parratt, L. G. Solid surface studies by total reflection of x-rays—617(A)
—— Surface studies of solids by total reflection of x-rays—359
Parsons, R. W., Françoise A. Brisbout, and V. D. Hopper. Meson showers and high-energy interactions in light and heavy nuclei—193
Passaglia, E. and W. F. Love. Resistivity of ordered and disordered Cu-Au alloys at low temperatures—666(A)
Passell, T. O., M. C. Michel, and I. Bergström. Decay of odd-odd isomer Tl^{198m}—999
Patronis, E. T., Jr. (see Braden, C. H.)—627(A); 758
Patterson, Reid. (p,n) reactions on As, Y, Nb, and Rh—303(A)
Paul, E. B. (see Bartholomew, G. A.)—649(A)
—— (see Gove, H. E.)—650(A)
Pearson, G. L. (see Fletcher, R. C.)—844(L)
Peaslee, D. C. Coulomb energies of light nuclei—717
—— Pion production ratios. II—1580
—— Supermultiplet evidence from isotopic spin spacing—605(A)
—— (see Drachman, R. J.)—605(A)
Pecjak, F. A. (see Sun, K. H.)—600(A)
Peck, R. A., Jr. Rf Cockroft-Walton generator for neutron production—599(A)
Pellam, J. R. (see Broida, H. P.)—845(L)
—— (see Hanson, W. B.)—321; 604(A)
Penfold, A. S. and J. E. Leiss. Determination of photo cross sections from bremsstrahlung activation curves—637(A)
—— (see Spicer, B. M.)—629(A)
Pepper, R. R. (see Fan, H. Y.)—1087(L)
Percus, Jerome K. and George J. Yevick. Domain of action of collective coordinates in new approach to many-body problem—642(A)
—— (see Yevick, George J.)—642(A)
Perkins, J. F. (see Burford, A. O.)—303(A)
Perlman, M. L. and Joan P. Welker. Disintegration of I^{126}—133; 613(A)

—— (see Miskel, J. A.)—612(A)
Perry, Robert W. (see Sampson, John L.)—298(A)
Peter, Martin and M. W. P. Strandberg. Microwave spectrum of OCS—622(A)
Pettengill, G. (see Chamberlain, O.)—1348(L)
Pfann, W. G. and W. Van Roosbroeck. Radioactive and photoelectric p-n junction power sources—597(A)
Phelps, John, W. F. Huebner, and Franklin Hutchinson. Stopping power of organic foils for 6-Mev alphas—441
Phibbs, E. (see Horton, G. K.)—604(A)
Piché, P. (see Lorrain, Paul)—599(A)
Pilcher, V. E., R. S. Carter, and A. Stolovy. Neutron resonances in Ho, Tm, and Lu—645(A)
Pines, David. Electron interaction in solids—620(T)
—— Paramagnetic and diamagnetic susceptibility of conduction electrons—1090(L)
Pipkin, Francis M. (see Lemonick, Aaron)—1356(L)
Platt, J. B. (see McGuire, A. D.)—625(A)
Pleasonton, Frances (see Snell, Arthur H.)—304(A)
Plumb, Harmon H. and Jules A. Marcus. Thermal conductivity of Ga single crystals at low temperatures—602(A)
Plyler, Earle K. (see Mann, D. E.)—622(A)
Pobereskin, M. (see Aarons, M. W.)—1345(L)
Pohm, A. V., W. E. Lewis, J. H. Talboy, Jr., and E. N. Jensen. β spectra of Pr^{142}, Tm^{170}, and Rb^{86}—1523
Pomerantz, Martin A. Cosmic radiation at very high altitudes near geomagnetic equator—531
—— Primary α particles near geomagnetic equator—1691(L)
——, **J. F. Marshall, and R. A. Shatas.** Forward-backward ratio of secondary emission produced by 1.3-Mev electrons—633(A)
—— (see Marshall, J. F.)—634(A)
Porter, C. E. (see Harvey, J. A.)—645(A)
Porter, F. T. (see Guss, Donald)—627(A)
Posener, D. W. and M. W. P. Strandberg. Centrifugal distortion in asymmetric top molecules. III. H_2O, D_2O, and HDO—374
Pound, R. V. (see Bloembergen, N.)—8
Pratt, William W. Energy and angular distribution of protons from deuteron bombardment of Ni—1517
Pressman, D. (see Hall, T.)—1208
Preston, W. M. (see Stelson, P. H.)—974
Price, P. J. Electronic thermal conduction in semiconductors—596(A)
Primak, William. The metamict state—837(L)
—— **and L. Fuchs.** Electrical conductivities of natural graphite crystals—22
Pringle, R. W., W. Turchinetz, and H. W. Taylor. Further study of decay scheme of Ir^{190}—115
Prosser, F. W. (see Baumann, N. P.)—650(A)
Pruett, C. H. and R. G. Wilkinson. Disintegration of Ce^{139}—625(A)
Pryce, M. H. L. (see Alburger, D. E.)—1482
Pugh, G. E., D. H. Frisch, and R. Gomez. Nuclear scattering of γ rays below meson threshold—590(L)
——, **D. H. Frisch, and R. Gomez.** Scattering of x-rays by nuclei—611(A)
Pugh, Milton E. (see Jacobs, Donald H.)—616(A)
Pulvari, C. F. Propagation of displacement in solid, having crystalline structure with bistable states—617(A)
Purcell, J. D. (see Johnson, F. S.)—621(A)
Pyle, R. V. (see Birnbaum, W.)—649(A)

Quimby, S. L. Temperature variation of mean Debye temperature of Cu_3Au, 20°C to 450°C—916

Raboy, S. and V. E. Krohn. Gyromagnetic ratio of 10^{-6}-second Ta^{181m}—1689(L)
—— (see Krohn, V.)—608(A); 1354(L)
Rainwater, James (see Cooper, Leon N.)—1107(L)
—— (see Koslov, S.)—291(L); 625(A)
Ramsey, N. F. Molecular-beam studies of molecules—596(T)
—— (see Hillman, Peter)—462
Rankin, Bayard. Simplifying approximation for determining cascade shower distributions—657(A)
Rao, K. Narahari. Near uv absorption spectrum of 1,2,4-trifluorobenzene—299(A)
Rasmussen, V. K. (see Miller, D. W.)—649(A)
Ravenhall, D. G. (see Yennie, D. R.)—500
Rayburn, L. A., D. L. Lafferty, and T. M. Hahn. γ rays produced by inelastic scattering of d-D neutrons in Cu, Al, and Mg—637(A)
——, **D. L. Lafferty, and T. M. Hahn.** Inelastic scattering of d-D neutrons by Fe and Cu—301(A)
—— (see Lafferty, D. L.)—637(A)
Rayne, John. Specific heats of metals below one degree absolute—1428
Recksiedler, Arthur and Bernard Hamermesh. Capture γ-ray studies using scintillation coincidence spectrometer—650(A)
Reder, Fritz H. and Sanborn C. Brown. Energy distribution function of electrons in pure He—885
Rediker, Robert H. Ionization chamber measurements at 10,600 feet of absorption of N component in carbon and hydrocarbon—526
Redlich, Martin G. Interactions between some two-nucleon configurations—448
—— **and Eugene P. Wigner.** β-decay matrix element for deformed core model—122
Reier, Melvin and Morris H. Shamos. Neutron-capture γ-ray spectra—636(A)
Reiffel, L. and G. M. Burgwald. Low-energy events—1294
Reynolds, H. L., D. W. Scott, and A. Zucker. Range and charge of energetic nitrogen ions in Ni—671
—— **and A. Zucker.** Equilibrium charge distribution of stripped 26-Mev N ions—1353(L)
—— **and A. Zucker.** Excitation function for reaction $Be^9(N^{14})F^{18}He^5$—302(A)
Reynolds, J. B. and K. G. Standing. Angular distribution of deuterons from (p,d) reactions in light nuclei—639(A)
Ribe, F. L. and J. D. Seagrave. Pickup reactions $B^{10}(n,d)Be^9$ for 14-Mev neutrons—649(A)
Richards, J. D. (see Brentano, J. C. M.)—841(L)
Richter, Harold G. and Charles D. Coryell. Low-energy photofission yields for U^{233}—1550
Rickey, M. E. (see Eisberg, R. M.)—659(A)
Ringo, G. R. and S. Wexler. Standards for thermal neutron capture measurements—660(A)
Riste, T. (see McReynolds, A. W.)—1161
Roat, W. F. (see Autler, S. H.)—599(A)
Roberts, A., J. Tinlot, and E. M. Hafner. Polarization in n-p scattering at 100–200 Mev—1099(L)
——, **J. Tinlot, and E. M. Hafner.** Polarization of 170-Mev neutrons—663(A)
—— (see Tinlot, J.)—137
Roberts, James H. (see Weddell, James B.)—117
Roberts, L. D., S. Bernstein, J. W. T. Dabbs, and C. P. Stanford. Capture of polarized neutrons by polarized Sm^{149} nuclei—105
—— **and J. W. T. Dabbs.** Approximate partition function for certain iron group salts at low temperatures—307(A)
—— (see Dabbs, J. W. T.)—307(A); 970
Robinson, C. S. and J. E. Leiss. Photoproduction of π^+ mesons from H near threshold—638(A)
—— (see Leiss, J. E.)—638(A)
Robinson, H. P. (see Harvey, B. G.)—581(L)
Robinson, John E. (see Macdonald, J. Ross)—44

Robinson, W. H. and W. Jentschke. Response of anthracene scintillation crystals to mono-energetic soft x-rays—1412
Rogers, F. T., Jr. General relations in fluid convection theory. I. Similarity theory for flow onset—305(A)
Rogers, T. F. Microwave and far infrared atmospheric water-vapor absorption—622(A)
Rogosa, G. L. (see Schwarz, G.)—950
Rohrer, R. H., W. H. Cargill, and A. F. Dratz. Applications of NaI γ-ray spectrometer to blood volume determinations—308(A)
——, **H. W. Newson, J. H. Gibbons, and P. Cap.** Activation of Al and Se^{80} by p-neutron capture in kev region—302(A)
Rohrlich, F. Pair production and bremsstrahlung in field of electron—657(A)
Rose, D. C. (see Geiger, K. W.)—646(A)
Rosenblum, E. S. (see Dexter, R. N.)—597(A)
Rosenfeld, Arthur H. Pion production by 440-Mev protons incident upon H and C—638(A)
—— (see Warshaw, S. D.)—649(A)
Rosenstock, Herbert B. Counting lattice frequencies—617(A)
Rosenthal, Jenny E. New technique for solving three-dimensional electron optics potential problems with axial symmetry—633(A)
Ross, A. W. and D. ter Haar. Volume changes in substitutional alloys—665(A)
Ross, I. M. (see Ryder, E. J.)—1342(L)
Ross, Marc H. Meson-meson effects in meson-nucleon scattering—619(A)
—— Meson-meson interaction in meson scattering—1687(L)
—— (see Dyson, F. J.)—1644
Rossi, B. (see Bridge, H. S.)—662(A); 1101(L)
—— (see DeStaebler, H. C., Jr.)—662(A)
Rothstein, Jerome. Can well-informed heat engine (WHE) have free will?—643(A)
—— Possible macroscopic effects of single lattice defects—370
Roys, P. A., K. Shure, and J. J. Taylor. Penetration of 6-Mev γ rays in water—911
—— (see Shure, K.)—610(A)
Ruark, Arthur E. Electrodynamic equations symmetrical in respect to charges and poles; with remarks on monopoles—305(A)
—— Properties of hypothetical atoms composed of magnetic poles—632(A)
Rubin, L. G. (see Davis, L., Jr.)—597(A)
Rubin, Robert J. Excluded-volume problem—642(T)
—— Quantum-mechanical molecular distribution functions in one-dimensional fluid composed of hard spheres—643(A)
Rumsey, V. H. Reaction concept in electromagnetic theory—1705(E)
Rushworth, F. A. Nuclear magnetic resonance in some solid hydrocarbons—608(A)
Russell, Leonard N., Warren E. Taylor, and John N. Cooper. γ radiation from Mg^{26} under proton bombardment—99
Russell, Paul N. Nonmetallic ferromagnetic materials—309(T)
Ruth, Ralph P. and James W. Moyer. Power efficiency for photovoltaic effect in Ge-grown junction—562(L)
Ryder, E. J., I. M. Ross, and D. A. Kleinman. Electron multiplication in Ge at low temperature—1342(L)

Sachs, R. G. Structure of nucleon. II. Pion-nucleon scattering—1065
Sagane, Ryokichi. Positrons from decay of μ mesons—660(T)
——, **Walter F. Dudziak, and James Vedder.** Positron spectrum from decay of μ meson—863(L)
Sakai, M., J. L. Dick, W. S. Anderson, and J. D. Kurbatov. Decay scheme of Co^{56}—101
Salant, E. O. (see Hill, R. D.)—1699(L)
Salpeter, E. E. (see Dyson, F. J.)—1644
Salzman, Freda F. and James N. Snyder. Numerical calculation of 3/2−3/2 pion-nucleon reaction matrix and phase shifts—286(L)
Salzman, G. and A. H. Taub. Born-type rigid motion in relativity—1659
Sampson, John L., Edward E. Altshuler, and Charles R. Mingins. Granular structure of $BaTiO_3$ ceramic—617(A)
——, **Edward E. Altshuler, and Robert W. Perry.** Replication of $BaTiO_3$ ceramic surfaces for electron microscopy—298(A)
Sampson, M. B. (see Miller, D. W.)—649(A)
Sands, Matthew, J. G. Teasdale, and Robert L. Walker. Negative-to-positive ratio of photomesons from deuterium—592(L)
Sands, R. H., J. Townsend, and H. P. Hood. Paramagnetic resonances in glasses—607(A)
Saraf, Babulal. Inner bremsstrahlung in A^{37} and Ge^{71}—612(A)
—— Inner bremsstrahlung in electron capture process—Ge^{71}—97
Sarles, L. R. (see Loeliger, H. R.)—291(L)
Sawamoto, K. (see Yamaka, E.)—848(L)
Sawyer, R. B. (see Clifford, Joseph M.)—665(A)
Saxon, David S. (see Woods, Roger D.)—577(L)
Schaeffer, Oliver A. and Henry R. Owen. Electron impact studies of isotopic O_2 and CO_2 molecules—615(A)
Schardt, A. W. (see Mihelich, J. W.)—1508
Scharff, Morris F. Moments of Na^{23}—1114(L)
—— Regularity in magnetic moments of odd nuclei—1112(L)
Scharff-Goldhaber, Gertrude and Michael McKeown. New isomers in Br and Cl—613(A)
Schawlow, A. L., B. T. Matthias, H. W. Lewis, and G. E. Devlin. Structure of intermediate state in superconductors—1344(L)
Schecter, L., W. E. Crandall, G. P. Millburn, and J. Ise. Cross section for producing high-energy neutrons from C targets bombarded by protons, deuterons, and He^4 particles—659(A)
—— (see Crandall, W. E.)—620(A)
—— (see Millburn, G. P.)—620(A); 1268
Schein, Marcel, D. M. Haskin, and R. G. Glasser. Narrow shower of pure photons at 100 000 feet—855(L)
Schenck, James (see Neiler, J. H.)—640(A)
Scherrer, V. E., B. A. Allison, and W. R. Faust. γ radiation from interaction of 3.1-Mev neutrons—637(A)
—— (see Shapiro, P.)—751
Schild, A. (see Dettman, J. W.)—631(A); 1057
Schluter, Robert A. Neutral pion-deuteron production in high-energy n-p collisions—639(A)
—— (see Wright, S. C.)—639(A)
Schmitt, Roman A. and Nathan Sugarman. U photofission yields—1260
Schneider, E. E. (see Cunnell, F. A.)—598(A)
—— (see Hesketh, R. V.)—598(A); 837(L)
Schumacher, R. T., T. R. Carver, and C. P. Slichter. Measurement of spin paramagnetism of conduction electrons—1089(L)
Schwarz, G. and G. L. Rogosa. Transmission of x-rays through calcite in Laue diffraction—950
Schwarzschild, A. (see Koerts, L.)—612(A)
Schweber, S. S. (see Dyson, F. J.)—1644
Schweitzer, W. G., Jr. (see Zahn, C. T.)—633(A)
Scolman, T. T. (see Collins, T. L.)—615(A)
Scott, D. W. (see Reynolds, H. L.)—671

Scott, F. R., D. B. Thomson, and W. Wright. Thermal neutron capture cross sections of hydrogen, B, and Ag—582(L)
Seaborg, G. T. (see Ghiorso, A.)—293(L)
Seagrave, J. D. (see Ribe, F. L.)—649(A)
Seeger, R. J. AEC research policies of National Science Foundation—299(T)
—— Role of physics in engineering education—309(T)
Segall, Benjamin. Nuclear shapes at half-filled shells—605(A)
Segrè, Emilio (see Chamberlain, Owen)—850(L); 1348(L); 1104(L); 1105(L)
—— (see Mihelich, J. W.)—1508
Seidl, F. G. P., D. J. Hughes, H. Palevsky, J. S. Levin, W. Y. Kato, and N. G. Sjöstrand. "Fast chopper" time-of-flight measurement of neutron resonances—476
Seliger, H. H. Transmission of monoenergetic positrons and electrons—610(A)
Selove, W. Pickup deuterons produced from 95-Mev protons—663(A)
Senitzky, I. R. Harmonic oscillator wave functions—1115
—— Quantum effects in interaction between electrons and high-frequency fields. I—904
Shaforth, S. M. and S. S. Hanna. Decay scheme and γ-γ correlations in B^{10}—86
—— **and S. S. Hanna.** γ-γ correlation in $Be^9(d,n)B^{10*}(\gamma)B^{10}$—641(A)
Shamos, Morris H. (see Fafarman, A.)—648(A)
—— (see Reier, Melvin)—636(A)
Shapiro, A. M., C. P. Leavitt, and F. F. Chen. Total p-p cross section above 400 Mev—663(A)
Shapiro, I. I. and J. M. Teem. Interpretation of scattering of high-energy nucleons by complex nuclei—619(A)
Shapiro, Maurice M. Recent results from study of cosmic rays with nuclear emulsions—299(T)
Shapiro, P., V. E. Scherrer, B. A. Allison, and W. R. Faust. n-γ coincidences produced by inelastic scattering of neutrons—751
Sharp, W. T. (see Kennedy, J. M.)—440
Sharpe, L. M. (see Hall, T.)—1208
Shatas, R. A. (see Marshall, J. F.)—634(A)
—— (see Pomerantz, M. A.)—633(A)
Shaw, C. H. (see Soules, Jack)—621(A)
Shaw, Harlan (see Cohen, David)—664(A)
Shelton, Essie M. (see Fuson, Nelson)—300(A)
Sheridan, Walter F. Rf mass spectrometer as rocket-borne instrument for atmospheric composition studies—298(A)
——, **J. A. Dillon, Jr., and S. N. Ghosh.** Experimental determination of charge transfer cross sections—635(A)
Shibuya, Motoichi. Magnetoresistance effect in cubic semiconductors with spheroidal energy surfaces—1385
Shimauchi, A. (see Kojima, S.)—1705(E)
Shinoda, Gunji, Tatsuro Suzuki, and Susumu Kato. Two types of band emission curves of Cu in soft x-ray region—840(L)
Shmoys, Jerry and Samuel N. Karp. Calculation of potential from transit time—656(A)
Shuler, W. E. (see Fletcher, William H.)—300(A)
Shull, Theodore (see Burgus, Warren H.)—750
Shure, K., P. A. Roys, and J. J. Taylor. Penetration of 6-Mev γ rays in Pb and Fe—610(A)
—— (see Roys, P. A.)—911
Shutt, R. P. (see Fowler, W. B.)—1026
Sidhu, S. S. (see Meneghetti, David)—666(A)
Siegel, M. (see Hall, T.)—1208
Siegel, R. T. (see Hartzler, A. J.)—185; 591(L)
Silver, E. G. and R. W. Waniek. Interactions of high-energy neutrons in Mo—586(L)
Silverman, A. (see Edwards, D. A.)—629(A)
Silverman, S. (see Lassettre, E. N.)—635(A)
Silvey, G. (see Hardy, W. A.)—385
Simmons, B. E. (see Holmgren, H. D.)—1544
Simmons, J. W. (see Slayton, George R.)—299(A)
Simon, Albert. High-speed computation of angular momentum functions—657(A)
Simpson, Arol (see Marton, L.)—634(A)
Simpson, J. A. (see Firor, J. W.)—1015
Simpson, O. D. Measurement of time jitter in BF_3 counters—600(A)
Singer, S. F. Storm decrease of cosmic radiation at pole—647(A)
Sippel, R. F. (see Bent, R. D.)—649(A)
Sjöstrand, N. G. (see Seidl, F. G. P.)—476
Skolnik, W. (see Marshall, J.)—1020
—— (see Nagle, D.)—663(A)
Sladek, Ronald J. Thermal conductivity of In-Tl alloys at liquid He temperatures—603(A)
Slater, J. C. (see Koster, G. F.)—1167
Slater, M. (see Blackstock, A. W.)—303(A)
Slawsky, Z. I. (see Dawson, J. M.)—614(A)
—— (see Jansen, L.)—614(A)
Slayton, George R., J. W. Simmons, and J. H. Goldstein. Microwave spectrum and dipole moment of vinylene carbonate—299(A)
Slichter, C. P. (see Schumacher, R. T.)—1089(L)
Smaller, B. (see Hennig, G. R.)—1088(L)
Smith, Alan W. Low-temperature thermal conductivity of Canadian natural graphite—1095(L)
—— (see Brown, H. N.)—626(A)
Smith, J. F. Electrostatic energy calculations for (Na_2WO_3)—1369
Smith, J. H. Nuclear scattering of high-energy electrons—271
—— (see Barton, M. Q.)—573(L)
—— (see Yamagata, T.)—574(L)
Smith, J. R. Scattering of 14.1-Mev neutrons in He, H, and N—730
Smith, Lyle. Research with Cosmotron—299(T)
Snelgrove, Philip, Jassim El-Hussaini, and Jesse W. M. DuMond. Corrected values of W K-series x-ray wavelengths with 2-meter curved crystal diffraction spectrometer—1203
Snell, Arthur H. and Frances Pleasonton. Magnetic spectrometer for recoil spectrometry—304(A)
Snyder, Conway W. and Vincent E. Parker. System for measuring flight times of fast neutrons—635(A)
Snyder, James N. (see Salzman, Freda F.)—286(L)
Solbrig, A. W., Jr. Effects of certain 3-body nuclear interactions in H^3 and He^3—831
Solt, I. H., Jr., and M. W. P. Strandberg. Conduction electron spin resonance absorption in Na—607(A)
Soules, Jack and C. H. Shaw. X-ray absorption in solid argon—621(A)
Spear, Vincent. New technique for visualizing thyroid outline using I^{131} and scintillation counter—308(A)
Spencer, L. V. Calculations on penetration of high-energy electrons—610(A)
Spicer, B. M., A. S. Penfold, and J. Goldemberg. Fine structure of $O^{16}(\gamma,n)O^{15}$ activation curve—629(A)
Spohr, D. A. and R. T. Webber. Electrical and thermal conductivity of Mg and Mg alloy at low temperatures—602(A)
Spry, W. J. Total cross section for charge exchange scattering of π^- mesons by H at 42, 30, and 20 Mev—1295
Squire, Charles F. Velocity of sound in superconducting Sn—1126
Stahl, R. H. n-p scattering at 91 Mev—664(A)
Stallwood, R. A. (see Fields, T. H.)—638(A)
—— (see Kane, J. A.)—662(A); 1694(L)
Standing, K. G. (see Reynolds, J. B.)—639(A)

Stanford, C. P., T. E. Stephenson, and S. Bernstein. Demonstration of neutron spin from Bloch-Alvarez-type experiment—302(A)
—— (see Roberts, L. D.)—105
Starner, J. W. (see Bunker, M. E.)—612(A)
—— (see Mize, J. P.)—627(A)
Stearns, M., M. B. Stearns, S. DeBenedetti, and L. Leipuner. Limits on π^--meson mass from mesonic x-rays—1353(L)
—— (see Stearns, M. B.)—625(A)
Stearns, M. B., M. Stearns, L. Leipuner, and S. DeBenedetti. Energy measurements of meson x-rays—625(A)
—— (see Stearns, M.)—1353(L)
Steele, M. C. (see Babiskin, J.)—602(A)
—— (see Berlincourt, Ted G.)—603(A); 1421
Steenberg, N. R. Reorientation of aligned nuclei—605(A); 982
Steffen, Rolf M. Mixed $E1+M2$ γ transition in Nd^{144}—614(A)
Stehle, P. (see Gibson, G.)—657(A)
Stein, Irving. Completed quantum theory—632(A)
Stein, P. C. (see Myers, H.)—576(L)
Steinberg, E. P. and L. E. Glendenin. Radiochemical investigation of spontaneous fission of Cm^{248}—431
——, **L. E. Glendenin, M. G. Inghram, and R. J. Hayden.** Fine structure in U^{233} fission—867(L)
Steinberger, Jack and William Chinowsky. Charge exchange scattering of stopped π^- mesons in deuterium—623(A)
—— (see Chinowsky, William—623(A); 1561
—— (see Lokanathan, S.)—624(A)
Stelson, P. H. and E. C. Campbell. Cross section for excitation of Pb^{207m} by inelastic neutron scattering—301(A)
—— **and W. M. Preston.** Resonant states of Mg^{24} excited by protons on Na—974
Stephens, William E. (see Toms, M. Elaine)—629(A); 1209
Stephenson, T. E. (see Stanford, C. P.)—302(A)
Stern, A. W. Invariance and isotopic spin—632(A)
Stern, Martin O. (see Blaser, J.)—624(A)
—— (see Chamberlain, Owen)—1705(E)
Sternglass, E. J. Energy expenditure per ion pair in solids—609(A)
Sternheimer, R. M. Effect of atomic core on nuclear quadrupole coupling—736
—— Electronic polarizabilities of ions from Hartree-Fock wave functions—655(A)
—— Polarization of nucleons elastically scattered from nuclei—587(L)
Stevenson, M. L. (see Burgus, Warren H.)—750
—— (see Crawford, F. S., Jr.)—1112(L)
Stier, P. M., C. F. Barnett, and G. E. Evans. Electron capture and loss cross sections for protons—303(A)
—— (see Barnett, C. F.)—307(A)
Stix, Thomas H. Primary heavy nuclei—782
St. John, Robert M. and J. G. Winans. Motion of arc cathode spot in a magnetic field—634(A)
Stolovy, A. (see Pilcher, V. E.)—645(A)
Stone, W. G. and Lewis W. Cochran. Energy per ion pair for recoil atoms in methane—304(A)
Storrs, C. L. and D. H. Frisch. Scattering of 1.32-Mev neutrons by protons—1252
Strain, J. E. (see Lyon, W. S.)—1500
Straley, Joseph W. Intensity of infrared absorption bands in methylene chloride—300(A)
Strandberg, M. W. P. and M. Tinkham. Effects of deviation of O_2 from Hund (b)—623(A)
—— (see Davis, Charles F., Jr.)—607(A)
—— (see Peter, Martin)—622(A)
—— (see Posener, D. W.)—374
—— (see Solt, I. H., Jr.)—607(A)
—— (see Tinkham, M.)—622(A)
Stratton, T. F. (see Holmgren, H. D.)—1544
Straub, W. D. (see Davis, L., Jr.)—597(A)
Strauch, K. and W. F. Titus. Scattering of 96-Mev protons from light nuclei—854(L)
Straumanis, M. E. Remark concerning absolute value of Avogadro's number—566(L)
Stuart, R. V. (see Holmgren, H. D.)—1544
Studier, M. H. (see Friedman, A. M.)—1501
Sucher, J. and H. M. Foley. Relativistic and magnetic spin interactions in He-like atoms—966
Sugarman, Nathan, Robert B. Duffield, G. Friedlander, and J. M. Miller. Disintegration of bismuth by 2.2-Bev protons—1704(L)
—— (see Schmitt, Roman A.)—1260
Sugawara, Tadashi, Yoshika Masuda, Teinosuke Kanda, and Eizo Kanda. Nuclear magnetic resonance in solid hydrogen with various *ortho* concentrations—1355(L)
Sugihara, T. T. and I. Halpern. Energy dependence of some photonuclear reactions—630(A)
——, **R. H. Herber, W. E. Bennett, and C. D. Coryell.** Absence of K capture in decay scheme of Pb^{205}—298(A)
Sun, K. H., P. R. Malmberg, and F. A. Pecjak. Scintillation detector for thermal and epithermal neutrons—600(A)
Sundaresan, M. K. (see Dyson, F. J.)—1644
Sunyar, A. W. Lifetime measurements of fast $E2$ transitions in even-even nuclei—626(A)
——, **J. W. Mihelich, and M. Goldhaber.** Decay of Cs^{134m} (3.1 hr)—570(L)
—— (see Kraushaar, J. J.)—456
Suttle, A. D., Jr., and W. F. Libby. Natural radioactivity of Re—866(L)
Sutton, R. B. (see Fields, T. H.)—638(A)
—— (see Kane, J. A.)—662(A); 1694(L)
Suzuki, Tatsuro (see Shinoda, Gunji)—840(L)
Swann, C. P. and F. R. Metzger. Inelastic scattering of neutrons by Ba^{137} and Hg^{198}—636(A)
Swann, W. F. G. Acquirement of cosmic-ray energies by betatron action—646(A)
Swanson, R. A. (see Warshaw, S. D.)—649(A)
Swenson, C. A. (see Berman, R.)—311
Swetnick, Martin Jay. Cosmic-ray neutrons in water at altitude of 10 600 feet—793
Swihart, J. C. and F. J. Belinfante. Quantized linear theory of gravitation. II—630(A)
—— (see Belinfante, F. J.)—630(A)

Takeda, Gyo. Application of intermediate coupling theory to scattering of pseudoscalar mesons by a nucleon—1078
Talboy, J. H., Jr. (see Pohm, A. V.)—1523
Talley, Robert M. and Dorothy P. Enright. Photovoltaic effect in InAs—1092(L)
Talmi, I. and B. C. Carlson. Pairing effects in Coulomb energies of mirror nuclei—606(A)
—— (see Jancovici, B.)—289(L)
Tamor, S. Polarization effects in high-energy proton-deuteron scattering—620(A)
Taub, A. H. (see Salzman, G.)—1659
Tauc, J. Theory of thermoelectric power in semiconductors—1394
Taylor, H. W. (see Pringle, R. W.)—115
Taylor, J. C. Tamm-Dancoff method—1313
Taylor, J. G. V. (see Greenberg, L. H.)—1540
Taylor, J. J. (see Roys, P. A.)—911
—— (see Shure, K.)—610(A)
Taylor, T. I. (see Eisberg, R. M.)—659(A)
Taylor, Warren E. (see Russell, Leonard N.)—99
Taylor, William J. Lattice distortion and x-ray diffraction intensities in dilute solid solutions—666(A)

Teasdale, J. G. (see Sands, Matthew)—592(L)
Teem, J. M. and U. E. Kruse. Elastic proton-deuteron scattering at 95 Mev—664(A)
—— (Kruse, U. E.)—662(A)
—— (see Shapiro, I. I.)—619(A)
Teller, Edward. Classical field theory of nuclei—632(T)
Temmer, G. M. Coulomb excitation of nuclear energy levels by α particles—628(T)
—— (see Ambler, E.)—625(A)
—— (see Heydenburg, N. P.)—629(A); 861(L)
ter Haar, D. Atomic theory of λ transition in liquid He—633(T)
—— Atomic theory of liquid He—604(A)
—— λ transition of liquid He—895
—— (see Dempsey, E.)—651(A)
—— (see Green, C. D.)—643(A)
—— (see Neaves, A.)—596(A)
—— (see Ross, A. W.)—665(A)
Terrell, J. and D. M. Holm. Excitation function for $Fe^{56}(n,p)Mn^{56}$—650(A)
Teutsch, Werner B. and Vernon W. Hughes. Hfs of He^3 in metastable triplet state—1461
Thacher, H. C., Jr., and Paul B. Dorain. Dielectric constant of dioctyl phthalate smoke—615(A)
Thirring, W. E. Classical limit of pseudoscalar coupling—653(A)
—— (see Gell-Mann, M.)—1612
—— (see Goldberger, M. L.)—654(A)
Thomas, H. C. (see Graves, Ernest D.)—304(A)
Thomas, W. J. Orville (see Cox, John)—299(A)
Thompson, R. W., J. R. Burwell, H. O. Cohn, R. W. Huggett, and C. J. Karzmark. Magnetic cloud chamber observations of V-particles. II. Status of work on θ^0 meson—661(A)
——, **J. R. Burwell, R. W. Huggett, and C. J. Karzmark.** Evidence for double production of V^0 particles—1576
—— (see Kim, Y. B.)—661(A)
Thompson, S. G. (see Ghiorso, A.)—293(L)
—— (see Harvey, B. G.)—581(L)
—— (see Hulet, E. K.)—1703(L)
Thomson, D. B. (see Scott, F. R.)—582(L)
Thorndike, A. M. (see Fowler, W. B.)—1026
Ting, Yu and Dudley Williams. Intensities of Zeeman components of quadrupole transitions in $NaClO_3$—607(A)
Tinkham, M. and M. W. P. Strandberg. Selection rules in the microwave magnetic resonance spectrum of O_2—622(A)
—— (see Strandberg, M. W. P.)—623(A)
Tinlot, John. Polarization in neutron-proton collisions—644(T)
—— **and A. Roberts.** Angular distribution of charge-exchange scattering of 40-Mev π^- mesons by hydrogen—137
—— (see Roberts, A.)—663(A); 1099(L)
Tittman, Jay. Neutron moderation in SiO_2—660(A)
Titus, W. F. (see Strauch, K.)—854(L)
Tobias, Cornelius. Radiation and dynamics of cell division—606(T)
Tobocman, W. and M. Kalos. Numerical calculation of stripping angular distribution—605(A)
Todd, W. B. (see Metzger, F. R.)—627(A); 853(L)
Tomboulian, D. H. and P. L. Hartman. Spectral distribution curves of far uv radiation from Cornell synchrotron—600(A)
—— (see Bedo, D. E.)—621(A)
Toms, M. Elaine, H. Gerardo, and W. E. Stephens. Photoprotons from Co—629(A)
—— **and William E. Stephens.** Photoprotons from Co—1209
Torrey, H. C. (see Codrington, R. S.)—607(A)
Tousey, R. (see Johnson, F. S.)—621(A)
Townes, C. H. Recent applications of microwave spectroscopy to study of molecules—596(T)
—— (see Gordon, J. P.)—282(L)
Towns, M. B. (see Lawson, J. R.)—300(A)
Townsend, J. (see Sands, R. H.)—607(A)
Trail, Carroll C. and C. H. Johnson. Energy levels in Be^9 from $Li^7(d,n)Be^8$—1363(L)
—— **and C. H. Johnson.** Proton recoil telescope for observing neutron spectra—640(A)
Trainor, L. E. H. Phenomenological many-body exchange forces—801
Trambarulo, Ralph, Henry Lackner, Paul Moser, and Harold Feeny. Pressure broadening of cyanogen bromide in microwave region—622(A)
Trammell, G. T. Electron scattering from nuclei—619(A)
Treanor, Charles E. Isotope shift in neutral O—1472
Treiman, S. B. Radiative decay of θ^0 particle—1360(L)
—— **and M. Blume.** Galactic rf radiation and cosmic-ray electrons—646(A)
—— (see Firor, J. W.)—1015
Trilling, G. H. (see van Lint, V. A. J.)—295(L)
Tripp, Robert (see Chamberlain, Owen)—850(L); 1104(L); 1105(L)
Tsao, C. H. (see Orear, Jay)—624(A)
Tsukada, K. (see Kojima, S.)—1705(E)
Turchinetz, W. (see Pringle, R. W.)—115
Turkevich, Anthony (see Fung, Si-Chang)—176
Turner, C. M. Ionization loading of electrostatic generators—599(A)

Underwood, Newton and G. F. Zindler, Jr. Small current dc amplifier—304(A)
Urban, J. S. (see Howard, R. A.)—661(A)
Urquhart, H. M. A. and J. E. Goldman. Magnetostrictive effects in α-Fe_2O_3—653(A)

Van Allen, J. A. (see Ellis, R. A., Jr.)—304(A)
van der Kint, L. (see Beljers, H. G.)—1683(L)
van der Leun, C. (see Endt, P. M.)—580(L)
Van Hoomissen, J. E. (see Noyes, J. C.)—396
Van Hove, Léon. Correlations in space and time and Born approximation scattering in systems of interacting particles—249
—— Time-dependent correlations between spins and neutron scattering in ferromagnetic crystals—1374
van Lint, V. A. J., G. H. Trilling, R. B. Leighton, and C. D. Anderson. Q value of A^6 decay—295(L)
Van Roosbroeck, W. (see Pfann, W. G.)—597(A)
van Wieringen, J. S. (see Beljers, H. G.)—1683(L)
Varma, Jagdish. Radiations from Cd^{116} (43-days)—613(A)
Vasileff, H. D. Thermal ionization of impurities in polar crystals—618(A)
Vedder, James (see Sagane, Ryokichi)—863(L)
Visscher, W. M. (see Dyson, F. J.)—1644
Vogelsang, W. F. (see Levine, S. H.)—640(A)
Vogt, Erich and Gregory H. Wannier. Scattering of ions by polarization forces—1190
Voigt, A. F. (see Horrocks, D. L.)—1205
Voshage, H. (see Hintenberger, H.)—1691(L)
Voyvodic, L. Charged heavy mesons from nuclear collisions—661(A)

Wacker, Paul F. SCF treatment of unclosed shells, operators containing spin, and radial correlation—656(A)
Wada, W. Internal pair production in radiative absorption of π^- mesons by H atoms—618(A)
Waddell, Charles (see Cohen, David)—664(A)
Wahl, John S. Energy distribution of fragments from fission of U^{235}, U^{238}, and Pu^{239} by fast neutrons—126

Waldman, B. (see Bhattacherjee, S. K.)—404
—— (see Noyes, J. C.)—396
Walker, Robert L. (see Sands, Matthew)—592(L)
Walker, W. D., J. Crussard, and M. Koshiba. π^--p collisions at 1.5 Bev. I—624(A)
——, **J. Crussard, and M. Koshiba.** π-meson production in π-nucleon collisions at 1.5 Bev—852(L)
—— (see Crussard, J.)—624(A)
Wallis, R. F. (see Herman, R. C.)—598(A)
Walters, G. K. (see Fairbank, William M.)—566(L)
Wang, C. C. (see Levitas, A.)—846(L)
Wangsness, Roald K. Susceptibility tensor and Faraday effect in ferrimagnetics—339
Waniek, R. W. and Vaughn Culler. Total cross sections for high-energy neutrons—659(A)
—— (see Culler, Vaughn)—585(L)
—— (see Silver, E. G.)—586(L)
Wannier, Gregory H. (see Vogt, Erich)—1190
Warshaw, S. D., R. A. Swanson, and A. H. Rosenfeld. Cross sections for reactions $C^{12}(p,pn)(n,2n)C^{11}$—649(A)
Watanabe, Hiroshi. Energy losses of electrons passing through MgO foil—1684(L)
Watanabe, Satosi. Superselection rule regarding spinor particle numbers—631(A)
Watson, Kenneth M. Some general relations between photoproduction and scattering of π mesons—228
Watson, W. W. (see Collinson, J. A.)—621(A)
Wattenberg, A. (see Myers, H.)—576(L)
Waymouth, John F. and Francis Bitter. Experiments on electroluminescence—941
Weaver, A. B. (see Orear, Jay)—624(A)
Webber, R. T. (see Spohr, D. A.)—602(A)
Weber, J. Quantum theory of damped electrical oscillator and noise. II. Radiation resistance—1706(E)
Weddell, James B. and James H. Roberts. Angular distribution of $Li^9(n,\alpha)H^3$—117
—— (see Jennings, B.)—636(A)
Wegner, Harvey E. (see Farwell, George W.)—664(A); 1212
Weinreich, Gabriel and Vernon W. Hughes. Hfs of He^3 in metastable triplet state—1451
Weinstock, E. V. and J. Halpern. Systematics of photoproton yields—630(A)
Weiss, J. (see Bernstein, W.)—609(A)
Welker, Joan P. (see Perlman, Morris L.)—133; 613(A)
Welton, T. A. Formulation of quantum electrodynamics in Minkowski space—632(A)
—— Theory of nuclear reactions with radioactive product—302(A)
Wertheim, M. S. (see Igo, G.)—1097(L)
Westendorp, W. F. (see Baldwin, G. C.)—600(A)
Wexler, S. (see Goodman, L. S.)—570(L)
—— (see Ringo, G. R.)—660(A)
Whalin, E. A., Jr. Photodisintegration of deuterium by 165-Mev x-rays—1362(L)
Wheatley, G. H. (see Hrostowski, H. J.)—1683(L)
White, M. G. (see Yntema, J. L.)—1226
Whittemore, W. L. (see Fowler, W. B.)—1026
Whyte, G. N. (see Garrett, C.)—889
Wick, G. C. Properties of Bethe-Salpeter wave functions—653(A)
Widgoff, M. (see Hill, R. D.)—1699(L)
Wiedenbeck, M. L. (see Beard, George)—1246
—— (see Lu, D. C.)—121; 1533
Wiegand, Clyde. High-energy experiments on polarization of protons—644(T)
—— (see Chamberlain, Owen)—850(L); 1348(L); 1104(L); 1105(L)
Wigner, Eugene P. (see Redlich, Martin G.)—122
Wilcox, J. M. and B. J. Moyer. Nuclear internal momentum distributions—664(A)
Wilkinson, R. G. (see Pruett, C. H.)—625(A)
Wilks, J. (see Fairbank, Henry A.)—277(L)
Willard, D. Momentum of S-particle secondaries—661(A)
—— (see Bridge, H. S.)—662(A)
Willard, Harvey B. Elastic scattering angular distributions and polarization of fast neutrons—299(T)
——, **Joe K. Bair, and Joe D. Kington.** Polarization of fast neutrons from nuclear reactions—1359(L)
Willardson, R. K., T. C. Harman, and A. C. Beer. Application of three-carrier model to Hall effect in Ge—597(A)
—— (see Harman, T. C.)—596(A); 699
Williams, A. J. (see McSkimin, H. J.)—616(A)
Williams, Dudley (see Brown, L. Carlton)—1110(L)
—— (see Ting, Yu)—607(A)
Williams, Ferd E. (see Johnson, Peter D.)—69; 598(A)
Williams, Jack H. and C. F. Mercer. Seismology in southeast—306(A)
—— (see Johnston, L. H.)—599(A)
Williams, M. C. (see Herman, R. C.)—598(A)
Williams, Robert W. Nuclear size and cross sections at cosmic-ray energies—647(A)
Williamson, R. M. (see Goldburg, W. I.)—628(A); 767
Wilson, R. N. (see Yennie, D. R.)—500
Wilson, R. R. (see Jenkins, T. L.)—179
Wilson, V. C. and J. S. Kasper. Neutron diffraction studies of NiZn ferrite—1408
Winans, J. C. (see St. John, Robert M.)—634(A)
Wing, G. M. (see Lehner, J.)—642(A)
Winhold, E. J. (see Burkhardt, J. L.)—629(A)
Winnemore, B. J., H. Gursky, D. A. Cowan, and C. D. Curtis. Further study of Po-Be neutron spectrum—301(A)
Winsberg, Lester. Interaction of negative muons with iodine—205
—— Interaction of negative pions with iodine—198
Witmer, Enos E. Formula for nuclear masses in terms of electron mass involving only rational numbers for light nuclei—610(A)
—— Nuclear masses as rational multiples of electron mass—667(A)
Wolfe, B. (see Edwards, D. A.)—629(A)
Wolfe, H. B. (see Lokanathan, S.)—624(A)
Wolfenstein, Lincoln. Theoretical considerations about polarization experiments—644(T)
Wolff, P. A. Theory of electron multiplication in Si and Ge—1415
—— Theory of secondary electron cascade in metals—56
Wollan, E. O. (see Koehler, W. C.)—280(L); 653(A)
Wong, Calvin. β decay of F^{17} and C^{11}—765
—— β decay of F^{20}—761
Wood, R. E. Eu activation studies with monochromatic neutrons—453
—— Resonance scattering of Ag and Au—644(A)
Woods, Roger D. and David S. Saxon. Diffuse surface optical model for nucleon-nuclei scattering—577(L)
Wright, S. C. and R. A. Schluter. Negative pion production in n-p collisions—639(A)
Wright, W. (see Scott, F. R.)—582(L)
Wu, C. S. (see der Mateosian, E.)—458
—— (see Koerts, L.)—612(A)
—— (see Marder, S.)—611(A)
Wyly, L. D. (see Braden, C. H.)—627(A); 758

Yager, W. A. (see Fletcher, R. C.)—844(L)
Yagoda, Herman. Ratio of π^-/π^+ meson production in cosmic-ray disintegrations of emulsion nuclei—648(A)
Yamagata, T., M. Q. Barton, A. O. Hanson, and J. H. Smith. Photodisintegration of deuterium by 265-Mev bremsstrahlung—574(L)

Yamaguchi, Yoriko and Yoshio Yamaguchi. Factorable neutron-proton interaction—654(A)
—— (see Yamaguchi, Yoshio)—1635
Yamaguchi, Yoshio. 2-nucleon problem when potential is nonlocal but separable. I—1628
—— **and Yoriko Yamaguchi.** 2-nucleon problem when potential is nonlocal but separable. II—1635
—— (see Yamaguchi, Yoriko)—654(A)
Yamaka, E. and K. Sawamoto. Electrical conductivity of MgO single crystals—848(L)
Yang, C. N. and R. Mills. Isotopic spin conservation and generalized gauge invariance—631(A)
Yasaitis, E. L. (see Hennig, G. R.)—1088(L)
Yasaki, T. (see Inoki, M.)—1565
Yearian, H. J., J. M. Kortright, and R. H. Langenheim. Lattice parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system—653(A)
Yeater, M. L. (see Albert, R. D.)—644(A)
Yennie, D. R., D. G. Ravenhall, and R. N. Wilson. Phase shift calculation of high-energy electron scattering—500
Yergin, Paul F. (see Ferguson, G. A.)—659(A); 776
—— (see Geller, K.)—659(A)
—— (see Halpern, J.)—1529
Yevick, George J. and Jerome K. Percus. Dynamical behavior of collective coordinates in new approach to many-body problem—642(A)
—— (see Percus, Jerome K.)—642(A)
Yntema, J. L. and M. G. White. Scattering of protons by H near 18 Mev—1226
Yokota, Ryosuke. Color centers in alkali silicate and borate glasses—1145
York, Carl M., Jr., R. B. Leighton, and E. K. Bjørnerud. Cloud-chamber study of charged V particles—159
York, H. F. (see Burgus, Warren H.)—750
Young, D. R. (see Drougard, M. E.)—1152
Ypsilantis, Thomas (see Chamberlain, Owen)—850(L); 1104(L); 1105(L)
Yuan, Luke C. L. (see Lindenbaum, S. J.)—638(A)

Zaffarano, D. J. (see Hunt, W. A.)—611(A)
Zahn, C. T. and Schweitzer, W. G., Jr. Excitation and separation of pure high-order modes in large high-Q cavities—633(A)
Zeiger, H. J. (see Dexter, R. N.)—557(L); 597(A)
—— (see Gordon, J. P.)—282(L)
—— (see Lax, Benjamin)—597(A)
Zemach, A. C. and R. J. Glauber. Spin correlations in neutron scattering by gases—605(A)
Zendle, B. (see Boag, J.)—608(A)
Zimmerman, Robert L., David H. Frisch, and Daniel I. Cooper. p-p scattering near interference minimum—662(A)
Zindler, G. F., Jr. (see Underwood, Newton)—304(A)
Zirkle, R. E. Effects of irradiating small fractions of individual dividing cells—606(T)
Zissis, G. J. (see Deverall, G. V.)—1463
Zucker, A. (see Reynolds, H. L.)—302(A); 671; 1353(L)
Zweifel, Paul F. Second-order corrections to β spectra—112
—— **and H. Hurwitz, Jr.** Slowing-down of neutrons in hydrogenous moderators—660(A)

PHYSICAL REVIEW VOLUME 95, NUMBER 6 SEPTEMBER 15, 1954

Analytic Subject Index to Volume 95

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor; references with (E) are to Errata. Items are listed under the following categories.

Acoustics
Astrophysics
Atomic and Molecular Beams
Atomic Mass and Abundance
Atomic Structure and Spectra
Biophysics
Chemical Effects and Properties
Constants, Standards, Units
Cosmic Radiation
Crystalline State
Dielectrics and Dielectric Properties
Diffraction
Diffusion
Elasticity and Plasticity
Electrical Conductivity and Resistance
Electrical Discharges
Electrical Properties
Electromagnetic Theory and Electrodynamics
Electrons and Positrons
Elementary Particle Interactions
Errata
Field Theory
Films, Properties
Fluid Dynamics
Gamma Rays
Gases
Geophysics
Helium, Liquid
Imperfections in Solids
Ionization
Ions
Ions and Electrons, Mobility
Liquids
Luminescence
Magnetic Properties
Magnetic Resonance
Mathematical Methods
Mechanics
Mesons
Methods and Instruments
Microwaves
Miscellaneous
Molecular Aggregates
Molecular Structure and Spectra
Neutrino
Noise
Nuclear Fission
Nuclear Moments and Spin
Nuclear Photoeffects
Nuclear Reactions, General
Nuclear Reactions Induced by α Particles and He^4
Nuclear Reactions Induced by Deuterons and Tritons
Nuclear Reactions Induced by Mesons
Nuclear Reactions Induced by Neutrons
Nuclear Reactions Induced by Protons
Nuclear Spectra
Nuclear Structure Theory
Optical Properties
Proceedings of the American Physical Society
Quantum Electrodynamics
Quantum Mechanics
Radiation
Radioactivity
Range and Energy Loss
Relativity and Gravitation
Scattering, General
Scattering of α Particles
Scattering of Deuterons
Scattering of Electrons and Positrons
Scattering of Mesons
Scattering of Neutrons
Scattering of Protons
Semiconductors
Spectra, General
Statistical Mechanics and Thermodynamics
Superconductivity
Thermal Properties
X-Rays

Absorption of Radiation (see **Radiation**)
Acoustics
Ultrasonic measurements in magnetically cooled He, C. E. Chase and Melvin A. Herlin—565(L)
Velocity of sound in superconducting Sn, Charles F. Squire —1126
Adsorption (see **Gases**)
Aerodynamics (see **Fluid Dynamics**)
Afterglow (see **Electrical Discharges**)
Alloys (see **Crystalline State**)
Annihilation (see **Electrons and Positrons**)
Antiferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Antiferromagnetism (see **Magnetic Properties**)
Arcs (see **Electrical Discharges**)
Astrophysics
Acquirement of cosmic-ray energies by betatron action, W. F. G. Swann—646(A)
Dimensional relations in magnetohydrodynamics, Walter M. Elsasser—1
Extension of extreme ultraviolet solar spectrum, F. S. Johnson, J. D. Purcell, and R. Tousey—621(A)
Galactic rf radiation and cosmic-ray electrons, S. B. Treiman and M. Blume—646(A)
Production of cosmic radiation at sun, J. W. Firor, J. A. Simpson, and S. B. Treiman—1015
Red-shifts in spectra of celestial bodies, E. Finlay-Freundlich—654(A)
Solar-connected variations of cosmic rays, P. Morrison—646(A)
Theory of aurora based on magnetic self-focusing of solar ion streams, W. H. Bennett and E. O. Hulburt—315
Atmosphere (see **Geophysics**)
Atomic and Molecular Beams
Distribution of velocities in K molecular beams, A. Bennett —608(A)
Hfs and nuclear moments of stable Br isotopes, John Gordon King and Vincent Jaccarino—1706(E)
Hfs of He^3 in metastable triplet state, Werner B. Teutsch and Vernon W. Hughes—1461; Gabriel Weinreich and Vernon W. Hughes—1451
Nuclear spin and hfs interaction of 3.1-hr Cs^{134} isomer, V. W. Cohen and D. A. Gilbert—569(L)
Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, L. S. Goodman and S. Wexler—570(L)
Spins and hyperfine splittings of Ag^{111} and Cu^{64}, Aaron Lemonick and Francis M. Pipkin—1356(L)
Atomic Mass and Abundance
$A^{40}(\gamma,n)$ threshold and mass of A^{39}, J. Halpern, R. Nathans, and P. F. Yergin—1529
Formula for nuclear masses in terms of electron mass involving only rational numbers for light nuclei, Enos E. Witmer—610(A)
Mass differences for isobars capable of double-β decay, John T. McCarthy—447
Microwave spectrum of TeCS and masses of stable Te isotopes, W. A. Hardy and G. Silvey—385
Nuclear masses as rational multiples of electron mass, Enos E. Witmer—667(A)
Precision double-focusing mass spectrometer, T. L. Collins, T. T. Scolman, and A. O. Nier—615(A)
Atomic Structure and Spectra
Angular dependence of annihilation quanta from magnetic substates of triplet positronium, R. M. Drisko—611(A)
Approximate Hartree type wave functions and matrix elements for K and L shells of atoms and ions, R. E. Meyerott—72
Effect of angular dependence of annihilation radiation of orthopositronium in magnetic field, S. Marder, V. W. Hughes, and C. S. Wu—611(A)
Effect of atomic core on nuclear quadrupole coupling, R. M. Sternheimer—736
Electron spin magnetic moment in atomic hydrogen, R. Beringer and Mark A. Heald—1474
Energy measurements of meson x-rays, M. B. Stearns, M. Stearns, L. Leipuner, and S. DeBenedetti—625(A)
Experimental study of μ^- meson mass and vacuum polarization in mesonic atoms, S. Koslov, V. Fitch, and J. Rainwater—291(L)
Hfs of He^3 in metastable triplet state, Werner B. Teutsch and Vernon W. Hughes—1461; Gabriel Weinreich and Vernon W. Hughes—1451
Intensity measurements of resonance lines in flame source, Einar Hinnov and Hedwig Kohn—301(A)
Ionization probability curves near threshold for Zn, Cd, and Hg, W. M. Hickam—703
Isotope shift in Li I spectrum, Raymond H. Hughes—621(A)
Isotope shift in neutral C, J. P. Nicklas—1469
Isotope shift in neutral O, Charles E. Treanor—1472
Isotope shift in x-ray spectra of heavy elements, G. Igo and M. S. Wertheim—1097(L)
Limits on π^- meson mass from mesonic x-rays, M. Stearns, M. B. Stearns, S. DeBenedetti, and L. Leipuner—1353(L)
Mass of μ^- meson from mesonic x-rays, S. Koslov, V. Fitch, and J. Rainwater—625(A)
Nuclear rotational levels and μ mesonic atom, B. A. Jacobsohn—654(A)
Nuclear spin and hfs interaction of 3.1-hr Cs^{134} isomer, V. W. Cohen and D. A. Gilbert—569(L)
Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, L. S. Goodman and S. Wexler—570(L)
Photoelectric measurement of reversal temperature, Hedwig Kohn and Einar Hinnov—301(A)
Physical consequences of vacuum polarization, Leslie L. Foldy and Erik Eriksen—1048
Precision wavelength and isotopic shift measurements of Ge arc lines, G. V. Deverall, K. W. Meissner, and G. J. Zissis—1463
Pressure shift in He λ5875, John R. Holmes and Leon Pape—621(A)
Properties of hypothetical atoms composed of magnetic poles, Arthur E. Ruark—632(A)
Relativistic and magnetic spin interactions in He-like atoms, J. Sucher and H. M. Foley—966
Relativistic Thomas-Fermi atom model, J. J. Gilvarry—71
Spectroscopic isotope shift in Hf I and Hf II, J. A. Collinson and W. W. Watson—621(A)
Two-body system in quantum electrodynamics. Energy levels of positronium, Thomas Fulton and Paul C. Martin—811
Uv photons in decay of metastable A atoms, L. Colli—892
X-rays from π mesonic atoms, A. D. McGuire, M. Camac, M. L. Halbert, and J. B. Platt—625(A)
Aurora (see **Astrophysics; Geophysics**)

Barkhausen Effect (see **Magnetic Properties**)
Biophysics
Applications of NaI γ-ray spectrometer to blood volume determinations, R. H. Rohrer, W. H. Cargill, and A. F. Dratz—308(A)
New technique for visualizing thyroid outline using I^{131} and scintillation counter, Vincent Spear—308(A)
Rheological problem, Allen L. King—298(A)
Use of scintillation counters in studies on luminous efficiency of biological materials, J. G. Kereiakes and A. T. Krebs—308(A)
Boson Theory (see **Field Theory**)
Bremsstrahlung (see **Radiation**)

Broadening of Spectral Lines (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Spectra, General**)

Capture Cross Sections (see **Electrons and Positrons; Nuclear Reactions; Radiation**)
Čerenkov Effect (see **Radiation**)
Chemical Effects and Properties
Double bond character of C—Cl bond, R. Bersohn—614(A)
Electron impact studies of isotopic and CO_2 molecules, Oliver A. Schaeffer and Henry R. Owen—615(A)
General method for high-speed machine computation of ideal gas thermal properties. Diatomic free radicals of isotopic hydrides, Lester Haar and A. S. Friedman—614(A)
Origin of N_2O in atmosphere, P. Harteck and S. Dondes—320
Photolysis of para-diazo-N, N-dimethylaniline ZnCl dihydrate, Alnert Baril, Jr.—306(A)
Role of principal quantum number (n) in calculation of radii of ions with low (1^+,2^+,3^+,4^+) valence, N. Efremov—614(A)
Chemical Reactions (see **Chemical Effects and Properties**)
Chemiluminescence (see **Luminescence**)
Cold Emission (see **Electrical Properties**)
Colloids (see **Chemical Effects and Properties; Molecular Aggregates**)
Compton Effect (see **Radiation**)
Conductivity, Electrical (see **Electrical Conductivity and Resistance**)
Conductivity, Thermal (see **Thermal Properties**)
Constants, Standards, Units
Avogadro's number, M. E. Straumanis—566(L)
Effect of temperature scales on low-temperature calorimetric data, J. R. Clement—601(A)
Standards for thermal neutron capture measurements, G. R. Ringo and S. Wexler—660(A)
Cosmic Radiation
Acquirement of cosmic-ray energies by betatron action, W. F. G. Swann—646(A)
Anomalous event observed in photographic emulsion, J. H. Noon, M. F. Kaplon, and J. Crussard—1103(L)
Atmospheric temperature effect for mesons far underground, P. Barrett, G. Cocconi, Y. Eisenberg, and K. Greisen—1573
Čerenkov counter measurement of fast multiply charged cosmic rays, John Linsley—647(A)
Charged heavy mesons from nuclear collisions, L. Voyvodic—661(A)
Cloud-chamber study of charged V particles, Carl M. York, R. B. Leighton, and E. K. Bjørnerud—159
Cosmic radiation at very high altitudes near geomagnetic equator, Martin A. Pomerantz—531
Cosmic-ray μ-meson low-energy differential range spectrum, A. Fafarman and M. H. Shamos—648(A)
Cosmic-ray neutrons in water at altitude of 10 600 feet, Martin Jay Swetnick—793
Cross sections for meson-induced stars in Ilford G5 nuclear emulsions, Leonard A. Mann, Ray A. Grandey, and Arnold F. Clark—648(A)
Decay of heavy neutral particle, R. A. Howard, P. M. Fitzpatrick, H. E. Hoffman, and J. S. Urban—661(A)
Diurnal variations of intensity of cosmic rays far underground, P. Barrett, G. Cocconi, Y. Eisenberg, and K. Greisen—1571
Evidence for double production of V^0 particles, R. W. Thompson, J. R. Burwell, R. W. Huggett, and C. J. Karzmark—1576
Flux of primary heavy nuclei at equator, R. F. Hourd, J. R. Fleming, and J. J. Lord—647(A)
Fragmentation of heavy primary nuclei into light elements, J. H. Noon and M. F. Kaplon—647(A)
Galactic rf radiation and cosmic-ray electrons, S. B. Treiman and M. Blume—646(A)
Heavy unstable particles in stripped emulsions, J. Crussard, M. F. Kaplon, J. Klarmann, and J. H. Noon—584(L)
Influence of earth's magnetic field on extensive air showers, Giuseppe Cocconi—1705(E)
Interaction of heavy primaries in Pb, Y. Eisenberg—647(A)
Ionization chamber measurements at 10 600 feet of absorption of N component in carbon and hydrocarbon, Robert H. Rediker—526
Low-energy events, L. Reiffel and G. M. Burgwald—1294
Low-momentum end of spectrum of heavy primary cosmic rays, R. A. Ellis, Jr., M. B. Gottlieb, and J. A. Van Allen—304(A)
Magnetic cloud-chamber observation of V particles. I. Charged V particles, Y. B. Kim, J. R. Burwell, H. O. Cohn, C. J. Karzmark, and R. W. Thompson—661(A); II. Status of work on θ^0 meson, R. W. Thompson, J. R. Burwell, H. O. Cohn, R. W. Huggett, and C. J. Karzmark—661(A)
Mass measurements of slow cosmic-ray mesons, M. Inoki, T. Yasaki, and Y. Matsukawa—1565
Meson showers and high-energy interactions in light and heavy nuclei, R. W. Parsons, Françoise A. Brisbout, and V. D. Hopper—193
Momentum of S-particle secondaries, D. Willard—661(A)
Narrow shower of pure photons at 100 000 feet, Marcel Schein, D. M. Haskin, and R. G. Glasser—855(L)
Nuclear absorption of negative K particles, Herbert DeStaebler, Jr.—1110(L)
Nuclear size and cross sections at cosmic-ray energies, Robert W. Williams—647(A)
Observations on high-energy soft cascade, M. Koshiba and M. F. Kaplon—647(A)
Pairs formed by bremsstrahlung of great energy. I. Experimental, D. T. King and M. M. Block—648(A); II. Theoretical separation distribution, M. M. Block and D. T. King—648(A)
Possible example of annihilation of heavy particle, H. S. Bridge, H. Courant, H. DeStaebler, Jr., and B. Rossi—1101(L)
Primary α particles near geomagnetic equator, Martin A. Pomerantz—1691(L)
Primary cosmic-ray spectrum deduced from analysis of jets, A. Engler and U. Haber-Schaim—1700(L)
Primary heavy nuclei, Thomas H. Stix—782
Production of cosmic radiation at sun, J. W. Firor, J. A. Simpson, and S. B. Treiman—1015
Production of V^0 particles in Cu, D. R. Harris and A. L. Hodson—661(A)
Ratio of π^-/π^+ meson production in cosmic-ray disintegrations of emulsion nuclei, Herman Yagoda—648(A)
Recent results on S particles, H. S. Bridge, H. Courant, B. Dayton, H. C. DeStaebler, Jr., B. Rossi, and D. Willard—662(A)
Sea level mesons stopped in thin Pb and Al foils. I. Possible emission of charged nuclear particles and related events, W. Y. Chang—1282; II. Low-energy (1–5 Mev) γ rays, W. Y. Chang—1288
Simplifying approximation for determining cascade shower distributions, Bayard Rankin—657(A)
Solar-connected variations of cosmic rays, P. Morrison—646(A)

Cosmic Radiation (Continued)
Storm decrease of cosmic radiation at pole, S. F. Singer —647(A)
Unstable particles in photographic emulsion, M. F. Kaplon, J. Crussard, J. Klarmann, and J. Noon—660(A)
Unusual cosmic-ray event, H. C. DeStaebler, Jr., H. S. Bridge, H. Courant, and B. Rossi—662(A)
Cosmology (see **Astrophysics; Relativity and Gravitation**)
Critical Potentials (see **Atomic Structure and Spectra; Molecular Structure and Spectra**)
Cross Section (see **Electrons and Positrons; Nuclear Reactions; Radiation; Scattering**)
Crystal Counters (see **Methods and Instruments**)
Crystalline State (see also **Electrical Properties; Imperfections in Solids; Magnetic Properties; Semiconductors;** etc.)
Aging of crushed Si and Ge powders, Selma B. Brody—298(A)
Analysis of Forbes bar method for measuring thermal conductivity of metals, Joseph M. Clifford and R. B. Sawyer—665(A)
Anisotropy of fluorescence of some organic crystals, S. C. Ganguly and N. K. Chaudhury—1148
Approximate correlation potential, Joseph Callaway—656(A)
Avogadro's number, M. E. Straumanis—566(L)
Axial ratios in hexagonal metals, J. W. McClure—665(A)
Calculation of electrostatic lattice potentials, including ionic overlap, Joseph Birman—618(A)
Calculation of wavefunctions in symmetrical crystalline field, Paul H. E. Meijer—1443
Comparison of various approximate exchange potentials, Frank Herman, Joseph Callaway, and Forman S. Acton —371
Correlation techniques for testing Born-von Karman theory of specific heats, W. C. Overton, Jr., and J. R. Clement —602(A)
Counting lattice frequencies, Herbert B. Rosenstock—617(A)
Diffusion of Co^{60} in Ni-Al alloys containing excess vacancies, A. E. Berkowitz, F. E. Jaumot, Jr., and F. C. Nix —1185
Electron-electron scattering in alkali metals, Elihu Abrahams—839(L)
Electronic energy of ordered alloys, Edward W. Hart—666(A)
Electronic quadrupole-quadrupole interactions in Ce metal, J. M. Keller and E. Koenigsberg—665(A)
Electrostatic energy calculations for (Na_2WO_3), J. F. Smith—1369
Energy losses of electrons passing through MgO foil, Hiroshi Watanabe—1684(L)
Equation of state and thermal dependence of elastic coefficients of crystalline argon, John H. Henkel—617(A)
Evaporated multiple layers with semiconductor properties, J. C. M. Brentano and J. D. Richards—841(L)
Granular structure of $BaTiO_3$ ceramic, John L. Sampson, Edward E. Altshuler, and Charles R. Mingins—617(A)
Growth of CdI_2 crystals, J. B. Newkirk—616(A)
Influence of covalence on ion ordering and distortion in spinels, A. L. Loeb and J. B. Goodenough—616(A)
Interaction of electrons with grain boundaries, M. H. Cohen and C. S. Barrett—1094(L)
Ionic conductivity and x-ray coloration of alkali halides, F. A. Cunnell and E. E. Schneider—598(A)
K-absorption edge studies of compounds, H. P. Hanson and J. R. Knight—621(A)
L-absorption spectrum of Si and SiO_2, D. E. Bedo and D. H. Tomboulian—621(A)
Lattice distortion and x-ray diffraction intensities in dilute solid solutions, William J. Taylor—666(A)
Lattice parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian, J. M. Kortright, and R. H. Langenheim—653(A)
Low-temperature bleaching and restoration of color centers, A. Halperin and G. F. J. Garlick—1098(L)
Low-temperature thermal conductivity of Canadian natural graphite, Alan W. Smith—1095(L)
Magnetic neutron diffraction from Fe_3O_4, A. W. McReynolds and T. Riste—1161
Metamict state, William Primak—837(L)
Minimum in electrical resistance of metals at low temperatures, A. B. Bhatia—914
Neutron diffraction studies of NiZn ferrite, V. C. Wilson and J. S. Kasper—1408
Neutron diffraction study of Cu-Mn system, David Meneghetti and S. S. Sidhu—666(A)
New absorption lines of crystals in submicrowave region, S. Kojima, K. Tsukada, S. Ogawa, and A. Shimauchi —1705(E)
Paramagnetic and diamagnetic susceptibility of conduction electrons, David Pines—1090(L)
Paramagnetic resonance absorption in soft carbon, J. G. Castle, Jr.—846(L)
Periodic impurities in periodic lattice, Edward H. Kerner —687
Possible macroscopic effects of single lattice defects, Jerome Rothstein—370
Propagation of displacement in solid, having crystalline structure with bistable states, C. F. Pulvari—617(A)
Properties of Ge-Si alloys, Everett R. Johnson and Schuyler M. Christian—560(L)
Role of low-energy phonons in thermal conduction, Conyers Herring—954
SCF treatment of unclosed shells, operators containing spin, and radial correlation, Paul F. Wacker—656(A)
Shape of *F* band, R. V. Hesketh and E. E. Schneider—837(L)
Small angle x-ray scattering from cold-worked Al-Ag and Al-Zn alloys, J.-P. Jan and J. S. Koehler—665(A)
Solid surface studies by total reflection of x-rays, L. G. Parratt—617(A)
Specific heats of metals below one degree absolute, John Rayne—1428
Surface studies of solids by total reflection of x-rays, L. G. Parratt—359
Temperature variation of mean Debye temperature of Cu_3Au, 20°C to 450°C, S. L. Quimby—916
Temperature variations of elastic constants of Cu single crystals from 4.2°K to 300°K, John Gaffney and W. C. Overton, Jr.—602(A)
Theory of domain creation and coercive force in polycrystalline ferromagnetics, John B. Goodenough—917
Theory of scattering in solids, G. F. Koster—1436
Thermal ionization of impurities in polar crystals, H. D. Vasileff—618(A)
Thermal restoration of color centers at low temperature, R. V. Hesketh and E. E. Schneider—598(A)
Thermoelectric power and electron scattering in metal alloys, C. A. Domenicali and F. A. Otter—1134
Two types of band emission curves of Cu in soft x-ray region, Gunji Shinoda, Tatsuro Suzuki, and Susumu Kato—840(L)
Vacancies and interstitials in heat-treated Ge, Sumner Mayburg—38
Vibration spectra of crystal lattices, Melvin Lax and Joel L. Lebowitz—617(A)
Volume changes in substitutional alloys, A. W. Ross and D. ter Haar—665(A)

Wave functions for impurity levels, G. F. Koster and J. C. Slater—1167
X-ray absorption in solid argon, Jack Soules and C. H. Shaw—621(A)
X-ray production of F centers in NaCl and LiF, R. C. Herman, L. L. Mador, R. F. Wallis, and M. C. Williams —598(A)

Diamagnetism (see **Magnetic Properties**)
Dielectrics and Dielectric Properties
Dielectric constant behavior of single-domain single crystals of $BaTiO_3$ in vicinity of Curie point, M. E. Drougard and D. R. Young—1152
Dielectric constant of dioctyl phthalate smoke, H. C. Thacher, Jr., and Paul B. Dorain—615(A)
Domain formation and domain wall motions in ferroelectric $BaTiO_3$ single crystals, Walter J. Merz—690
Electromagnetic scattering by dielectric bodies, Marshall H. Cohen—637(A)
Electronic polarizabilities of ions from Hartree-Fock wave functions, R. M. Sternheimer—655(A)
Granular structure of $BaTiO_3$ ceramic, John L. Sampson, Edward E. Altshuler, and Charles E. Mingins—617(A)
Kinetic properties of domains in Rochelle salt, Toshio Mitsui and Jiro Furuichi—558(L)
Molar polarization, dipole moment, and nonideality of trichloroheptafluorobutane vapor, D. W. Magnuson—301(A)
Plastic flow and low-frequency dispersion in alkali halide crystal, Masakazu Ishiguro, Fujio Oda, and Takuzo Fujino—1347(L)
Propagation of displacement in a solid, having a crystalline structure with bistable states, C. F. Pulvari—617(A)
Diffraction (see also **Scattering**)
Lattice distortion and x-ray diffraction intensities in dilute solid solutions, William J. Taylor—666(A)
Magnetic neutron diffraction from Fe_3O_4, A. W. McReynolds and T. Riste—1161
Neutron diffraction studies of NiZn ferrite, V. C. Wilson and J. S. Kasper—1408
Neutron diffraction study of Cu-Mn system, David Meneghetti and S. S. Sidhu—666(A)
Neutron magnetic diffraction studies of La, Ca manganites, W. C. Koehler and E. O. Wollan—653(A)
Search for antiferromagnetism in V_3Si, Cr_3Si, and Mo_3Si, W. C. Koehler and E. O. Wollan—280(L)
Transmission of x-rays through calcite in Laue diffraction, G. Schwarz and G. L. Rogosa—950
Diffusion
Diffusion of Co^{60} in some Ni-Al alloys containing excess vacancies, A. E. Berkowitz, F. E. Jaumot, Jr., and F. C. Nix—1185
Self-diffusion coefficient of nitrogen, Lloyd B. DeLuca—306(A)
Discharge of Electricity in Gases (see **Electrical Discharges**)
Disintegration and Excitation of Nucleus (see **Nuclear Reactions**)
Dynamics (see **Mechanics**)

Elasticity and Plasticity (see also **Molecular Aggregates**)
Effect of small strains on electrical resistance of U wire, E. W. Kammer—307(A)
Elastic constants of Co and of CoZn ferrite crystals, H. J. McSkimin, A. J. Williams, and R. M. Bozorth—616(A)
Equation of state and thermal dependence of elastic coefficients of crystalline argon, John H. Henkel—617(A)
Law of impact for generally shaped bodies. M. Avramy Melvin—615(A)
Plastic flow and low-frequency dispersion in alkali halide crystal, Masakazu Ishiguro, Fujio Oda, and Takuzo Fujino—1347(L)
Temperature variations of elastic constants of Cu single crystals from 4.2°K to 300°K, John Gaffney and W. C. Overton, Jr.—602(A)
Electrical Breakdown (see **Dielectrics and Dielectric Properties; Electrical Discharges**)
Electrical Conductivity and Resistance (see also **Semiconductors; Superconductors**)
Ac Hall and magnetoresistive effects in photoconducting alkali halides, J. Ross Macdonald and John E. Robinson —44
Ac photoconductivity in phosphors, J. J. Dropkin and S. Orgel—597(A)
Effect of small strains on electrical resistance of U wire, E. W. Kammer—307(A)
Electrical and thermal conductivity of Mg and Mg alloy at low temperatures, D. A. Spohr and R. T. Webber—602(A)
Electrical conductivities of natural graphite crystals, W. Primak and L. Fuchs—22
Electrical conductivity of MgO single crystals, E. Yamaka and K. Sawamoto—848(L)
Electrical conductivity of sulfur, Carroll K. Gordon—306(A)
Evaporated multiple layers with semiconductor properties, J. C. M. Brentano and J. D. Richards—841(L)
Hall effect in ferromagnetics, Clarence Kooi—843(L); Robert Karplus and J. M. Luttinger—1154
Interaction of electrons with grain boundaries, M. H. Cohen and C. S. Barrett—1094(L)
Ionic conductivity and x-ray coloration of alkali halides, F. A. Cunnell and E. E. Schneider—598(A)
Minimum in electrical resistance of metals at low temperatures, A. B. Bhatia—914
Resistivity of ordered and disordered Cu-Au alloys at low temperatures, E. Passaglia and W. F. Love—666(A)
Theory of galvanomagnetic effects in Ge, B. Abeles and S. Meiboom—31
Electrical Discharges
Measurement of current during formative time lag of sparks in uniform fields in air, H. W. Bandel—1117
Energy distribution function of electrons in pure He, Fritz H. Reder and Sanborn C. Brown—885
Magnetohydrodynamic flows in H and He, W. R. Atkinson, R. G. Fowler, and W. R. Holden—634(A)
Microwave determination of probability of collision of electrons in He, Lawrence Gould and Sanborn C. Brown —897
Motion of arc cathode spot in magnetic field, Robert M. St. John and J. G. Winans—634(A)
Phenomena of plasma resonance, K. S. W. Champion and S. C. Brown—634(A)
Phosphorescence of atoms and molecules of solid N_2 at 4.2°K, H. P. Broida and J. R. Pellam—845(L)
Uv photons in decay of metastable A atoms, L. Colli—892
Electrical Properties (see also **Dielectrics and Dielectric Properties; Electrical Conductivity and Resistance; Semiconductors; Superconductors**)
Angular distribution of photoelectrons produced by 0.4–0.8 Mev polarized photons, William H. McMaster and Frank L. Hereford—723
Forward-backward ratio of secondary emission produced by 1.3-Mev electrons, M. A. Pomerantz, J. F. Marshall, and R. A. Shatas—633(A)
Magnetic dependence of thermoelectric power of Bi at low temperatures, J. Babiskin and M. C. Steele—602(A)
Relative secondary electron emission for ions and atoms, C. F. Barnett, P. M. Stier, and G. E. Evans—307(A)

Electrical Properties (Continued)
Spectral dependence of thermionic emission with activation from (Ba–Sr)O cathodes over 0.6–3.5 ev region, Tadatosi Hibi and Kazuo Ishikawa—1183
Target-thickness dependence of δ-ray emission produced by 1.3-Mev electrons, J. F. Marshall, R. A. Shatas, and M. A. Pomerantz—634(A)
Temperature-and-field emission of electrons from metals, W. W. Dolan and W. P. Dyke—327
Theory of secondary electron cascade in metals, P. A. Wolff—56
Theory of thermoelectric power in semiconductors, J. Tauc —1394
Thermoelectric power and electron scattering in metal alloys, C. A. Domenicali and F. A. Otter—1134
Time delay in secondary emission, M. H. Greenblatt—633(A)
Electrodynamics (see **Electromagnetic Theory and Electrodynamics**)
Electrolysis (see **Chemical Effects and Properties**)
Electromagnetic Theory and Electrodynamics
Automatic electrostatic field plotter, David H. Andrews —633(A)
Betatron orbit stability as function of n, G. C. Baldwin, F. R. Elder, and W. F. Westendorp—600(A)
Calculation of potential from transit time, Jerry Shmoys and Samuel N. Karp—656(A)
Classical radiation from moving charges, Sidney A. Bludman—654(A)
Conservation theorems in modified electrodynamics, J. W. Dettman and A. Schild—1057
Dimensional relations in magnetohydrodynamics, Walter M. Elsasser—1
Electrodynamic equations symmetrical in respect to charges and poles; with remarks on monopoles, Arthur E. Ruark —305(A)
Electromagnetic scattering by dielectric bodies, Marshall H. Cohen—657(A)
Equations of motion of coupled ordered and dissipative systems, J. L. Jackson—642(A)
Excitation and separation of pure high-order modes in large high-Q cavities, C. T. Zahn and W. G. Schweitzer, Jr.—633(A)
General properties of solutions in Dirac's new electrodynamics, N. L. Balazs—305(A)
Microtron maximum particle energy, H. F. Kaiser—667(A)
New technique for solving three-dimensional electron optics potential problems with axial symmetry, Jenny E. Rosenthal—633(A)
Phase properties of deflected ion beam from fixed-frequency cyclotron, M. Jakobson and J. H. Manley—600(A)
Quantum theory of damped electrical oscillator and noise. II. Radiation resistance, J. Weber—1706(E)
Reaction concept in electromagnetic theory, V. H. Rumsey —1705(E)
Resolution of four-dimensional vector fields and tensor fields, N. L. Balazs—305(A)
Theory of aurora based on magnetic self-focusing of solar ion streams, W. H. Bennett and E. O. Hulburt—315
Electron Diffraction (see **Diffraction; Scattering of Electrons and Positrons**)
Electron Optics (see **Electromagnetic Theory and Electrodynamics**)
Electronic Tubes (see **Methods and Instruments**)
Electrons and Positrons (see also **Electromagnetic Theory and Electrodynamics; Elementary Particle Interactions; Scattering of Electrons and Positrons**)
Angular dependence of annihilation quanta from magnetic substates of triplet positronium, R. M. Drisko—611(A)
Annihilation of positrons in liquid He, Frank L. Hereford —1097(L)
Bremsstrahlung conversion in trident experiments, M. M. Block and D. T. King—171
Effect of angular dependence of annihilation radiation of orthopositronium in magnetic field, S. Marder, V. W. Hughes, and C. S. Wu—611(A)
Effect of nuclear charge on internally produced pairs, G. K. Horton and E. Phibbs—604(A)
Electron-positron scattering in alkali metals, Elihu Abrahams—839(L)
Estimate of lifetime of positrons in superconductors, M. Dresden—603(A)
High-energy, large-angle distribution of pair electrons produced by bremsstrahlung, R. C. Miller—796
Interference effects in annihilation process, G. Gibson and P. Stehle—657(A)
Pair production and bremsstrahlung in field of electron, F. Rohrlich—657(A)
Pairs formed by bremsstrahlung of great energy. I. Experimental, D. T. King and M. M. Block—648(A); II. Theoretical separation distribution, M. M. Block and D. T. King—648(A)
Theoretical energy and angular distributions of bremsstrahlung electrons, Philip T. McCormick—657(A)
Two-body system in quantum electrodynamics. Energy levels of positronium, Thomas Fulton and Paul C. Martin—811
Electrons, Mobility (see **Ions and Electrons, Mobility**)
Electrons, Scattering of (see **Scattering of Electrons and Positrons**)
Electrons, Secondary (see **Electrical Properties**)
Electrons, Thermionic (see **Electrical Properties**)
Electro-Optical Effects (see **Optical Properties**)
Electrostriction (see **Dielectrics and Dielectric Properties**)
Elementary Particle Interactions
Angular distribution of charge-exchange scattering of 40-Mev π^- mesons by hydrogen, J. Tinlot and A. Roberts —137
Antiproton production, G. Feldman—1697(L)
Application of intermediate coupling theory to scattering of pseudoscalar mesons by nucleon, Gyo Takeda—1078
Approximate equations for meson-nucleon systems, Richard Arnowitt and S. Gasiorowicz—618(A)
Bremsstrahlung conversion in trident experiments, M. M. Block and D. T. King—171
Charge exchange scattering of stopped π^- mesons in deuterium, Jack Steinberger and William Chinowsky—623(A)
Classical limit of pseudoscalar coupling, W. E. Thirring —653(A)
Comparison of cut-off meson theory with experiment, Geoffrey F. Chew—1669
Conservation theorems in modified electrodynamics, J. W. Dettman and A. Schild—1057
Covariant approximation scheme for Green's functions of coupled fields, R. Arnowitt and S. Gasiorowicz—538
Effects of certain 3-body nuclear interactions in H^3 and He^3, A. W. Solbrig, Jr.—831
Elastic scattering of pions by nucleons and pion production in nucleon-nucleon collisions, John L. Gammel—209
Evidence for double production of V^0 particles, R. W. Thompson, J. R. Burwell, R. W. Huggett, and C. J. Karzmark—1576
Factorable n-p interaction, Yoriko Yamaguchi and Yoshio Yamaguchi—654(A)
400-Mev n-p scattering, A. J. Hartzler and R. T. Siegel —185

General relations between photoproduction and scattering of π mesons, Kenneth M. Watson—228
Internal pair production in radiative absorption of π^- mesons by H atoms, W. Wada—618(A)
Meson-meson effects in meson-nucleon scattering, Marc H. Ross—619(A)
Meson-meson interaction in meson scattering, Marc Ross —1687(L)
Meson-nucleon scattering in Tamm-Dancoff approximation, F. J. Dyson, M. Ross, E. E. Salpeter, S. S. Schweber, M. K. Sundaresan, W. M. Visscher, and H. A. Bethe—1644
Meson production in meson-proton scattering, M. S. Nelkin and H. A. Bethe—618(A)
Meson production in n-p collisions at Cosmotron energies, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—1026
Meson-proton scattering phase shift analysis, H. A. Bethe and F. de Hoffmann—1100(L)
Meson showers and high-energy interactions in light and heavy nuclei, R. W. Parsons, Françoise A. Brisbout, and V. D. Hopper—193
Negative pion production in n-p collisions, S. C. Wright and R. A. Schluter—639(A)
Negative-to-positive ratio of photomesons from deuterium, Matthew Sands, J. G. Teasdale, and Robert L. Walker —592(L)
Neutral pion-deuteron production in high-energy n-p collisions, Robert A. Schluter—639(A)
New Tamm-Dancoff formalism, Abraham Klein—1676
Nonlinear meson theory of nuclear forces, Ferdinand Cap —287(L)
n-p scattering at 91 Mev, R. H. Stahl—664(A)
n-p scattering at 300 Mev, J. DePangher—578(L)
Nucleon-nucleon scattering with 312-Mev polarized protons, Owen Chamberlain, Robert Donaldson, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis—850(L)
Numerical calculation of 3/2−3/2 pion-nucleon reaction matrix and phase shifts, Freda F. Salzman and James N. Snyder—286(L)
Parity of pion, William Chinowsky and Jack Steinberger —623(A)
Phase shift analysis of scattering of negative pions by hydrogen, E. Fermi, N. Metropolis, and E. Felix Alei —1581; Donald L. Martin—1606
Phase shifts for high-energy nucleon-nucleon scattering, Burton D. Fried—851(L); 1706(E)
Phenomenological many-body exchange forces, L. E. H. Trainor—801
Photopion S wave near threshold and pion-nucleon coupling constant, G. Bernardini and E. L. Goldwasser— 857(L)
Photoproduction of charged π mesons from hydrogen and deuterium, T. L. Jenkins, D. Luckey, T. R. Palfrey, and R. R. Wilson—179
Photoproduction of π^+ mesons from hydrogen, J. E. Leiss and C. S. Robinson—638(A)
Photoproduction of π^+ mesons from H near threshold, C. S. Robinson and J. E. Leiss—638(A)
Photoproduction of π^+ mesons near threshold, L. S. Osborne, Y. Goldschmidt-Clermont, and G. Parker— 637(A)
Physical consequences of vacuum polarization, Leslie L. Foldy and Erik Eriksen—1048
π^- interactions at 1.5 Bev. II, J. Crussard, W. D. Walker, and M. Koshiba—624(A)
π-meson production in π-nucleon collisions at 1.5 Bev, W. D. Walker, J. Crussard, and M. Koshiba—852(L)
π^--p collisions at 1.5 Bev. I, W. D. Walker, J. Crussard, and M. Koshiba—624(A)
Pion-hydrogen phase shift analysis between 120 and 217 Mev, F. de Hoffmann, N. Metropolis, E. P. Alei, and H. A. Bethe—1586
Pion production by 440-Mev protons incident upon H and C, Arthur H. Rosenfeld—638(A)
Pion production ratios. II, D. C. Peaslee—1580
Polarization in high-energy p-n-n double scattering, Peter Hillman, Vaughn Culler, and N. F. Ramsey—462
Polarization in p-p scattering at 415 Mev, A. Kane, R. A. Stallwood, R. B. Sutton, T. H. Fields, and J. G. Fox— 1694(L)
Possible example of annihilation of heavy particle, H. S. Bridge, H. Courant, H. DeStaebler, Jr., and B. Rossi —1101(L)
p-p cross section at 95 Mev, U. E. Kruse and J. M. Teem —662(A)
p-p scattering at 9.7 Mev, analysis, Harold H. Hall—424
p-p scattering experiments at 170 and 260 Mev, Owen Chamberlain and John D. Garrison—1349(L)
p-p scattering in nuclear emulsions, S. K. Kao and A. F. Clark—662(A)
p-p scattering near interference minimum, Robert L. Zimmerman, David H. Frisch, and Daniel I. Cooper— 662(A)
Properties of Bethe-Salpeter wave functions, G. C. Wick —653(A)
p-wave pion-nucleon scattering phase shifts in cut-off theory, Geoffrey F. Chew—285(L)
Reaction $p+p \rightarrow \pi^+ + d$ with polarized protons, F. S. Crawford, Jr., and M. L. Stevenson—1112(L)
Scattering of 1.32-Mev neutrons by protons, C. L. Storrs and D. H. Frisch—1252
Scattering of 145-Mev π^+ by H in emulsion, Jay Orear, C. H. Tsao, J. J. Lord, and A. B. Weaver—624(A)
Scattering of 187-Mev negative pions by hydrogen, Maurice Glicksman—1045
Scattering of 314-Mev polarized protons by deuterium, J. Marshall, L. Marshall, D. Nagle, and W. Skolnik —1020
Scattering of protons by H near 18 Mev, J. L. Yntema and M. G. White—1226
Small-angle n-p scattering at 400 Mev, A. J. Hartzler, R. T. Siegel, and W. Opitz—591(L)
Small-angle p-p cross sections and polarization at 300 Mev, O. Chamberlain, G. Pettengill, E. Segrè, and C. Wiegand—1348(L)
Small-angle p-p scattering at 330 Mev, David Fischer and Gerson Goldhaber—1350(L)
Solutions of Bethe-Salpeter equation, R. E. Cutkosky— 653(A)
Structure of nucleon. II. Pion-nucleon scattering, R. G. Sachs—1065
Suppression of pair coupling in nuclear forces, Abraham Klein—1061
Suppression of pair effects in nuclear forces, Abraham Klein—667(A)
Tamm-Dancoff method, J. C. Taylor—1313
Theory of unstable heavy particles, Hiroshi Enatsu, Hiroichi Hasegawa, and Pong Pul Pac—263
Total cross section for charge exchange scattering of π^- mesons by H at 42, 30, and 20 Mev, W. J. Spry—1295
Total cross sections for scattering of positive pions by hydrogen, J. Blaser, J. Ashkin, F. Feiner, J. Gorman, and M. O. Stern—624(A)
Total p-p cross section above 400 Mev, A. M. Shapiro, C. P. Leavitt, and F. F. Chen—663(A)

Elementary Particle Interactions (Continued)
Two-nucleon problem when potential is nonlocal but separable. I, Yoshio Yamaguchi—1628; II, Yoshio Yamaguchi and Yoriko Yamaguchi—1635
Use of causality conditions in quantum theory, M. Gell-Mann, M. L. Goldberger, and W. E. Thirring—1612
Elements (see **Atomic Mass and Abundance**)
Energy Loss of Particles (see **Range and Energy Loss**)
Energy States of Atoms (see **Atomic Structure and Spectra**)
Energy States of Molecules (see **Molecular Structure and Spectra**)
Energy States of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Equations of State (see **Chemical Effects and Properties**)
Errata
Elastic scattering of 190-Mev deuterons by protons, Owen Chamberlain and Martin O. Stern—1705(E)
Hfs and nuclear moments of stable Br isotopes, John Gordon King and Vincent Jaccarino—1706(E)
Influence of earth's magnetic field on extensive air showers, Giuseppe Cocconi—1705(E)
New absorption lines of crystals in submicrowave region, S. Kojima, K. Tsukada, S. Ogawa, and A. Shimauchi —1705(E)
Phase shifts for high-energy nucleon-nucleon scattering, Burton D. Fried—1706(E)
Quantum theory of damped electrical oscillator and noise. II. Radiation resistance, J. Weber—1706(E)
Reaction concept in electromagnetic theory, V. H. Rumsey —1705(E)
Errors of Measurement (see **Methods and Instruments**)
Evaporation (see **Liquids**)
Excitation of Atoms (see **Atomic Structure and Spectra**)
Excitation of Molecules (see **Molecular Structure and Spectra**)
Excitation of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Explosion Phenomena (see **Fluid Dynamics**)

Faraday Effect (see **Optical Properties**)
Ferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Ferromagnetism (see **Magnetic Properties**)
Field Emission (see **Electrical Properties**)
Field Theory (see also **Quantum Electrodynamics; Relativity and Gravitation**)
Antiproton production, G. Feldman—1697
Application of intermediate coupling theory to scattering of pseudoscalar mesons by nucleon, Gyo Takeda—1078
Approximate equations for meson-nucleon systems, Richard Arnowitt and S. Gasiorowicz—618(A)
Canonical transformation for electron-positron field coupled to time-independent electromagnetic field. II, H. E. Moses—237
Classical limit of pseudoscalar coupling, W. E. Thirring —653(A)
Comparison of cut-off meson theory with experiment, Geoffrey F. Chew—1669
Conservation theorems in modified electrodynamics, J. W. Dettman and A. Schild—1057
Covariant approximation scheme for Green's functions of coupled fields, R. Arnowitt and S. Gasiorowicz—538
Dyson's new Tamm-Dancoff method, Abraham Klein—654(A)
Electromagnetic interaction of particles of spin 3/2, Suraj N. Gupta—630(A)
Factorable n-p interaction, Yoriko Yamaguchi and Yoshio Yamaguchi—654(A)
Fierz-Pauli theory of particles of spin 3/2, Suraj N. Gupta —1334
Formation of quantum electrodynamics in Minkowski space, T. A. Welton—632(A)
General conditions on scattering matrix, M. L. Goldberger, M. Gell-Mann, and W. E. Thirring—654(A)
General relations between photoproduction and scattering of π mesons, Kenneth M. Watson—228
Hyperquantization of Feynman amplitudes, F. Coester—631(A); 1318
Integral equations of quantized field theory, H. S. Green —548
Invariance and isotopic spin, A. W. Stern—632(A)
Isotopic spin conservation and generalized gauge invariance, C. N. Yang and R. Mills—631(A)
Meson-meson effects in meson-nucleon scattering, Marc H. Ross—619(A)
Meson-meson interaction in meson scattering, Marc Ross —1687(L)
Meson-nucleon scattering in Tamm-Dancoff approximation, F. J. Dyson, M. Ross, E. E. Salpeter, S. S. Schweber, M. K. Sundaresan, W. M. Visscher, and H. A. Bethe—1644
Meson production in meson-proton scattering, M. S. Nelkin and H. A. Bethe—618(A)
Modified nucleon propagators, A. N. Mitra—1697(L)
New Tamm-Dancoff formalism, Abraham Klein—1676
Nonlinear meson theory of nuclear forces, Ferdinand Cap —287(L)
Properties of Bethe-Salpeter wave functions, G. C. Wick —653(A)
p-wave pion-nucleon scattering phase shifts in cut-off theory, Geoffrey F. Chew—285(L)
Quantized linear theory of gravitation. I, F. J. Belinfante and J. C. Swihart—630(A); II, J. C. Swihart and F. J. Belinfante—630(A)
Quantum electrodynamics at small distances, M. Gell-Mann and F. E. Low—1300
Quantum theory of gravitation, Peter G. Bergmann—631(A)
Sachs exchange moment, R. H. Dalitz—799
Solutions of Bethe-Salpeter equation, R. E. Cutkosky—653(A)
Special examples in renormalizable field theory, T. D. Lee —1329
Superselection rule regarding spinor particle numbers, Satosi Watanabe—631(A)
Suppression of pair coupling in nuclear forces, Abraham Klein—1061
Suppression of pair effects in nuclear forces, Abraham Klein—667(A)
Tamm-Dancoff method, J. C. Taylor—1313
Theory of unstable heavy particles, Hiroshi Enatsu, Hiroichi Hasegawa, and Pong Yul Pac—263
Two-nucleon problem when potential is nonlocal but separable. I, Yoshio Yamaguchi—1628; II, Yoshio Yamaguchi and Yoriko Yamaguchi—1635
Variance properties of general field operator, P. H. Fang —631(A)
Films, Properties
Electron microscope and diffraction traversing technique for examination of bimetal films, John L. Brown and Richard B. Belser—308(A)
Evaporated multiple layers with semiconductor properties, J. C. M. Brentano and J. D. Richards—841(L)
Properties of thin metallic films, F. J. Blatt—13
Replication of $BaTiO_3$ ceramic surfaces for electron microscopy, John L. Sampson, Edward E. Altshuler, and Robert W. Perry—298(A)

Solder-shear tests to metal films deposited on glass substrates by evaporation and sputtering, Margaret C. Chester and Richard B. Belser—308(A)
Structures and resistivities of sputtered films of Pt metals before and after aging by heating, Richard B. Belser and Margaret C. Chester—307(A)
Fine Structure (see **Atomic Structure and Spectra**)
Fission of Nucleus (see **Nuclear Fission**)
Fluctuation Phenomena (see **Noise**)
Fluid Dynamics
Dimensional relations in magnetohydrodynamics, Walter M. Elsasser—1
Dynamics of waterdrop collisions with solids, Olive G. Engel—615(A)
Energy spectrum of turbulence for entire range, R. W. Davies—912
General relations in fluid convection theory. I. Similarity theory for flow onset, F. T. Rogers, Jr.—305(A)
Magnetohydrodynamic flows in H and He, W. R. Atkinson, R. G. Fowler, and W. R. Holden—634(A)
Rheological problem, Allen L. King—298(A)
Fluorescence (see **Luminescence**)
Friction (see **Mechanics**)

Galvanomagnetic Effect (see **Magnetic Properties**)
Gamma Rays (see also **Nuclear Reactions; Nuclear Spectra; Range and Energy Loss**)
Build-up measurements on Co^{60} γ radiation in Fe and Pb, C. Garrett and G. N. Whyte—889
4.43-Mev γ rays from C^{12}, W. R. Mills, Jr., and R. J. Mackin, Jr.—1206
γ-ray absorption coefficients for NaI, Cu, Ta, and W, P. R. Howland and W. E. Kreger—407
Nuclear scattering of γ rays below meson threshold, G. E. Pugh, D. H. Frisch, and R. Gomez—590(L)
Penetration of 6-Mev γ rays in Pb and Fe, K. Shure, P. A. Roys, and J. J. Taylor—610(A)
Penetration of 6-Mev γ rays in water, P. A. Roys, K. Shure, and J. J. Taylor—911
Rotating-sphere solid-angle scanner for γ rays, George R. Meneely, Robert J. Kerr, Jesse E. Hoffman, and Sherwood K. Haynes—308(A)
Gases
Deviations from additivity of intermolecular field at high densities, L. Jansen and Z. I. Slawsky—614(A)
Effect of intermolecular forces on rapid expansion of gas from initial condition of very high density and temperature, J. M. Dawson and Z. I. Slawsky—614(A)
General method for high-speed machine computation of ideal gas thermal properties. Diatomic free radicals of isotopic hydrides, Lester Haar and A. S. Friedman—614(A)
Geophysics
Air-guided propagation of short radio waves around earth bulge, Thomas J. Carroll—623(A)
Drop-size distribution and visibility in clouds and rain, Shepard Bartnoff—615(A)
Drop-size frequency distribution in clouds and rain, Joseph K. Fish and Shepard Bartnoff—297(A)
Effect of melting of polar ice on length of day, Serge A. Korff—296(L)
Heat generation in earth by solar neutrinos, A. M. Cormack—580(L)
Microwave and far infrared atmospheric water-vapor absorption, T. F. Rogers—622(A)
Origin of N_2O in atmosphere, P. Harteck and S. Dondes—320
Radar echoes from precipitation, Pauline M. Austin—297(A)
Rf mass spectrometer as rocket-borne instrument for atmospheric composition studies, Walter F. Sheridan—298(A)
Seismology in southeast, Jack H. Williams and C. F. Mercer—306(A)
Theory of aurora based on magnetic self-focusing of solar ion streams, W. H. Bennett and E. O. Hulburt—315
Glasses (see **Molecular Aggregates**)
Gravitation (see **Relativity and Gravitation**)
Gyromagnetization (see **Magnetic Properties**)

Hall Effect (see **Electrical Conductivity and Resistance; Semiconductors**)
Heat Capacity (see **Thermal Properties**)
Heat Conduction (see **Thermal Properties**)
Heat of Dissociation and Formation (see **Molecular Structure and Spectra**)
Heat of Fusion (see **Thermal Properties**)
Heat of Vaporization (see **Thermal Properties**)
Helium, Liquid
Absolute temperature scale between 4.2° and 5.2°K, R. Berman and C. A. Swenson—311
Annihilation of positrons in liquid He, Frank L. Hereford—1097(L)
Atomic theory of liquid He, D. ter Haar—604(A)
Experimental evidence for structure in He II film, W. C. Knudsen and J. R. Dillinger—279(L)
Fermi-Dirac degeneracy in liquid He^3 below 1°K, William M. Fairbank, W. B. Ard, and G. K. Walters—566(L)
Film flow and bulk formation of He II in capillaries, R. V. Dyba, C. T. Lane, and C. H. Blakewood—1365
λ transition of liquid He, D. ter Haar—895
Second sound attenuation in liquid He II, W. B. Hanson and J. R. Pellam—321; 604(A)
Theory of liquid He^3–He^4 mixtures, Louis Goldstein—869
Thermal conductivity of liquid He below 1.0°K, Henry A. Fairbank and J. Wilks—277(L)
Ultrasonic measurements in magnetically cooled He, C. E. Chase and Melvin A. Herlin—565(L)
High Voltage Tubes and Machines (see **Methods and Instruments**)
Hydrodynamics (see **Fluid Dynamics**)
Hyperfine Structure (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Nuclear Moments and Spin**)

Imperfections in Solids (see also **Crystalline State; Electrical Conductivity and Resistance; Luminescence; Semiconductors**)
Ac Hall and magnetoresistive effects in photoconducting alkali halides, J. Ross Macdonald and John E. Robinson—44
Anomalous optical behavior of InSb and InAs, H. J. Hrostowski, G. H. Wheatley, and W. F. Flood, Jr.—1683(L)
Color centers in alkali silicate and borate glasses, Ryosuke Yokota—1145
Diffusion of Co^{60} in some Ni-Al alloys containing excess vacancies, A. E. Berkowitz, F. E. Jaumot, Jr., and F. C. Nix—1185
Electrical conductivity of MgO single crystals, E. Yamaka and K. Sawamoto—848(L)
Energy levels and photoconductivity in electron-bombarded Ge, H. Y. Fan, W. Kaiser, E. E. Klontz, K. Lark-Horowitz, and R. R. Pepper—1087(L)
Ionic conductivity and x-ray coloration of alkali halides, F. A. Cunnell and E. E. Schneider—598(A)
Lattice parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian, J. W. Kortright, and R. H. Langenheim—653(A)

Imperfections in Solids (Continued)
Low-temperature bleaching and restoration of color centers, A. Halperin and G. F. J. Garlick—1098(L)
Metamict state, William Primak—837(L)
Neutron irradiation of InSb, J. W. Cleland and J. H. Crawford, Jr.—1177
Paramagnetic resonance absorption in soft carbon, J. G. Castle, Jr.—846(L)
Plastic flow and low-frequency dispersion in alkali halide crystal, Masakazu Ishiguro, Fujio Oda, and Takuzo Fujino—1347(L)
Possible macroscopic effects of single lattice defects, Jerome Rothstein—370
Precipitation of impurities at dislocations in heat-treated Si, Sumner Mayburg—838(L)
Propagation of displacement in solid, having crystalline structure with bistable states, C. F. Pulvari—617(A)
Shape of F band, R. V. Hesketh and E. E. Schneider—837(L)
Small angle x-ray scattering from cold-worked Al-Ag and Al-Zn alloys, J.-P. Jan and J. S. Koehler—665(A)
Spectral dependence of thermionic emission with activation from (Ba–Sr)O cathodes over 0.6–3.5 ev region, Tadatosi Hibi and Kazuo Ishikawa—1183
Thermal ionization of impurities in polar crystals, H. D. Vasileff—618(A)
Thermal restoration of color centers at low temperature, R. V. Hesketh and E. E. Schneider—598(A)
Vacancies and interstitials in heat-treated Ge, Sumner Mayburg—38
X-ray production of F centers in NaCl and LiF, R. C. Herman, L. L. Mador, R. F. Wallis, and M. C. Williams—598(A)
Inelastic Scattering (see **Nuclear Reactions; Scattering**)
Instruments (see **Methods and Instruments**)
Internal Conversion (see **Nuclear Spectra**)
Ionization (see also **Electrical Discharges; Range and Energy Loss**)
Absorption of tritium β particles in hydrogen and other gases, Leon M. Dorfman—393
Energy expenditure per ion pair in solids, E. J. Sternglass—609(A)
Energy per ion pair for recoil atoms in methane, W. G. Stone and Lewis W. Cochran—304(A)
Ionization energies of groups III and V elements in Ge, T. H. Geballe and F. J. Morin—1085(L)
Ionization of pure gases and mixtures of gases by 5-Mev α particles, T. E. Bortner and G. S. Hurst—609(A)
Ionization probability curves near threshold for Zn, Cd, and Hg, W. M. Hickam—703
Ionization produced by 5-Mev α particles in argon mixtures, Charles E. Melton—303(A)
Ionizing collisions of very fast particles and dipole strength of optical transitions, U. Fano—1198
L-shell ionization by protons of 1.5- to 4.5-Mev energy, E. M. Bernstein and H. W. Lewis—83
Range and specific ionization for high-energy protons in nuclear emulsions, O. Heinz—610(A)
Relative ionization yields for fission fragments in various gases, Lloyd O. Herwig and Glenn H. Miller—413
w value in electron volts for 5-Mev α particles in gases and gas mixtures, T. E. Bortner and G. S. Hurst—303(A)
Ionization Potentials of Atoms (see **Atomic Structure and Spectra**)
Ionization Potentials of Molecules (see **Molecular Structure and Spectra**)
Ionosphere (see **Geophysics**)
Ions (see also **Electrical Discharges**)
Approximate Hartree type wave functions and matrix elements for K and L shells of atoms and ions, R. E. Meyerott—72
Electronic polarizabilities of ions from Hartree-Fock wave functions, R. M. Sternheimer—655(A)
Equilibrium charge distribution of stripped 26-Mev N ions, H. L. Reynolds and A. Zucker—1353(L)
Experimental determination of charge transfer cross sections, W. F. Sheridan, J. A. Dillon, Jr., and S. N. Ghosh—635(A)
Range and charge of energetic nitrogen ions in Ni, H. L. Reynolds, D. W. Scott, and A. Zucker—671
Role of principal quantum number (n) in calculation of radii of ions with low (1^+,2^+,3^+,4^+) valence, N. Efremov—614(A)
Scattering of H^- ions in range 20–400 ev, E. E. Muschlitz, Jr.—635(A)
Scattering of ions by polarization forces, Erich Vogt and Gregory H. Wannier—1190
Theory of aurora based on magnetic self-focusing of solar ion streams, W. H. Bennett and E. O. Hulburt—315
Ions and Electrons, Mobility (see also **Semiconductors**)
Isobars (see **Atomic Mass and Abundance**)
Isomers, Molecular (see **Molecular Structure and Spectra**)
Isomers, Nuclear (see **Nuclear Spectra**)
Isotopes (see **Atomic Mass and Abundance; Radioactivity**)

Kerr Effect (see **Optical Properties**)
Kinetic Theory of Gases (see **Gases**)

Liquid Helium (see **Helium, Liquid**)
Liquids
Measurements of solvent volume changes in sugar factory using radioactive tracer technic, John U. Hidalgo, Sr.—306(A)
Luminescence
Anisotropy of fluorescence of some organic crystals, S. C. Ganguly and N. K. Chaudhury—1148
Effect of pressure on optical absorption of activator in luminescent solid, Peter D. Johnson and Ferd E. Williams—598(A)
Effect of pressure on optical absorption of activator system in KCl: Tl, Peter D. Johnson and Ferd E. Williams—69
Effects of preparation and temperature on response of NaI phosphors, C. O. Muehlhause, E. der Mateosian, and Michael McKeown—598(A)
Experiments on electroluminescence, John F. Waymouth and Francis Bitter—941
Light decay from electroluminescent phosphors, S. H. Autler and W. F. Roat—599(A)
Low-temperature luminescence of CdS, L. R. Furlong—1086(L)
Phosphorescence of and energy storage in some uv-emitting phosphors, C. E. Mandeville and H. O. Albrecht—598(A)
Phosphorescence of atoms and molecules of solid N_2 at 4.2°K, H. P. Broida and J. R. Pellam—845(L)
Photoconductivity in phosphors, J. J. Dropkin and S. Orgel—597(A)
Response of anthracene scintillation crystals to monoenergetic soft x-rays, W. H. Robinson and W. Jentschke—1412
Temperature dependence of organic scintillation materials, J. B. Birks—277(L)
Use of scintillation counters in studies on luminous efficiency of biological materials, J. G. Kereiakes and A. T. Krebs—308(A)

Magnetic Fields (see **Electromagnetic Theory and Electrodynamics**)
Magnetic Properties
Approximate partition function for certain iron group salts at low temperatures, L. D. Roberts and J. W. T. Dabbs —307(A)
Calculation of ferromagnetic and antiferromagnetic Curie temperatures, H. A. Brown and J. M. Luttinger—652(A)
Chromium potassium alum below 1°K, E. Ambler and R. P. Hudson—1143
de Haas-van Alphen effect in Sn and Sn-Sb alloys, G. T. Croft, W. F. Love, and F. C. Nix—1403
de Haas-van Alphen effect in Zn at liquid O_2 temperatures, Ted G. Berlincourt and M. C. Steele—603(A)
Domain rotation in sintered Ni ferrite, Fielding Brown and Charles L. Gravel—652(A)
Ferrimagnetic resonance in sintered masses, David Park —652(A)
Hall effect in ferromagnetics, Clarence Kooi—843(L); Robert Karplus and J. M. Luttinger—1154
Influence of covalence on ion ordering and distortion in spinels, A. L. Loeb and J. B. Goodenough—616(A)
Lattice parameters of $FeFe_{(2-x)}Cr_xO_4$ spinel system, H. J. Yearian, J. M. Kortright, and R. H. Langenheim—653(A)
Low-temperature magnetization of two Ce salts, Warren E. Henry—603(A)
Magnetic and thermal properties of chromic methylamine alum below 1°K, R. P. Hudson and C. K. McLane—932
Magnetic domains in Co by longitudinal Kerr effect, Charles A. Fowler, Jr., and Edward M. Fryer—564(L); 652(A)
Magnetic neutron diffraction from Fe_3O_4, A. W. McReynolds and T. Riste—1161
Magnetostrictive effects in α-Fe_2O_3, H. M. A. Urquhart and J. E. Goldman—653(A)
Measuring magnetic properties of ferromagnetic materials by means of Hall effect, Simon Foner—652(A)
Metastable magnetic states, J. R. Lamarsh and B. D. Kern—307(A)
Method for brute force polarization of H nuclei, J. W. T. Dabbs and L. D. Roberts—307(A)
Neutron diffraction studies of NiZn ferrite, V. C. Wilson and J. S. Kasper—1408
Neutron diffraction study of Cu-Mn system, David Meneghetti and S. S. Sidhu—666(A)
Neutron magnetic diffraction studies of La, Ca manganites, W. C. Koehler and E. O. Wollan—653(A)
Paramagnetic and diamagnetic susceptibility of conduction electrons, David Pines—1090(L)
Polarization of Mn^{56} nuclei: cryogenic aspects, J. W. T. Dabbs and L. D. Roberts—970
Properties of thin metallic films, F. J. Blatt—13
Search for antiferromagnetism in silicides V_3Si, Cr_3Si, and Mo_3Si, W. C. Koehler and E. O. Wollan—280(L)
Spherical model of antiferromagnet, B. S. Gourary and R. W. Hart—652(A); 676
Spin paramagnetism of conduction electrons, R. T. Schumacher, T. R. Carver, and C. P. Slichter—1089(L)
Statistics of face-centered cubic ferromagnet, E. Dempsey and D. ter Haar—651(A)
Strong field induced paramagnetic anomaly in $NiSiF_6 \cdot 6H_2O$, Warren E. Henry—1449
Susceptibility tensor and Faraday effect in ferrimagnetics, Roald K. Wangsness—339
Temperature and field dependence of de Haas-van Alphen effect, F. J. Donahoe and F. C. Nix—1395
Temperature-dependent de Haas-van Alphen parameters in Zn, Ted G. Berlincourt and M. C. Steele—1421
Theory of domain creation and coercive force in polycrystalline ferromagnetics, John B. Goodenough—917
Theory of galvanomagnetic effects in Ge, B. Abeles and S. Meiboom—31
Time-dependent correlations between spins and neutron scattering in ferromagnetic crystals, Léon Van Hove—1374
Magnetic Resonance (see also **Nuclear Moments and Spin**)
Anisotropy of cyclotron resonance in Ge. I. Theory, Benjamin Lax, H. J. Zeiger, and R. N. Dexter—597(A); II. Experiment, R. N. Dexter, H. J. Zeiger, Benjamin Lax, and E. S. Rosenblum—597(A)
Anisotropy of cyclotron resonance of holes in Ge, R. N. Dexter, H. J. Zeiger, and Benjamin Lax—557(L)
Conduction electron spin resonance absorption in Na, I. H. Solt, Jr., and M. W. P. Strandberg—607(A)
Demonstration of neutron spin from Bloch-Alvarez-type experiment, C. P. Stanford, T. E. Stephenson, and S. Bernstein—302(A)
Detection of pure quadrupole resonances, P. J. Bray—606(A)
Electron spin magnetic moment in atomic hydrogen, R. Beringer and Mark A. Heald—1474
Electron spin resonance in Be, G. Feher and A. F. Kip —1343(L)
Electron spin resonance of impurity level in Si, A. Honig and A. F. Kip—1686(L)
Ferrimagnetic resonance in sintered masses, David Park —652(A)
Hfs and nuclear moments of stable Br isotopes, John Gordon King and Vincent Jaccarino—1706(E)
Hfs of He^3 in metastable triplet state, Werner B. Teutsch and Vernon W. Hughes—1461; Gabriel Weinreich and Vernon W. Hughes—1451
Hyperfine splitting in spin resonance of Group V donors in Si, R. C. Fletcher, W. A. Yager, G. L. Pearson, and F. R. Merritt—844(L)
Intensities of Zeeman components of quadrupole transitions in $NaClO_3$, Yu Ting and Dudley Williams—607(A)
Magnetic resonance enhancement in multilevel system, James H. Burgess—608(A)
Magnetic resonance spectra of beryl crystals, L. Carlton Brown and Dudley Williams—1110(L)
New absorption lines of crystals in submicrowave region, S. Kojima, K. Tsukada, S. Ogawa, and A. Shimauchi —1705(E)
Nuclear magnetic resonance in solid hydrogen with various *ortho* concentrations, Tadashi Sugawara, Yoshika Masuda, Teinosuke Kanda, and Eizo Kanda—1355(L)
Nuclear magnetic resonance in some solid hydrocarbons, F. A. Rushworth—608(A)
Nuclear spin and hfs interaction of 3.1-hr Cs^{136} isomer, V. W. Cohen and D. A. Gilbert—569(L)
Nuclear spin and magnetic moment of 3.1-hr Cs^{136m}, L. S. Goodman and S. Wexler—570(L)
Os^{189} magnetic moment, H. R. Loeliger and L. R. Sarles —291(L)
Overhauser effect in free radical, H. G. Beljers, L. van der Kint, and J. S. van Wieringen—1683(L)
Paramagnetic and diamagnetic susceptibility of conduction electrons, David Pines—1090(L)
Paramagnetic resonance absorption in ammonium chrome alum, Charles F. Davis, Jr., and M. W. P. Strandberg —607(A)
Paramagnetic resonance absorption in graphite, G. R. Hennig, B. Smaller, and E. L. Yasaitis—1088(L)
Paramagnetic resonance absorption in sodium plutonyl acetate, Clyde A. Hutchison, Jr., and W. Burton Lewis —1096(L)

Magnetic Resonance (Continued)
Paramagnetic resonance absorption in soft C, J. G. Castle, Jr.—846(L)
Paramagnetic resonance absorption of $VOSO_4 \cdot 5H_2O$, M. B. Palma, M. U. Palma, and D. Palumbo—608(A)
Paramagnetic resonance in organic free radicals at low fields, R. S. Codrington, J. D. Olds, and H. C. Torrey —607(A)
Paramagnetic resonances in glasses, R. H. Sands, J. Townsend, and H. P. Hood—607(A)
Radiation damping in magnetic resonance experiments, N. Bloembergen and R. V. Pound—8
Random pulses and electron-spin line widths in metals, D. L. Falkoff—607(A)
Spin paramagnetism of conduction electrons, R. T. Schumacher, T. R. Carver, and C. P. Slichter—1089(L)
Spin-orbit interaction and effective masses of holes in Ge, G. Dresselhaus, A. F. Kip, and C. Kittel—568(L)
Spins and hyperfine splittings of Ag^{111} and Cu^{64}, Aaron Lemonick and Francis M. Pipkin—1356(L)
Statistical mechanics and Overhauser nuclear polarization effect, C. Kittel—589(L)
Magneto-Optical Effects (see **Optical Properties**)
Magnetoresistance (see **Electrical Conductivity and Resistance; Semiconductors**)
Magnetostriction (see **Magnetic Properties**)
Mass Defects (see **Atomic Mass and Abundance**)
Mass Spectroscopy (see **Atomic Mass and Abundance; Methods and Instruments**)
Mathematical Methods
Calculation of potential from transit time, Jerry Shmoys and Samuel N. Karp—656(A)
Decomposition of scalar product of 2 symmetric tensors, M. H. Cohen—674
High-speed computation of angular momentum functions, Albert Simon—657(A)
Interior value problems, A. V. Masket—305(A).
Resolution of four-dimensional vector fields and tensor fields, N. L. Balazs—305(A)
W.K.B. approximation through turning point, A. A. Broyles—656(A)
Measurements (see **Methods and Instruments**)
Mechanics
Generalization of theorem by Pappus, E. E. Mayo—305(A)
Law of impact for generally shaped bodies. M. Avramy Melvin—615(A)
Mechanics, Quantum—Atomic Structure and Spectra (see **Atomic Structure and Spectra**)
Mechanics, Quantum—General (see **Quantum Mechanics**)
Mechanics, Quantum—Molecular Structure and Spectra (see **Molecular Structure and Spectra**)
Mechanics, Quantum—Nuclear (see **Nuclear Structure Theory**)
Mechanics, Quantum—of Solid Bodies (see **Crystalline State**)
Mechanics, Statistical (see **Statistical Mechanics and Thermodynamics**)
Meson Field Theory (see **Field Theory**)
Mesons (see also **Cosmic Radiation; Elementary Particle Interactions; Nuclear Reactions Induced by Mesons; Scattering of Mesons**)
Absorption of negative pions in deuterium: Parity of pion, W. Chinowsky and J. Steinberger—1561
Anomalous event observed in photographic emulsion, J. H. Noon, M. F. Kaplon, and J. Crussard—1103(L)
Charge exchange scattering of stopped π^- mesons in deuterium, Jack Steinberger and William Chinowsky—623(A)
Charged heavy mesons from nuclear collisions, L. Voyvodic—661(A)
Charged pion production from C by protons, Walter F. Dudziak—866(L)
Cloud-chamber study of charged V particles, Carl M. York, Jr., R. B. Leighton, and E. K. Bjørnerud—159
Comparison of reactions $H^2(H^1,\pi^+)H^3$ and $H^2(H^1,\pi^0)He^3$ as test of charge independence, Kenneth C. Bandtel, Wilson J. Frank, Richard Madey, and Burton J. Moyer —639(A)
Cosmic-ray μ meson low-energy differential range spectrum, A. Fafarman and M. H. Shamos—648(A)
Decay curve of K particles, L. Mezzetti and J. W. Keuffel —858(L)
Decay of heavy neutral particle, R. A. Howard, P. M. Fitzpatrick, H. E. Hoffman, and J. S. Urban—661(A)
Elastic photoproduction of π^0 mesons from He, E. L. Goldwasser, L. J. Koester, Jr., and F. E. Mills—1692(L)
Elastic scattering of pions by nucleons and pion production in nucleon-nucleon collisions, John L. Gammel—209
Energy measurements of meson x-rays, M. B. Stearns, M. Stearns, L. Leipuner, and S. DeBenedetti—625(A)
Evidence for double production of V^0 particles, R. W. Thompson, J. R. Burwell, R. W. Huggett, and C. J. Karzmark—1576
Experimental study of μ^- meson mass and vacuum polarization in mesonic atoms, S. Koslov, V. Fitch, and J. Rainwater—291(L)
General relations between photoproduction and scattering of π mesons, Kenneth M. Watson—228
Heavy unstable particles in stripped emulsions, J. Crussard, M. F. Kaplon, J. Klarmann, and J. H. Noon—584(L)
Limits on π^- meson mass from mesonic x-rays, M. Stearns, M. B. Stearns, S. DeBenedetti, and L. Leipuner—1353(L)
Magnetic cloud-chamber observation of V particles. I. Charged V particles, Y. B. Kim, J. R. Burwell, H. O. Cohn, C. J. Karzmark, and R. W. Thompson—661(A); II. Status of work on θ^0 meson, R. W. Thompson, J. R. Burwell, H. O. Cohn, R. W. Huggett, and C. J. Karzmark—661(A)
Mass measurements of slow cosmic-ray mesons, M. Inoki, T. Yasaki and Y. Matsukawa—1565
Mass of μ^- meson from mesonic x-rays, S. Koslov, V. Fitch, and J. Rainwater—625(A)
Meson production in meson-proton scattering, M. S. Nelkin and H. A. Bethe—618(A)
Meson production in n-p collisions at Cosmotron energies, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—1026
Meson showers and high-energy interactions in light and heavy nuclei, R. W. Parsons, Françoise A. Brisbout, and V. D. Hopper—193
Meson-meson effects in meson-nucleon scattering, Marc H. Ross—619(A)
Momentum of S-particle secondaries, D. Willard—661(A)
Negative pion production in n-p collisions, S. C. Wright and R. A. Schluter—639(A)
Negative-to-positive ratio of photomesons from deuterium, Matthew Sands, J. G. Teasdale, and Robert L. Walker —592(L)
Neutral pion-deuteron production in high-energy n-p collisions, Robert A. Schluter—639(A)
Nuclear absorption of negative K particles, Herbert DeStaebler, Jr.—1110(L)
Parity of pion, William Chinowsky and Jack Steinberger —623(A)

Photopion S wave near threshold and pion-nucleon coupling constant, G. Bernardini and E. L. Goldwasser—857(L)
Photoproduction of charged π mesons from hydrogen and deuterium, T. L. Jenkins, D. Luckey, T. R. Palfrey, and R. R. Wilson—179
Photoproduction of π^+ mesons from H, J. E. Leiss and C. S. Robinson—638(A)
Photoproduction of π^+ mesons from hydrogen near threshold, C. S. Robinson and J. E. Leiss—638(A)
Photoproduction of π^+ mesons near threshold, L. S. Osborne, Y. Goldschmidt-Clermont, and G. Parker—637(A)
π^+ production in H by 437-Mev protons, T. H. Fields, J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton—638(A)
π-meson production in π-nucleon collisions at 1.5 Bev, W. D. Walker, J. Crussard, and M. Koshiba—852(L)
Pion production by 440-Mev protons incident upon H and C, Arthur H. Rosenfeld—638(A)
Pion production ratios. II, D. C. Peaslee—1580
Positron spectrum, from decay of μ meson, Ryokichi Sagane, Walter F. Dudziak, and James Vedder—863(L)
Possible example of annihilation of heavy particle, H. S. Bridge, H. Courant, H. DeStaebler, Jr., and B. Rossi—1101(L)
Production of positive and negative pions in Be by 1.0 and 2.3-Bev protons, S. J. Lindenbaum and Luke C. L. Yuan—638(A)
Production of V^0 particles in Cu, D. R. Harris and A. L. Hodson—661(A)
Q value of Λ^0 decay, V. A. J. van Lint, G. H. Trilling, R. B. Leighton, and C. D. Anderson—295(L)
Radiative decay of θ^0 particle, S. B. Treiman—1360(L)
Radiochemical evidence for $Cu^{65}(p,p\pi^+)Ni^{65}$ reaction, Si-Chang Fung and Anthony Turkevich—176
Ratio of π^-/π^+ meson production in cosmic ray disintegrations of emulsion nuclei, Herman Yagoda—648(A)
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, F. S. Crawford, Jr., and M. L. Stevenson—1112(L)
Recent results on S particles, H. S. Bridge, H. Courant, B. Dayton, H. C. DeStaebler, Jr., B. Rossi, and D. Willard—662(A)
Sea level mesons stopped in thin Pb and Al foils. I. Possible emission of charged nuclear particles and related events, W. Y. Chang—1282; II. Low-energy (1–5 Mev) γ rays, W. Y. Chang—1288
τ-meson decay scheme, N. Baker and O. Bergmann—174
τ meson produced by 3.0-Bev protons, R. D. Hill, E. O. Salant, and M. Widgoff—1699(L)
Theory of unstable heavy particles, Hiroshi Enatsu, Hiroichi Hasegawa, and Pong Yul Pac—263
Unstable particles in photographic emulsion, M. F. Kaplon, J. Crussard, J. Klarmann, and J. Noon—660(A)
Unusual cosmic-ray event, H. C. DeStaebler, Jr., H. S. Bridge, H. Courant, and B. Rossi—662(A)
X-rays from π mesonic atoms, A. D. McGuire, M. Camac, M. L. Halbert, and J. B. Platt—625(A)
Yield of π^+ mesons by 335-Mev protons as function of atomic number, J. Merritt and D. Hamlin—638(A)

Metals (see **Crystalline State**)
Metastable Atoms (see **Atomic Structure and Spectra**)
Metastable Molecules (see **Molecular Structure and Spectra**)
Meteorology (see **Geophysics**)
Methods and Instruments

Applications of "internal source" scintillation spectrometer, E. der Mateosian—646(A)
Automatic electrostatic field plotter, David H. Andrews—633(A)
Betatron orbit stability as function of n, G. C. Baldwin, F. R. Elder, and W. F. Westendorp—600(A)
Detection of pure quadrupole resonances, P. J. Bray—606(A)
Determination of thickness of Li targets from position of geometric peak, Charles F. Donaghy and Clark Goodman—298(A)
Electron microscope and diffraction traversing technique for examination of bimetal films, John L. Brown and Richard B. Belser—308(A)
Electron spectrometer for study of inelastic collision cross sections, E. N. Lassettre, A. S. Berman, S. Silverman, and M. E. Krasnow—635(A)
Equipment for measurement of very small x-ray scattering cross sections, W. W. Beeman and R. H. Neynaber—617(A)
Excitation and separation of pure high-order modes in large high-Q cavities, C. T. Zahn and W. G. Schweitzer, Jr.—633(A)
External proton beam of Carnegie synchrocyclotron, J. A. Kane, R. A. Stallwood, R. B. Sutton, T. H. Fields, and J. G. Fox—662(A)
Forbes bar method for measuring thermal conductivity of metals, Joseph M. Clifford and R. B. Sawyer—665(A)
Gaseous scintillation counter, C. Eggler and C. M. Huddleston—600(A)
General method for high-speed machine computation of ideal gas thermal properties. Diatomic free radicals of isotopic hydrides, Lester Haar and A. S. Friedman—614(A)
Generator of linearly varying current for electromagnet, John Levinson—651(A)
High-intensity beam of low-energy protons in ORNL 86-inch cyclotron, F. L. Green and J. A. Martin—304(A)
High-speed transient dynamic analysis, John C. Lindsay and A. V. Masket—665(A)
Ionization loading of electrostatic generators, C. M. Turner—599(A)
JAINCOMP-C and -D digital computers, Donald H. Jacobs and Milton E. Pugh—616(A)
Magnetic spectrograph for nuclear disintegration studies, W. W. Buechner, C. P. Browne, H. Enge, M. Mazari, and C. D. Buntschuh—609(A)
Magnetic spectrometer for recoil spectrometry, Arthur H. Snell and Frances Pleasonton—304(A)
Measuring magnetic properties of ferromagnetic materials by means of Hall effect, Simon Foner—652(A)
Methods of spinning rotors at low temperatures, J. W. Beams and J. B. Breazeale—601(A)
Microtron maximum particle energy, H. F. Kaiser—667(A)
Microtrons (electron cyclotrons for X and K band operation) II, H. F. Kaiser—600(A)
Molecular microwave oscillator and new hfs in microwave spectrum of NH_3, J. P. Gordon, H. J. Zeiger, and C. H. Townes—282(L)
Moseley's law applied to proportional counter resolution of adjacent elements, C. F. Hendee and S. Fine—281(L)
MTR fast chopper, R. G. Fluharty—609(A)
MTR time-of-flight instrumentation, D. R. deBoisblanc and K. A. McCollom—609(A)
Oxidation yield of ferrous sulfate dosimeter by x-rays, W. Bernstein, J. Weiss, and J. B. H. Kuper—609(A)
Particle selection technique used at M.I.T. cyclotron, F. A. Aschenbrenner—600(A)
Phase properties of deflected ion beam from fixed-frequency cyclotron, M. Jakobson and J. H. Manley—600(A)

Methods and Instruments (Continued)
Photoelectric measurement of reversal temperature, Hedwig Kohn and Einar Hinnov—301(A)
Polarization of Mn^{56} nuclei: cryogenic aspects, J. W. T. Dabbs and L. D. Roberts—970
Precision double-focusing mass spectrometer, T. L. Collins, T. T. Scolman, and A. O. Nier—615(A)
Pressurized 500-kv high-frequency Cockroft-Walton accelerator, Paul Lorrain, R. Béique, P. Gilmore, P. E. Girard, A. Breton, and P. Piché—599(A)
Proportional counter for Auger electrons, Ernest D. Graves and H. C. Thomas—304(A)
Proposed design of 50-Mev proton linear accelerator, L. H. Johnston, E. A. Day, and J. H. Williams—599(A)
Proton recoil telescope for observing neutron spectra, Carroll C. Trail and C. H. Johnson—640(A)
Radioactive and photoelectric *p-n* junction power sources, W. G. Pfann and W. Van Roosbroeck—597(A)
Replication of $BaTiO_3$ ceramic surfaces for electron microscopy, John L. Sampson, Edward E. Altshuler, and Robert W. Perry—298(A)
Response of anthracene scintillation crystals to monoenergetic soft x-rays, W. H. Robinson and W. Jentschke—1412
Rf Cockroft-Walton generator for neutron production, R. A. Peck, Jr.—599(A)
Rf mass spectrometer as rocket-borne instrument for atmospheric composition studies, Walter F. Sheridan—298(A)
Rotating-sphere solid-angle scanner for γ rays, George R. Meneely, Robert J. Kerr, Jesse E. Hoffman, and Sherwood K. Haynes—308(A)
Scattered radiation contribution to depth dose data for 35- and 90-Mev synchrotron x-rays, J. Boag and B. Zendle—608(A)
Scintillation detector for thermal and epithermal neutrons, K. H. Sun, P. R. Malmberg, and F. A. Pecjak—600(A)
Self-powered semiconductor amplifier, C. G. B. Garrett and W. H. Brattain—1091(L)
Small current dc amplifier, Newton Underwood and G. F. Zindler, Jr.—304(A)
Spectral distribution curves of far uv radiation from Cornell synchrotron, D. H. Tomboulian and P. L. Hartman—600(A)
System for measuring flight times of fast neutrons, Conway W. Snyder and Vincent E. Parker—635(A)
Time jitter in BF_3 counters, O. D. Simpson—600(A)
Use of scintillation counters in studies on luminous efficiency of biological materials, J. G. Kereiakes and A. T. Krebs—308(A)
Use of Si *p-n* junctions for converting solar energy to electrical energy, R. L. Cummerow—561(L)
Vapor expansion chamber using pure water. I, J. E. Hopson and C. E. Nielsen—601(A)
Vapor expansion chamber using ammonia and water. II, R. P. Caren and C. E. Nielsen—601(A)
Vapor expansion chamber using pure gases at low temperatures. III, C. E. Nielsen and J. E. Hopson—601(A)
Microwaves (see also **Atomic Structure and Spectra; Magnetic Resonance; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Microwave determination of probability of collision of electrons in He, Lawrence Gould and Sanborn C. Brown—897
Molecular microwave oscillator and new hfs in microwave spectrum of NH_3, J. P. Gordon, H. J. Zeiger, and C. H. Townes—282(L)
Phenomena of plasma resonance, K. S. Champion and S. C. Brown—634(A)
Quantum effects in interaction between electrons and high-frequency fields. I, I. R. Senitzky—904
Miscellaneous
Can well-informed heat engine (WHE) have free will?, Jerome Rothstein—643(A)
Mobility of Ions and Electrons (see **Ions and Electrons, Mobility**)
Molecular Aggregates
Color centers in alkali silicate and borate glasses, Ryosuke Yokota—1145
Metamict state, William Primak—837(L)
Paramagnetic resonances in glasses, R. H. Sands, J. Townsend, and H. P. Hood—607(A)
Molecular Beams (see **Atomic and Molecular Beams**)
Molecular Structure and Spectra
Centrifugal distortion in asymmetric top molecules, III. H_2O, D_2O, and HDO, D. W. Posener and M. W. P. Strandberg—374
Centrifugal distortion in methyl halides, John Cox, W. J. Orville Thomas, and Walter Gordy—299(A)
Direct *l*-doublet transition of HCN in 10-cm wavelength region, Robert J. Collier—1201
Double bond character of C—Cl bond, R. Bersohn—614(A)
Effects of deviation of O_2 from Hund (*b*), M. W. P. Strandberg and M. Tinkham—623(A)
Electron impact studies of isotopic O_2 and CO_2 molecules, Oliver A. Schaeffer and Henry R. Owen—615(A)
Infrared spectroscopic study of influence of molecular structure upon ν(NH), ν(CO), and $\nu(CH_3)$ in benzopyrroles and their analogs, Nelson Fuson, Marie-Louise Josien, and Essie M. Shelton—300(A)
Infrared spectrum of allene-d_2, William H. Fletcher and W. E. Shuler—300(A)
Infrared spectrum of σ_2 for $B^{10}F_3$ and $B^{11}F_3$, Alvin H. Nielsen—300(A)
Intensity of infrared absorption bands in methylene chloride, Joseph W. Straley—300(A)
Microwave absorption in compressed gases, G. Birnbaum and A. A. Maryott—622(A)
Microwave and far infrared atmospheric water-vapor absorption, T. F. Rogers—622(A)
Microwave spectral series of deuterated hydrogen peroxide, J. T. Massey, C. I. Beard, and C. K. Jen—622(A)
Microwave spectrum and dipole moment of vinylene carbonate, George R. Slayton, J. W. Simmons, and J. H. Goldstein—299(A)
Microwave spectrum of OCS, Martin Peter and M. W. P. Strandberg—622(A)
Microwave spectrum of TeCS and masses of stable Te isotopes, W. A. Hardy and G. Silvey—385
Mm wave spectrum of arsine, Albert Jache, Gilbert Blevins, and Walter Gordy—299(A)
Mm wave spectrum of phosphine, Charles A. Burrus, Albert Jache, and Walter Gordy—299(A)
Molecular association in perfluoroalkyl carboxylic acids, J. R. Lawson and M. B. Towns—300(A)
Molecular microwave oscillator and new hfs in microwave spectrum of NH_3, J. P. Gordon, H. J. Zeiger, and C. H. Townes—282(L)
Near uv absorption spectrum of 1,2,4-trifluorobenzene, K. Narahari Rao—299(A)
Nuclear magnetic resonance in solid H_2 with various *ortho* concentrations, Tadashi Sugawara, Yoshika Masuda, Teinosuke Kanda, and Eizo Kanda—1355(L)
1–2 mm wave spectroscopy. V. PH_3 and PD_3, Charles Burrus, Albert Jache, and Walter Gordy—706
Photolysis of para-diazo-N,N-dimethylaniline ZnCl dihydrate, Alnert Baril, Jr.—306(A)
Potential constants for carbonyl fluoride, R. J. Lovell and E. A. Jones—300(A)

Pressure broadening of cyanogen bromide in microwave region, Ralph Trambarulo, Henry Lackner, Paul Moser, and Harold Feeny—622(A)
Saturation in microwave spectrum of methyl chloride, George R. Bird—1686(L)
Selection rules in microwave magnetic resonance spectrum of O_2, M. Tinkham and M. W. P. Strandberg—622(A)
Vibrational analysis of polypeptide chains, W. E. Deeds—300(A)
Vibrational spectra of pentafluorides of Sb, As, and Br, Lawrence K. Akers and Ernest A. Jones—300(A)
Vibrational spectrum of fluorotrichloroethylene, D. E. Mann and Earle K. Plyer—622(A)

Moments, Nuclear (see **Nuclear Moments and Spin**)

Moments of Molecules (see **Molecular Structure and Spectra**)

Neutrino (see also **Nuclear Spectra; Radioactivity**)
Heat generation in earth by solar neutrinos, A. M. Cormack—580(L)
Recoil spectrum in β decay of Ne^{19}, W. Parker Alford and Donald R. Hamilton—1351(L)

Neutron Diffraction (see **Diffraction; Scattering of Neutrons**)

Neutrons (see **Elementary Particle Interactions**)

Noise
Quantum theory of damped electrical oscillator and noise. II. Radiation resistance, J. Weber—1706(E)

Nuclear Fission
Angular distribution of U^{235} fragments from neutron-induced fission as function of incident neutron energy, J. E. Brolley, Jr., W. C. Dickinson, and R. L. Henkel—651(A)
Energy distributions of fragments from fission of U^{235}, U^{238}, and Pu^{239} by fast neutrons, John S. Wahl—126
Fine structure in U^{233} fission, E. P. Steinberg, L. E. Glendenin, M. G. Inghram, and R. J. Hayden—867(L)
Fission-fragment angular distribution measurements, B. L. Cohen, D. J. Coombe, and B. L. Ferrell—303(A)
Low-energy photofission yields for U^{238}, Harold G. Richter and Charles D. Coryell—1550
Neutron multiplicity from spontaneous fission of uranium, K. W. Geiger and D. C. Rose—646(A)
$(p,2n)$, $(p,2p)$, (p,t), (p,He^3) and (p,f) cross sections and excitation functions, B. L. Cohen, G. H. McCormick, T. H. Handley, and E. Newman—639(A)
Radiochemical investigation of spontaneous fission of Cm^{242}, E. P. Steinberg and L. E. Glendenin—431
Relative ionization yields for fission fragments in various gases, Lloyd O. Herwig and Glenn H. Miller—413
Relative photofission yields of several fissionable materials, J. R. Huizenga, J. E. Gindler, and R. B. Duffield—1009
U photofission yields, Roman A. Schmitt and Nathan Sugarman—1260

Nuclear Forces (see **Elementary Particle Interactions; Field Theory; Nuclear Structure Theory**)

Nuclear Induction (see **Magnetic Resonance; Nuclear Moments and Spin**)

Nuclear Isomers (see **Nuclear Spectra; Radioactivity**)

Nuclear Moments and Spin
Effect of atomic core on nuclear quadrupole coupling, R. M. Sternheimer—736
Electron spin magnetic moment in atomic hydrogen, R. Beringer and Mark A. Heald—1474
Exchange current effects in deuteron, J. Bernstein and A. Klein—655(A)
Gyromagnetic ratio of 10^{-8}-second Ta^{181m}, S. Raboy and V. E. Krohn—1689(L)
Hfs and nuclear moments on stable Br isotopes, John Gordon King and Vincent Jaccarino—1706(E)
Magnetic moment of first-excited state of Pb^{204}, V. Krohn and S. Raboy—608(A)
Magnetic resonance spectra of beryl crystals, L. Carlton Brown and Dudley Williams—1110(L)
Method for brute force polarization of H nuclei, J. W. T. Dabbs and L. D. Roberts—307(A)
Na^{23} moments, Morris F. Scharff—1114(L)
Neutron spin from Bloch-Alvarez type experiment, C. P. Stanford, T. E. Stephenson, and S. Bernstein—302(A)
Nuclear spin and hfs interaction of 3.1-hr Cs^{134} isomer, V. W. Cohen and D. A. Gilbert—569(L)
Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, L. S. Goodman and S. Wexler—570(L)
Os^{189} magnetic moment, H. R. Loeliger and L. R. Sarles—291(L)
Polarization of Mn^{56} nuclei: cryogenic aspects, J. W. T. Dabbs and L. D. Roberts—970
Regularity in magnetic moments of odd nuclei, Morris F. Scharff—1112(L)
Relativistic and magnetic spin interactions in He-like atoms, J. Sucher and H. M. Foley—966
Reorientation of aligned nuclei, N. R. Steenberg—605(A); 982
Sachs exchange moment, R. H. Dalitz—799
Spins and hyperfine splittings of Ag^{111} and Cu^{64}, Aaron Lemonick and Francis M. Pipkin—1356(L)

Nuclear Photoeffects
$A^{40}(\gamma,n)$ threshold and mass of A^{39}, J. Halpern, R. Nathans, and P. F. Yergin—1529
Angular distributions of photodeuterons, D. A. Edwards, B. Wolfe, A. Silverman, and J. W. DeWire—629(A)
Determination of photo cross sections from bremsstrahlung activation curves, A. S. Penfold and J. E. Leiss—637(A)
Elastic photoproduction of π^0 mesons from He, E. L. Goldwasser, L. J. Koester, Jr., and F. E. Mills—1692(L)
Energy dependence of some photonuclear reactions, T. T. Sugihara and I. Halpern—630(A)
Fine structure in $C^{12}(\gamma,n)C^{11}$ and $O^{16}(\gamma,n)O^{15}$ activation curves, L. Katz, R. N. H. Haslam, R. J. Horsley, A. G. W. Cameron, and R. Montalbetti—464
Fine structure in neutron yield curves from (γ,n) reactions in Li^7, C^{12}, O^{16}, and F^{19}, J. Goldemberg and L. Katz—471
Fine structure of $O^{16}(\gamma,n)O^{15}$ activation curve, B. M. Spicer, A. S. Penfold, and J. Goldemberg—629(A)
Hg^{198} nuclear resonance fluorescence and lifetime of 411-kev excited state, F. R. Metzger and W. B. Todd—853(L)
Implications of photonuclear effect in Zr^{90}, P. Axel and J. D. Fox—613(A)
$In^{115}(\gamma,\gamma')In^{115m}$ cross section, J. L. Burkhardt and E. J. Winhold—629(A)
Independent particle model and nuclear photoeffect, J. S. Levinger and D. C. Kent—418
Low-energy photofission yields for U^{238}, Harold G. Richter and Charles D. Coryell—1550
Negative-to-positive ratio of photomesons from deuterium, Matthew Sands, J. G. Teasdale, and Robert L. Walker—592(L)
Neutrons in coincidence with high-energy photoprotons, H. Myers, A. Odian, P. C. Stein, and A. Wattenberg—576(L)
Normal coordinates in nuclear photoeffect, Yu-Chang Hsieh and Ingram Bloch—305(A)
Nuclear scattering of γ rays below meson threshold, G. E. Pugh, D. H. Frisch, and R. Gomez—590(L)
Photodisintegration of deuterium by 95-Mev bremsstrahlung, Lew Allen, Jr., and A. O. Hanson—629(A)
Photodisintegration of deuterium by 165-Mev x-rays, E. A. Whalin, Jr.—1362(L)

Nuclear Photoeffects (Continued)
Photodisintegration of deuterium by 265-Mev bremsstrahlung, T. Yamagata, M. Q. Barton, A. O. Hanson, and J. H. Smith—574(L)
Photodisintegration thresholds of D_2O and Be, J. C. Noyes, J. E. Van Hoomissen, W. C. Miller, and B. Waldman—396
Photoneutron angular distributions, K. Geller, J. Halpern, and Paul F. Yergin—659(A)
Photoneutron cross sections in He, N, O, F, Ne, and A, G. A. Ferguson, J. Halpern, R. Nathans, and P. F. Yergin—659(A); 776
Photopion S wave near threshold and pion-nucleon coupling constant, G. Bernardini and E. L. Goldwasser—857(L)
Photoproduction of charged π mesons from hydrogen and deuterium, T. L. Jenkins, D. Luckey, T. R. Palfrey, and R. R. Wilson—179
Photoproduction of π^+ mesons from H, J. E. Leiss and C. S. Robinson—638(A)
Photoproduction of π^+ mesons from H near threshold, C. S. Robinson and J. E. Leiss—638(A)
Photoproduction of π^+ mesons near threshold, L. S. Osborne, Y. Goldschmidt-Clermont, and G. Parker—637(A)
Photoprotons from Co, M. E. Toms, H. Gerardo, and W. E. Stephens—629(A); M. Elaine Toms and William E. Stephens—1209
Proton-neutron coincidences in high-energy photodisintegration of Li, M. Q. Barton and J. H. Smith—573(L)
Relative photofission yields of several fissionable materials, J. R. Huizenga, J. E. Gindler, and R. B. Duffield—1009
Resonance absorption of γ radiation by O^{16} nuclei, J. G. Campbell—1357(L)
Systematics of photoproton yields, E. V. Weinstock and J. Halpern—630(A)
U photofission yields, Roman A. Schmitt and Nathan Sugarman—1260
Use of causality conditions in quantum theory, M. Gell-Mann, M. L. Goldberger, and W. E. Thirring—1612
Yield of α particles from photonuclear reactions at 23-Mev bremsstrahlung, L. H. Greenberg, J. G. V. Taylor, and R. N. H. Haslam—1540

Nuclear Reactions, General (see also **Elementary Particle Interactions; Scattering**)
$Be^9(N^{14})F^{18}He^5$ excitation function, H. L. Reynolds and A. Zucker—302(A)
Determination of thickness of Li targets from position of geometric peak, Charles F. Donaghy and Clark Goodman—298(A)
γ radiation from reactions induced by polarized particles, J. M. Kennedy and W. T. Sharp—440
High-speed computation of angular momentum functions, Albert Simon—657(A)
Isotopic spin factors in nuclear reactions, R. J. Drachman and D. C. Peaslee—605(A)
Magnetic spectrograph for nuclear disintegration studies, W. W. Buechner, C. P. Browne, H. Enge, M. Mazari, and C. D. Buntschuh—609(A)
Nuclear cross sections and size of nucleus, Warren Heckrotte—1279
Nuclear radii and transparencies from inelastic cross-section measurements. I. Method, G. P. Millburn, W. Birnbaum, W. E. Crandall, and L. Schecter—620(A); II. Interpretation, W. E. Crandall, W. Birnbaum, L. Schecter, and G. P. Millburn—620(A)
Nuclear radii from inelastic cross-section measurements, G. P. Millburn, W. Birnbaum, W. E. Crandall, and L. Schecter—1268
Polarization of fast neutrons from nuclear reactions, Harvey B. Willard, Joe K. Bair, and Joe D. Kington—1359(L)
Theory of nuclear reactions with radioactive product, T. A. Welton—302(A)

Nuclear Reactions Induced by α Particles and He^3 (see also **Scattering of α Particles**)
Be^9+He^4 reactions, C. D. Moak, W. M. Good, and W. E. Kunz—641(A)
Coulomb excitation of energy levels in Rh and Ag, N. P. Heydenburg and G. M. Temmer—861(L)
Coulomb excitation *vis* compound nucleus formation in lighter elements, N. P. Heydenburg and G. M. Temmer—629(A)
Cross section for producing high-energy neutrons from C targets bombarded by protons, deuterons, and He^3 particles, L. Schecter, W. E. Crandall, G. P. Millburn, and J. Ise—659(A)
Energy levels of C^{13} by inelastic α scattering, D. W. Miller, V. K. Rasmussen, and M. B. Sampson—649(A)
Excitation function from $C^{12}(d;p,2n)C^{11}$, $C^{13}(He^3;2p,2n)C^{11}$, and $C^{13}(\alpha;2p,3n)C^{11}$, W. Birnbaum, W. E. Crandall, G. P. Millburn, and R. V. Pyle—649(A)
4.43-Mev γ-rays from C^{13}, W. R. Mills, Jr., and R. J. Mackin, Jr.—1206
$Li^7(He^3,p)Be^9$ reaction, W. E. Kunz, C. D. Moak, and W. M. Good—640(A)
Nuclear radii from inelastic cross-section measurements, G. P. Millburn, W. Birnbaum, W. E. Crandall, and L. Schecter—620(A); 1268
Po-Be neutron spectrum, B. J. Winnemore, H. Gursky, D. A. Cowan, and C. D. Curtis—301(A)

Nuclear Reactions Induced by Deuterons and Tritons (see also **Scattering of Deuterons**)
Al^{26} energy levels, Cornelius P. Browne—860(L)
Be^9 energy levels from $Li^7(d,n)Be^9$, Carroll C. Trail and C. H. Johnson—1363(L)
Ca^{42} and $Ca^{44}(d,p)$ reactions, C. M. Braams—650(A)
Coulomb effects in deuteron stripping, N. Austern and S. T. Butler—605(A)
Cross section for producing high-energy neutrons from C targets bombarded by protons, deuterons, and He^3 particles, L. Schecter, W. E. Crandall, G. P. Millburn, and J. Ise—658(A)
Differential cross sections for $C^{12}(d,p)C^{13}$ and $C^{13}(d,t)C^{12}$, H. D. Holmgren, J. M. Blair, B. E. Simmons, T. F. Stratton, and R. V. Stuart—1544
Energy and angular distribution of protons from deuteron bombardment of Ni, William W. Pratt—1517
Energy levels in C^{14} and N^{14}, R. D. Bent, R. W. Bonner, and R. F. Sippel—649(A)
Excitation function for $C^{12}(d;p,2n)C^{11}$, $C^{13}(He^3;2p,2n)C^{11}$, and $C^{13}(\alpha;2p,3n)C^{11}$, W. Birnbaum, W. E. Crandall, G. P. Millburn, and R. V. Pyle—649(A)
γ-γ correlation in $Be^9(d,n)B^{10*}(\gamma)B^{10}$, S. M. Shafroth and S. S. Hanna—641(A)
$Li^6(d,t)$ reaction, R. L. Macklin and H. E. Banta—302(A)
$Li^7(d,p)Li^8$ yield curve, Stanley Bashkin—640(A); 1012
Mass-spectrometric study of deuteron-induced reactions in iodine, Silvio J. Balestrini—1502
Neutron thresholds from (d,n) and (p,n) reactions, C. F. Cook, T. W. Bonner, and J. B. Marion—639(A)
Nuclear cross sections and size of nucleus, Warren Heckrotte—619(A); 1279
Nuclear radii from inelastic cross-section measurements, G. P. Millburn, W. Birnbaum, W. E. Crandall, and L. Schecter—620(A); 1268
Numerical calculation of stripping angular distribution, W. Tobocman and M. Kalos—605(A)

New isotope protactinium-237, W. W. T. Crane and G. M. Iddings—1702(L)
Production of I^{124} by deuteron bombardment of Te, T. Hall, M. Siegel, L. M. Sharpe, and D. Pressman—1208
Proton recoil telescope for observing neutron spectra, Carroll C. Trail and C. H. Johnson—640(A)
Reaction particles from 14.5-Mev deuteron bombardment of Li^7 and Li^6, S. H. Levine, R. S. Bender, J. N. McGruer, and W. F. Vogelsang—640(A)
$Ti^{48}(d,2n)V^{48}$, $Cr^{52}(d,2n)Mn^{52}$, and $Fe^{56}(d,2n)Co^{56}$ cross sections, Warren H. Burgus, George A. Cowan, J. W. Hadley, Wilmot Hess, Theodore Shull, M. L. Stevenson, and H. F. York—750
Yield and angular distribution of protons from $Li^6(d,p)Li^7$, William E. Nickell—426

Nuclear Reactions Induced by Mesons (see also **Elementary Particle Interactions; Mesons; Scattering of Mesons**)

Absorption of negative pions in deuterium: Parity of pion, W. Chinowsky and J. Steinberger—1561
Charge exchange scattering of stopped π^- mesons in deuterium, Jack Steinberger and William Chinowsky—623(A)
Cross sections for meson-induced stars in Ilford G5 nuclear emulsions, Leonard A. Mann, Ray A. Grandey, and Arnold F. Clark—648(A)
High-energy electrons in capture of μ^- mesons by complex nuclei, S. Lokanathan, J. Steinberger, and H. B. Wolfe—624(A)
Interaction of negative muons with iodine, Lester Winsberg—205
Interaction of negative pions with iodine, Lester Winsberg—198
Internal pair production in radiative absorption of π^- mesons by H atoms, W. Wada—618(A)
Nuclear absorption of negative K particles, Herbert DeStaebler, Jr.—1110(L)
Numerical calculation of 3/2−3/2 pion-nucleon reaction matrix and phase shifts, Freda F. Salzman and James N. Snyder—286(L)
Parity of pion, William Chinowsky and Jack Steinberger—623(A)
π^- interactions at 1.5 Bev. II, J. Crussard, W. D. Walker, and M. Koshiba—624(A)
π-meson production in π-nucleon collisions at 1.5 Bev, W. D. Walker, J. Crussard, and M. Koshiba—852(L)
π^--p collisions at 1.5 Bev. I, W. D. Walker, J. Crussard, and M. Koshiba—624(A)
Production of neutrons by negative μ mesons by complex nuclei, D. R. Jones—624(A)
Scattering of 145-Mev π^+ by H in emulsion, Jay Orear, C. H. Tsao, J. J. Lord, and A. B. Weaver—624(A)
Total cross section for charge exchange scattering of π^- mesons by H at 42, 30, and 20 Mev, W. J. Spry—1295
Total cross sections for scattering of positive pions by H, J. Blaser, J. Ashkin, F. Feiner, J. Gorman, and M. O. Stern—624(A)

Nuclear Reactions Induced by Neutrons (see also **Elementary Particle Interactions; Scattering of Neutrons**)

Activation of Al and Se^{80} by p-neutron capture in kev region, R. H. Rohrer, H. W. Newson, J. H. Gibbons, and P. Cap—302(A)
Angular distribution of U^{235} fragments from neutron-induced fission as function of incident neutron energy, J. E. Brolley, Jr., W. C. Dickinson, and R. L. Henkel—651(A)
C^{13} thermal neutron capture cross section, G. R. Hennig—92
Capture γ-ray studies using scintillation coincidence spectrometer, Arthur Recksiedler and Bernard Hamermesh—650(A)
Capture of polarized neutrons by polarized Sm^{149}, L. D. Roberts, S. Bernstein, J. W. T. Dabbs, and C. P. Stanford—105
Cr^{55} preparation and half-life, G. A. Bazorgan, J. W. Irvine, Jr., and C. D. Coryell—781
Cross section for excitation of Pb^{207m} by inelastic neutron scattering, P. H. Stelson and E. C. Campbell—301(A)
Cross sections for reactions $C^{13}(p,pn)(n,2n)C^{11}$, S. D. Warshaw, R. A. Swanson, and A. H. Rosenfeld—649(A)
De-excitation γ rays from inelastic scattering of neutrons, Gordon L. Griffith—636(A)
Energy distributions of fragments from fission of U^{238}, U^{235}, and Pu^{239} by fast neutrons, John S. Wahl—126
Eu activation studies with monochromatic neutrons, R. E. Wood—453
"Fast chopper" time-of-flight measurement of neutron resonances, F. G. P. Seidl, D. J. Hughes, H. Palevsky, J. S. Levin, W. Y. Kato, and N. G. Sjöstrand—476
Fast neutron scintillation spectra of $Li^6(n,\alpha)H^3$ reaction in LiI(Eu), J. H. Neiler, F. Muckenthaler, and James Schenck—640(A)
$Fe^{56}(n,p)Mn^{56}$ excitation function, J. Terrell and D. M. Holm—650(A)
γ radiation from interaction of 3.1-Mev neutrons, V. E. Scherrer, B. A. Allison, and W. R. Faust—637(A)
γ-ray spectrum from inelastic scattering of fast neutrons in Fe, D. L. Lafferty, L. A. Rayburn, and T. M. Hahn—637(A)
γ rays produced by inelastic scattering of d-D neutrons in Cu, Al, and Mg, L. A. Rayburn, D. L. Lafferty, and T. M. Hahn—637(A)
Inelastic scattering of d-D neutrons by Fe and Cu, L. A. Rayburn, D. L. Lafferty, and T. M. Hahn—301(A)
Inelastic scattering of 4.3-Mev neutrons by Fe^{56}, B. Jennings, J. B. Weddell, and R. L. Hellens—636(A)
Inelastic scattering of neutrons by Ba^{137} and Hg^{199}, C. P. Swann and F. R. Metzger—636(A)
Interactions of high-energy neutrons in Mo, E. G. Silver and R. W. Waniek—586(L)
$Li^6(n,\alpha)H^3$ angular distribution, James B. Weddell and James H. Roberts—117
Low-lying states in nuclei from $(n,n'\gamma)$ interactions, Janet B. Guernsey and Clark Goodman—297(A)
Meson production in n-p collisions at Cosmotron energies, W. B. Fowler, R. P. Shutt, A. M. Thorndike, and W. L. Whittemore—1026
Negative pion production in n-p collisions, S. C. Wright and R. A. Schluter—639(A)
Neutral pion-deuteron production in high-energy n-p collisions, Robert A. Schluter—639(A)
Neutron-capture γ-ray spectra, Melvin Reier and Morris H. Shamos—636(A)
Neutron capture measurements with G. E. Tetratron velocity selector, R. D. Albert, M. L. Yeater, and E. R. Gaerttner—644(A)
Neutron inelastic scattering, Robert M. Kiehn and Clark Goodman—636(A); 989
Neutron inelastic scattering in Ta and I, Janet B. Guernsey and Clark Goodman—636(A)
Neutron resonance parameters in Cs, In, Sn, and Pr, R. S. Carter and J. A. Harvey—645(A)
Neutron resonance parameters in U, Th, Hg, and Au, J. S. Levin and D. J. Hughes—645(A)
Neutron resonance scattering by Ag and Au, R. E. Wood—644(A)

Nuclear Reactions Induced by Neutrons (Continued)
Neutron resonances in Ho, Tm, and Lu, V. E. Pilcher, R. S. Carter, and A. Stolovy—645(A)
Neutron resonances in Zn isotopes, D. A. Dahlberg and L. M. Bollinger—645(A)
New isotope identification program on Oak Ridge 86-inch cyclotron, T. H. Handley and B. L. Cohen—611(A)
n-γ coincidences produced by inelastic scattering of neutrons, P. Shapiro, V. E. Scherrer, B. A. Allison, and W. R. Faust—751
Nuclear size and cross sections at cosmic-ray energies, Robert W. Williams—647(A)
Pickup reactions $B^{10}(n,d)Be^9$ for 14-Mev neutrons, F. L. Ribe and J. D. Seagrave—649(A)
Pile neutron cross sections of isotopes of Am, Bk, Cf, and element 99, B. G. Harvey, H. P. Robinson, S. G. Thompson, A. Ghiorso, and G. R. Choppin—581(L)
Polarization in n-p scattering at 100–200 Mev, A. Roberts, J. Tinlot, and E. M. Hafner—1099(L)
Polarization of Mn^{56} nuclei: cryogenic aspects, J. W. T. Dabbs and L. D. Roberts—970
Scattering of 14.1-Mev neutrons in He, H, and N, J. R. Smith—730
Search for polarization in charge exchange scattering, H. Bradner and R. E. Donaldson—663(A)
Self-indication measurement of σ_{t_0} for 5.2-ev neutron resonance in Ag, J. E. Draper and C. P. Baker—644(A)
Sphere measurements of neutron inelastic collision cross sections, Robert C. Allen—637(A)
Standards for thermal neutron capture measurements, G. R. Ringo and S. Wexler—660(A)
Thermal neutron capture cross sections of hydrogen, B, and Ag, F. R. Scott, D. B. Thomson, and W. Wright—582(L)
Time-of-flight measurements of inelastic neutron scattering, Gerard K. O'Neill—635(A)
Time-of-flight measurements on inelastic scattering of 14.8-Mev neutrons, Gerard K. O'Neill—1235
Total cross section of O_2 for cold neutrons, R. M. Eisberg, H. Palevsky, M. E. Rickey, and T. I. Taylor—659(A)
Total cross sections for high-energy neutrons, Vaughn Culler and R. W. Waniek—585(L); R. W. Waniek and Vaughn Culler—659(A)
Total neutron cross sections in kev region: Tl^{205} and Tl^{206}, J. H. Gibbons and H. W. Newson—644(A)
Total neutron cross sections of Bi and Mn, L. M. Bollinger, R. R. Palmer, and D. A. Dahlberg—645(A)
Variation of $\bar{\Gamma}_n^0/\bar{D}$ ratio with atomic weight, J. A. Harvey, C. E. Porter, and D. J. Hughes—645(A)

Nuclear Reactions Induced by Protons (see also **Elementary Particle Interactions; Scattering of Protons**)
Activities produced in Au by proton bombardment, C. H. Braden, L. D. Wyly, and E. T. Patronis, Jr.—758
Angular distribution of deuterons from (p,d) reactions in light nuclei, J. B. Reynolds and K. G. Standing—639(A)
Angular distribution of 12-Mev and 16-Mev γ rays from proton bombardment of boron, H. H. Givin, G. K. Farney, T. M. Hahn, and B. D. Kern—641(A)
Angular distribution of 12-Mev γ rays from reaction $B^{11}(p,\gamma)C^{12}$, H. H. Givin, G. K. Farney, B. D. Kern, and T. M. Hahn—302(A)
Antiproton production, G. Feldman—1697(L)
Assymetry in neutron production by bombarding targets with 285-Mev polarized protons, Hugh Bradner and Robert Donaldson—1701(L)
Capture γ rays from 315-kev proton bombardment of Be^9, R. R. Carlson and E. B. Nelson—641(A)
Charged pion production from C by protons, Walter F. Dudziak—866(L)
Comparison of reactions $H^3(H^1,\pi^+)H^3$ and $H^3(H^1,\pi^0)He^3$ as test of charge independence, Kenneth C. Bandtel, Wilson J. Frank, Richard Madey, and Burton J. Moyer—639(A)
Conservation of isobaric spin in reaction $Be^9(p,\alpha)Li^6$, R. Malm and D. R. Inglis—993
Coulomb excitation of Au, W. I. Goldburg, S. A. Cox, and R. M. Williamson—628(A)
Coulomb excitation of Ta, W, and Au, W. I. Goldburg and R. M. Williamson—767
Cross section for producing high-energy neutrons from C targets bombarded by protons, deuterons, and He^3 particles, L. Schecter, W. E. Crandall, G. P. Millburn, and J. Ise—658(A)
Cross sections for reactions $C^{12}(p,pn)(n,2n)C^{11}$, S. D. Warshaw, R. A. Swanson, and A. H. Rosenfeld—649(A)
Determination of thickness of Li targets from position of geometric peak, Charles F. Donaghy and Clark Goodman—298(A)
Disintegration of bismuth by 2.2-Bev protons, Nathan Sugarman, Robert B. Duffield, G. Friedlander, and J. M. Miller—1704(L)
Electric excitation of Au, J. Eisinger, C. F. Cook, and C. M. Class—628(A)
Electric excitation of Mn^{55} with protons, Hans Mark, Clyde McClelland, and Clark Goodman—628(A)
γ radiation from B^{10} bombarded by protons, Robert B. Day and Torben Huus—1003
γ radiation from Mg^{25} under proton bombardment, Leonard N. Russell, Warren E. Taylor, and John N. Cooper—99
γ-ray resonances in proton bombardment of Na^{23}, N. P. Baumann, F. W. Prosser, Jr., and R. W. Krone—650(A)
γ-rays from $Si^{29}(p,\gamma)P^{30}$ reaction, P. M. Endt, J. C. Kluyver, and C. van der Leun—580(L)
Magnetic analysis indicating charge symmetry in reaction $Be^9(p,\alpha)Li^6$, R. Malm and D. R. Inglis—641(A)
Mechanism of proton polarization in high-energy collisions, Owen Chamberlain, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis—1105(L)
Neutron thresholds from (d,n) and (p,n) reactions, C. F. Cook, T. W. Bonner, and J. B. Marion—639(A)
Neutrons from proton bombardment of B^{10}, F. Ajzenberg, W. Franzen, and J. G. Likely—641(A); Fay Ajzenberg and Wolfgang Franzen—1531
New isotope identification program on Oak Ridge 86-inch cyclotron, T. H. Handley and B. L. Cohen—611(A)
Nuclear radii from inelastic cross-section measurements, G. P. Millburn, W. Birnbaum, W. E. Crandall, and L. Schecter—620(A); 1268
Nuclear size and cross sections at cosmic-ray energies, Robert W. Williams—647(A)
π^+ production in H by 437-Mev protons, T. H. Fields, J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton—638(A)
Pickup deuterons produced from 95-Mev protons, W. Selove—663(A)
Pion production by 440-Mev protons incident upon H and C, Arthur H. Rosenfeld—638(A)
Pion production ratios. II, D. C. Peaslee—1580
(p,n) reactions on As, Y, Nb, and Rh, Reid Patterson—303(A)
$(p,2n)$, $(p,2p)$, (p,t), (p,He^6), and (p,f) cross sections and excitation functions, B. L. Cohen, G. H. McCormick, T. H. Handley, and E. Newman—639(A)
Polarization in high-energy p-n-n double scattering, Peter Hillman, Vaughn Culler, and N. F. Ramsey—462

Polarization of fast neutrons from nuclear reactions, Harvey B. Willard, Joe K. Bair, and Joe D. Kington —1359(L)
Polarization of 170-Mev neutrons, A. Roberts, J. Tinlot, and E. M. Hafner—663(A)
p-p cross section at 95 Mev, U. E. Kruse and J. M. Teem —662(A)
p-p scattering in nuclear emulsions, S. K. Kao and A. F. Clark—662(A)
p-p scattering near interference minimum, Robert L. Zimmerman, David H. Frisch, and Daniel I. Cooper—662(A)
Production of Be^7 in high-energy reactions, J. Hudis, E. Baker, and G. Friedlander—612(A)
Production of positive and negative pions in Be by 1.0 and 2.3-Bev protons, S. J. Lindenbaum and Luke C. L. Yuan —638(A)
Proton bremsstrahlung and high-energy γ emission from C, David Cohen, Burton J. Moyer, Harlan Shaw, and Charles Waddell—664(A)
(p,xn) cross sections in Bi, R. E. Bell—651(A)
Radiochemical evidence for $Cu^{65}(p,pn^+)Ni^{65}$ reaction, Si-Chang Fung and Anthony Turkevich—176
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, F. S. Crawford, Jr., and M. L. Stevenson—1112(L)
Reactions of 370-Mev protons with Co, E. Belmont and J. M. Miller—1554
Resonance near $Li^7(p,n)$ threshold, H. W. Newson and J. H. Gibbons—640(A)
Resonances in proton bombardment of C^{14}, G. A. Bartholomew, F. Brown, H. E. Gove, A. E. Litherland, and E. B. Paul—649(A)
Resonant states of Mg^{24} excited by protons on Na, P. H. Stelson and W. M. Preston—974
Scattering of 10-Mev protons on Mg and C, G. E. Fischer —664(A)
Scattering of 96-Mev protons from light nuclei, K. Strauch and W. F. Titus—854(L)
Scattering of 314-Mev polarized protons by deuterium, J. Marshall, L. Marshall, D. Nagle, and W. Skolnik —1020
Schematic calculation of (p,xn) cross sections of heavy elements, J. David Jackson—651(A)
Scintillation counter study of γ rays from proton capture in Na, E. B. Nelson, E. H. Geer, and R. R. Carlson—650(A)
Search for polarization in charge exchange scattering, H. Bradner and R. E. Donaldson—663(A)
Spin assignments and partial width measurements of resonances in S^{32} from reaction $P^{31}(p\gamma)S^{32}$, H. E. Gove, E. B. Paul, A. E. Litherland, and G. A. Bartholomew—650(A)
τ meson produced by 3.0-Bev protons, R. D. Hill, E. O. Salant and M. Widgoff—1699(L)
Total p-p cross section above 400 Mev, A. M. Shapiro, C. P. Leavitt, and F. F. Chen—663(A)
Yield of π^+ mesons by 335-Mev protons as function of atomic number, J. Merritt and D. Hamlin—638(A)

Nuclear Scattering (see **Scattering**)

Nuclear Spectra (see also **Nuclear Reactions; Radioactivity**)

Absence of K capture in decay scheme of Pb^{206}, T. T. Sugihara, R. H. Herber, W. E. Bennett, and C. D. Coryell—298(A)
Absolute intensities of γ rays and x-rays of radium D, P. E. Damon and R. R. Edwards—1698(L)
Ac^{228} γ-ray spectrum, Harold C. Box and G. Stanley Klaiber—1247
Al^{28} energy levels, Cornelius P. Browne—860(L)
α-γ angular correlation in decay of Ra^{224}, Ra^{226}, and Pu^{239}, J. C. D. Milton and J. S. Fraser—628(A)
Angular distribution of 12-Mev γ rays from reaction $B^{11}(p,\gamma)C^{12}$, H. H. Givin, G. K. Farney, B. D. Kern, and T. M. Hahn—302(A)
Anisotropic γ radiation from aligned Ce^{141} nuclei, E. Ambler, R. P. Hudson, and G. M. Temmer—625(A)
Applications of "internal source" scintillation spectrometer, E. der Mateosian—646(A)
B^{10} decay scheme and γ-γ correlations, S. M. Shafroth and S. S. Hanna—86
Ba^{139} disintegration, Allan C. G. Mitchell and Elizabeth Hebb—727
Be^9 energy levels from $Li^7(d,n)Be^8$, Carroll C. Trail and C. H. Johnson—1363(L)
β-α correlation in decay of Li^8, S. S. Hanna, E. C. LaVier, and C. M. Class—110
β-decay matrix element for deformed core model, Martin G. Redlich and Eugene P. Wigner—122
β end-point energies and half-lives for some mirror transitions, W. A. Hunt, R. M. Kline, and D. J. Zaffarano —611(A)
β spectra of Pr^{149}, Tm^{170}, and Rb^{86}, A. V. Pohm, W. E. Lewis, J. H. Talboy, Jr., and E. N. Jensen—1523
Br and Cl new isomers, Gertrude Scharff-Goldhaber and Michael McKeown—613(A)
Ca^{48} nuclear levels, Torsten Lindqvist and Allan C. G. Mitchell—1535
Capture γ-ray studies using scintillation coincidence spectrometer, Arthur Recksiedler and Bernard Hamermesh —650(A)
Capture γ rays from 315-kev proton bombardment of Be^9, R. R. Carlson and E. B. Nelson—641(A)
Cd^{114} and Te^{126} decay schemes, D. C. Lu, W. H. Kelly, and M. L. Wiedenbeck—121
Cd^{115} decay (43-day), Jagdish Varma—613(A)
Ce^{139} disintegration, C. H. Pruett and R. G. Wilkinson —625(A)
$Cm^{244, 245, 246}$, α half-lives, A. M. Friedman, A. L. Harkness, P. R. Fields, M. H. Studier, and J. R. Huizenga—1501
Co^{60} decay scheme, M. Sakai, J. L. Dick, W. S. Anderson, and J. D. Kurbatov—101
Coulomb excitation of Au, W. I. Goldburg, S. A. Cox, and R. M. Williamson—628(A)
Coulomb excitation of energy levels in Rh and Ag, N. P. Heydenburg and G. M. Temmer—861(L)
Coulomb excitation of Ta, W, and Au, W. I. Goldburg and R. M. Williamson—767
Coulomb excitation *vs* compound nucleus formation in lighter elements, N. P. Heydenburg and G. M. Temmer —629(A)
Cs^{136} decay, J. L. Olsen and G. D. O'Kelley—1539
Cs^{137} K conversion electron energy, S. K. Bhattacherjee, B. Waldman, and W. C. Miller—404
Decay of Cs^{134m} (3.1 hr), A. W. Sunyar, J. W. Mihelich, and M. Goldhaber—570(L)
Directional correlation of γ rays of A^{38}, J. J. Kraushaar, J. W. Mihelich, and A. W. Sunyar—456
Double vacancies in K shell associated with K-electron capture in A^{37}, J. A. Miskel and M. L. Perlman—612(A)
Effect of nuclear charge on internally produced pairs, G. K. Horton and E. Phibbs—604(A)
Electric excitation of Au, J. Eisinger, C. F. Cook, and C. M. Class—628(A)
Electric excitation of Mn^{55} with protons, Hans Mark, Clyde McClelland, and Clark Goodman—628(A)
Element 100 produced by means of cyclotron-accelerated oxygen ions, Hugo Atterling, Wilhelm Forsling, Lennart W. Holm, Lars Melander, and Björn Åström—585(L)

Nuclear Spectra (Continued)
Energy levels in C^{14} and N^{14}, R. D. Bent, R. W. Bonner, and R. F. Sippel—649(A)
Energy levels in Pb^{208} from decay of Bi^{208}, D. E. Alburger and M. H. L. Pryce—1482
Evidence for subshell at N=152, A. Ghiorso, S. G. Thompson, G. H. Higgins, B. G. Harvey, and G. T. Seaborg —293(L)
F^{17} and C^{11} β decay, Calvin Wong—765
F^{20} β decay, Calvin Wong—761
4.43-Mev γ-rays from C^{12}, W. R. Mills, Jr., and R. J. Mackin, Jr.—1206
Further applications of "internal source" scintillation spectrometer, E. der Mateosian—646(A)
Ga^{70} disintegration, M. E. Bunker, J. W. Starner, and J. P. Mize—612(A)
γ radiation from B^{10} bombarded by protons, Robert B. Day and Torben Huus—1003
γ radiation from interaction of 3.1-Mev neutrons, V. E. Scherrer, B. A. Allison, and W. R. Faust—637(A)
γ radiation from Mg^{26} under proton bombardment, Leonard N. Russell, Warren E. Taylor, and John N. Cooper—99
γ radiation from reactions induced by polarized particles, J. M. Kennedy and W. T. Sharp—440
γ-ray spectra following β decay of Br^{80}, Sb^{124}, and I^{131}, D. C. Lu, W. H. Kelly, and M. L. Wiedenbeck—1533
γ rays from $Si^{30}(p,\gamma)P^{31}$, P. M. Endt, J. C. Kluyver, and C. van der Leun—580(L)
γ rays produced by inelastic scattering of d-D neutrons in Cu, Al, and Mg, L. A. Rayburn, D. L. Lafferty, and T. M. Hahn—637(A)
Ge^{71} inner bremsstrahlung in electron capture process, Babulal Saraf—97
Ge^{75} and Ge^{77} isomeric states, S. B. Burson, W. C. Jordan, and J. M. LeBlanc—613(A)
Gyromagnetic ratio of 10^{-6}-second Ta^{181m}, S. Raboy and V. E. Krohn—1689(L)
Hf^{175} radiations, intensities, A. O. Burford, J. F. Perkins, and S. K. Haynes—303(A)
Hg^{198} decay, C. H. Braden, E. T. Patronis, Jr., and L. D. Wyly—627(A)
Hg^{199} nuclear resonance fluorescence and lifetime of 411-kev excited state, F. R. Metzger and W. B. Todd—853(L)
Ho^{164} radiations, H. N. Brown, F. B. Smith, and R. A. Becker—626(A)
I^{126} disintegration, M. L. Perlman and Joan P. Welker—133; 613(A)
I^{129} β spectrum and decay scheme, E. der Mateosian and C. S. Wu—458
$In^{115}(\gamma,\gamma')In^{115m}$ cross section, J. L. Burkhardt and E. J. Winhold—629(A)
Inner bremsstrahlung in A^{37} and Ge^{71}, Babulal Saraf—612(A)
Internal bremsstrahlung, R. E. Cutkosky—1222
Ir^{192} decay scheme, R. W. Pringle, W. Turchinetz, and H. W. Taylor—115
Ir^{192m} radiations, J. P. Mize, J. W. Starner, and M. E. Bunker—627(A)
K^{42} β spectrum, L. Koerts, A. Schwarzschild, R. Gold, and C. S. Wu—612(A)
K^{42} decay, γ radiation, N. H. Lazar and P. R. Bell—612(A)
K^{43} disintegration, Torsten Lindqvist and Allan C. G. Mitchell—444; 612(A)
Lifetime measurements of fast $E2$ transitions in even-even nuclei, A. W. Sunyar—626(A)
Low-energy transitions in Gd and related rare-earth activities, E. L. Church and M. Goldhaber—626(A)
Low-lying states in nuclei from $(n,n'\gamma)$ interactions, Janet B. Guernsey and Clark Goodman—297(A)
Magnetic moment of first-excited state of Pb^{204}, V. Krohn and S. Raboy—608(A)
Mesonic corrections to β-decay coupling constants, R. J. Finkelstein and S. A. Moszkowski—1695(L)
Nb^{89} and Nb^{89m}, R. M. Diamond—410
Nd^{144} mixed $E1+M2$ γ transition, Rolf M. Steffen—614(A)
Neutron-capture γ-ray spectra, Melvin Reier and Morris H. Shamos—636(A)
n-γ coincidences produced by inelastic scattering of neutrons, P. Shapiro, V. E. Scherrer, B. A. Allison, and W. R. Faust—751
Nuclear deformation and moment of inertia of nuclear rotational states, Kenneth W. Ford—1250
O^{14} decay and Fermi coupling constant in β decay, J. B. Gerhart—288(L)
P^{32} maximum β energy, B. Elbek, K. O. Nielsen, and O. B. Nielsen—96
Pb^{204m} decay scheme, V. E. Krohn and S. Raboy—1689(L)
Pm^{150} disintegration, Vera Kistiakowsky Fischer—626(A)
Po^{209} γ-ray spectrum, E. H. Daggett and G. R. Grove—627(A)
Po^{210} energy levels, J. W. Mihelich, A. W. Schardt, and E. Segrè—1508
Po-Be neutron spectrum, B. J. Winnemore, H. Gursky, D. A. Cowan, and C. D. Curtis—301(A)
Proportional counter for Auger electrons, Ernest D. Graves—304(A)
Pt^{199} decay, J. M. LeBlanc, J. M. Cork, and S. B. Burson —627(A)
Radiation of neutron-deficient isotopes of Cs and of $E3$ isomers, Xe^{127m} and Xe^{129m}, Hirdaya B. Mathur and Earl K. Hyde—708
Radiative capture of orbital electrons, R. J. Glauber and P. C. Martin—572(L)
Rb^{86} decay, W. S. Lyon and J. E. Strain—1500
Re^{186} and Re^{188} β spectra, Donald Guss, Lawrence Killion, and F. T. Porter—627(A)
Re^{186} γ-ray studies, J. P. Hurley and P. S. Jastram—627(A)
Re^{188} ground state, Leo Koerts—1358(L)
Recoil spectrum in β decay of Ne^{19}, W. Parker Alford and Donald R. Hamilton—1351(L)
Reorientation of aligned nuclei, N. R. Steenberg—605(A); 982
Resonance fluorescence with nuclei: Tl^{205}, F. R. Metzger and W. B. Todd—627(A)
Resonant states of Mg^{24} excited by protons on Na, P. H. Stelson and W. M. Preston—974
Rh^{102} disintegration, Luis Marquez—67
Rotating-sphere solid-angle scanner for γ rays, George R. Meneely, Robert J. Kerr, Jesse E. Hoffman, and Sherwood K. Haynes—308(A)
Sb^{124} decay, N. H. Lazar—292(L)
Scintillation counter study of γ rays from proton capture in Na, E. B. Nelson, E. H. Geer, and R. R. Carlson —650(A)
Sm^{147} natural radioactivity, George Beard and M. L. Wiedenbeck—1245
Sn^{117} K-conversion electron-γ angular correlation, Robert K. Golden and Sherman Frankel—613(A)
Spin assignments and partial width measurements of resonances in S^{33} from reaction $P^{31}(p,\gamma)S^{32}$, H. E. Gove, E. B. Paul, A. E. Litherland, and G. A. Bartholomew —650(A)
Superallowed transitions in $4n$-type nuclides, M. Bolsterli and E. Feenberg—612(A)

Ta^{182} disintegration, J. W. Mihelich—626(A)
Tc activities at mass 97, G. E. Boyd—113
Tensor forces and β decay of C^{14} and O^{14}, B. Jancovici and I. Talmi—289(L)
Tl^{199m} decay, T. O. Passell, M. C. Michel, and I. Bergström—999
UX_2 (Pa^{234}) decay, (γ radiation), W. G. Cross and T. A. Eastwood—628(A)
W^{180} γ transitions, F. Boehm, P. Marmier, and J. W. M. DuMond—864(L)
Nuclear Structure Theory (see also **Nuclear Reactions; Nuclear Spectra**)
β-decay matrix element for deformed core model, Martin G. Redlich and Eugene P. Wigner—122
Coulomb energies of light nuclei, D. C. Peaslee—717
Coulomb energy and nuclear radius, B. G. Jancovici—389; 619(A)
Coulomb radius constant from nuclear masses, Alex E. S. Green—1006
Diffuse surface optical model for nucleon-nuclei scattering, Roger D. Wood and David S. Saxon—577(L)
Effects of certain 3-body nuclear interactions in H^3 and He^3, A. W. Solbrig, Jr.—831
Energy levels in spheroidal well, Steven A. Moszkowski—604(A)
Exchange current effects in deuteron, J. Bernstein and A. Klein—655(A)
Formula for nuclear masses in terms of electron mass involving only rational numbers for light nuclei, Enos E. Witmer—610(A)
Independent particle model and nuclear photoeffect, J. S. Levinger and D. C. Kent—418
Interactions between some two-nucleon configurations, Martin G. Redlich—448
Interpretation of scattering of high-energy nucleons by complex nuclei, I. I. Shapiro and J. M. Teem—619(A)
Li^8 level structure, D. H. Lyons and A. M. Feingold—606(A)
Mesonic corrections to β-decay coupling constants, R. J. Finkelstein and S. A. Moszkowski—1695(L)
Normal coordinates in nuclear photoeffect, Yu-Chang Hsieh and Ingram Bloch—305(A)
Nuclear cross sections and size of nucleus, Warren Heckrotte—619(A); 1279
Nuclear deformation and moment of inertia of nuclear rotational states, Kenneth W. Ford—1250
Nuclear internal momentum distributions, J. M. Wilcox and B. J. Moyer—664(A)
Nuclear masses as rational multiples of electron mass, Enos E. Witmer—667(A)
Nuclear radii and transparencies from inelastic cross-section measurements. II. Interpretation, W. E. Crandall, W. Birnbaum, L. Schecter, and G. P. Millburn—620(A)
Nuclear rotational levels and μ-mesonic atom, B. A. Jacobsohn—654(A)
Nuclear shapes at half-filled shells, Benjamin Segall—605(A)
Pairing effects in Coulomb energies of mirror nuclei, I. Talmi and B. C. Carlson—606(A)
Phenomenological many-body exchange forces, L. E. H. Trainor—801
Physical consequences of vacuum polarization, Leslie L. Foldy and Erik Eriksen—1048
Polarization in high-energy elastic nucleon-nucleus scattering, Bertram J. Malenka—522
Refinement of uniform model, Everett Mark Hafner—604(A)
Sachs exchange moment, R. H. Dalitz—799
Structure of nucleon. II. Pion-nucleon scattering, R. G. Sachs—1065
Superallowed transitions in $4n$-type nuclides, M. Bolsterli and E. Feenberg—612(A)
Supermultiplet evidence from isotopic spin spacing, D. C Peaslee—605(A)
Tensor forces and β decay of C^{14} and O^{14}, B. Jancovici and I. Talmi—289(L)
Theory of unstable heavy particles, Hiroshi Enatsu, Hiroichi Hasegawa, and Pong Yul Pac—263
Two-body forces and nuclear saturation. I. Method, K. Brueckner, C. Levinson, and H. Mahmoud—655(A); II. Results, C. Levinson, K. Brueckner, and H. Mahmoud—655(A)
Two-body forces and nuclear stability, David H. Frisch—865(L)

Optical Instruments (see **Methods and Instruments**)
Optical Properties (see also **Luminescence**)
Anomalous optical behavior of InSb and InAs, H. J. Hrostowski, G. H. Wheatley, and W. F. Flood, Jr.—1683(L)
Color centers in alkali silicate and borate glasses, Ryosuke Yokota—1145
Effect of pressure on optical absorption of activator in luminescent solid, Peter D. Johnson and Ferd E. Williams—598(A)
Effect of pressure on optical absorption of activator system in KCl: Tl, Peter D. Johnson and Ferd E. Williams—69
Infrared absorption spectrum of Ge, L. H. Hall, J. Bardeen, and F. J. Blatt—559(L)
Ionic conductivity and x-ray coloration of alkali halides, F. A. Cunnell and E. E. Schneider—598(A)
Ionizing collisions of very fast particles and dipole strength of optical transitions, U. Fano—1198
Low-temperature bleaching and restoration of color centers, A. Halperin and G. F. J. Garlick—1098(L)
Magnetic domains in Co by longitudinal Kerr effect, Charles A. Fowler, Jr., and Edward M. Fryer—564(L); 652(A)
Plastic flow and low-frequency dispersion in alkali halide crystal, Masakazu Ishiguro, Fujio Oda, and Takuzo Fujino—1347(L)
Shape of F band, R. V. Hesketh and E. E. Schneider—837(L)
Spectral dependence of thermionic emission with activation from (Ba—Sr)O cathodes over 0.6–3.5 ev region, Tadatosi Hibi and Kazuo Ishikawa—1183
Susceptibility tensor and Faraday effect in ferrimagnetics, Roald K. Wangsness—339
Thermal restoration of color centers at low temperature, R. V. Hesketh and E. E. Schneider—598(A)
X-ray production of F centers in NaCl and LiF, R. C. Herman, L. L. Mador, R. F. Wallis, and M. C. Williams—598(A)

Pair Production (see **Electrons and Positrons**)
Phosphors and Phosphorescence (see **Luminescence**)
Photoconductivity (see **Electrical Conductivity and Resistance**)
Photodisintegration (see **Nuclear Photoeffects**)
Photoelasticity (see **Elasticity and Plasticity**)
Photoelectric Effect (see **Electrical Properties**)
Photography and Photographic Emulsions (see **Methods and Instruments**)
Photometry (see **Methods and Instruments**)
Photons (see **Radiation**)
Photovoltaic Effect (see **Electrical Properties; Semiconductors**)

Piezoelectric Effect (see **Dielectrics and Dielectric Properties**)
Plasticity (see **Elasticity and Plasticity**)
Polarization, Electrical (see **Dielectrics and Dielectric Properties**)
Polymers (see **Molecular Aggregates**)
Positrons (see **Electrons and Positrons**)
Probability (see **Mathematical Methods**)
Proceedings of the American Physical Society
Spring Meeting of the New England Section at Wellesley, Massachusetts on March 20, 1954—297
Meeting of the Southeastern Section at Knoxville, Tennessee, April 1-3, 1954—299
Spring Meeting of the New York State Section at Syracuse, New York, April 9 and 10, 1954—309
Spring Meeting at Washington, D. C., April 29 and 30, and May 1, 1954—594
Protons (see **Elementary Particle Interactions**)

Quantum Electrodynamics (see also **Field Theory**)
Canonical transformation for electron-positron field coupled to time-independent electromagnetic field. II, H. E. Moses—237
Conservation theorems in modified electrodynamics, J. W. Dettman and A. Schild—631(A)
Formulation of quantum electrodynamics in Minkowski space, T. A. Walton—632(A)
Physical consequences of vacuum polarization, Leslie L. Foldy and Erik Eriksen—1048
Quantum effects in interaction between electrons and high-frequency fields. I, I. R. Senitzky—904
Quantum electrodynamics at small distances, M. Gell-Mann and F. E. Low—1300
Two-body system in quantum electrodynamics. Energy levels of positronium, Thomas Fulton and Paul C. Martin—811
Quantum Mechanics
Calculation of wave functions in symmetrical crystalline field, Paul H. E. Meijer—1443
Completed quantum theory, Irving Stein—632(A)
Coulomb wave functions for large values of parameter n, L. C. Biedenharn, R. L. Gluckstern, and M. H. Hull, Jr. —656(A)
Generalizations of Foldy-Wouthuysen transformation, K. M. Case—1323
Harmonic oscillator wave functions, I. R. Senitzky—1115
High-speed computation of angular momentum functions, Albert Simon—657(A)
Quantum effects in interaction between electrons and high-frequency fields. I, I. R. Senitzky—904
Quantum theory of damped electrical oscillator and noise. II. Radiation resistance, J. Weber—1706(E)
Relativistic Thomas-Fermi atom model, J. J. Gilvarry—71
SCF treatment of unclosed shells, operators containing spin, and radial correlation, Paul F. Wacker—656(A)
Time-dependent variational principle, Saul Altshuler and J. F. Carlson—546
Use of causality conditions in quantum theory, M. Gell-Mann, M. L. Goldberger, and W. E. Thirring—1612
Validity of Born-Oppenheimer approximation, S. Bludman and P. B. Daitch—823
W.K.B. approximation through turning point, A. A. Broyles—656(A)
Quenching of Radiation (see **Radiation**)

Radar (see **Methods and Instruments; Radiation**)
Radiation (see also **Gamma Rays; Range and Energy Loss; X-Rays**)
Air-guided propagation of short radio waves around earth bulge, Thomas J. Carroll—623(A)
Bremsstrahlung conversion in trident experiments, M. M. Block and D. T. King—171
Build-up measurements on Co^{60} γ radiation in Fe and Pb, C. Garrett and G. N. Whyte—889
Compton scattering, W. B. Cheston—247
Galactic rf radiation and cosmic-ray electrons, S. B. Treiman and M. Blume—646(A)
Hg^{198} nuclear resonance fluorescence and lifetime of 411-kev excited state, F. R. Metzger and W. B. Todd—853(L)
High-energy, large-angle distribution of pair electrons produced by bremsstrahlung, R. C. Miller—796
Inner bremsstrahlung in A^{37} and Ge^{71}, Babulal Saraf—612(A)
Internal bremsstrahlung, R. E. Cutkosky—1222
Nuclear elastic scattering of photons, Evans Hayward and E. G. Fuller—1106(L)
Nuclear scattering of γ rays below meson threshold, G. E. Pugh, D. H. Frisch, and R. Gomez—590(L)
Pair production and bremsstrahlung in field of electron, F. Rohrlich—657(A)
Pairs formed by bremsstrahlung of great energy. I. Experimental, D. T. King and M. M. Block—648(A); II. Theoretical separation distribution, M. M. Block and D. T. King—648(A)
Penetration of 6-Mev γ rays in water, P. A. Roys, K. Shure, and J. J. Taylor—911
Potential theory formulation of radiant heat transfer, Jean I. F. King—298(A)
Proton bremsstrahlung and high-energy γ emission from C, David Cohen, Burton J. Moyer, Harlan Shaw, and Charles Waddell—664(A)
Radar echoes from precipitation, Pauline M. Austin—297(A)
Radiative capture of orbital electrons, R. J. Glauber and P. C. Martin—572(L)
Scattering of x-rays by nuclei, G. Pugh, D. H. Frisch, and R. Gomez—611(A)
Small-angle x-ray scattering from cold-worked Al-Ag and Al-Zn alloys, J.-P. Jan and J. S. Koehler—665(A)
Spatial distribution of energy dissipation by bremsstrahlung spectrum, David T. Goldman and Henry Brysk—305(A)
Spectral distribution curves of far uv radiation from Cornell synchrotron, D. H. Tomboulian and P. L. Hartman—600(A)
Theoretical energy and angular distributions of bremsstrahlung electrons, Philip T. McCormick—657(A)
Radio Waves (see **Radiation**)
Radioactivity (see also **Nuclear Spectra**)
Absolute intensities of γ rays and x-rays of RaD, P. E. Damon and R. R. Edwards—1698(L)
Ac^{228} γ-ray spectrum, Harold C. Box and G. Stanley Klaiber—1247
α-γ angular correlation in decay of Ra^{224}, Ra^{226}, and Pu^{240}, J. C. D. Milton and J. S. Fraser—628(A)
Cm, Bk, and Cf isotopes, E. K. Hulet, S. G. Thompson, and A. Ghiorso—1703(L)
$Cm^{244, 245, 246}$, α half-lives, A. M. Friedman, A. L. Harkness, P. R. Fields, M. H. Studier, and J. R. Huizenga —1501
Cr^{48} preparation and half-life, G. A. Bazorgan, J. W. Irvine, Jr., and C. D. Coryell—781
Element 100 produced by means of cyclotron-accelerated oxygen ions, Hugo Atterling, Wilhelm Forsling, Lennart W. Holm, Lars Melander, and Björn Åström—585(L)
Evidence for subshell at N=152, A. Ghiorso, S. G. Thompson, G. H. Higgins, B. G. Harvey, and G. T. Seaborg —293(L)

I^{124} production by deuteron bombardment of Te, T. Hall, M. Siegel, L. M. Sharpe, and D. Pressman—1208
Mass differences for isobars capable of double-β decay, John T. McCarthy—447
Nb^{90} and Nb^{90m}, R. M. Diamond—410
New isotope identification program on Oak Ridge 86-inch cyclotron, T. H. Handley and B. L. Cohen—611(A)
Pa^{227}, W. W. T. Crane and G. M. Iddings—1702(L)
Po^{209} γ-ray spectrum, E. H. Daggett and G. R. Grove—627(A)
Proportional counter for Auger electrons, Ernest D. Graves and H. C. Thomas—304(A)
Radiogenic Os from Re-containing molybdenite, H. Hintenberger, W. Herr, and H. Voshage—1690(L)
Re half-life, W. Herr, H. Hintenberger, and H. Voshage—1691(L)
Re natural radioactivity, A. D. Suttle, Jr., and W. F. Libby—866(L)
Sm^{147} natural radioactivity, George Beard and M. L. Wiedenbeck—1246
Tl^{204} half-life, D. L. Horrocks and A. F. Voigt—1205
UX_2 (Pa^{234}) decay, γ radiation, W. G. Cross and T. A. Eastwood—628(A)
Raman Spectra (see **Molecular Structure and Spectra**)
Range and Energy Loss (see also **Ionization; Scattering**)
Absorption of tritium β particles in hydrogen and other gases, Leon M. Dorfman—393
Bohr's theory of energy losses of moving charged particles, Jacob Neufeld—1128
Calculations on penetration of high-energy electrons, L. V. Spencer—610(A)
Characteristic energy loss of electrons, Lewis B. Leder and L. Marton—634(A)
Discrete electron energy losses in thin foils, A. W. Blackstock, R. D. Birkhoff, and M. Slater—303(A)
Effect of chemical combination on characteristic energy loss of electrons, Lewis B. Leder and L. Marton—1345(L)
Electron capture and loss cross sections for protons, P. M. Stier, C. F. Barnett, and G. E. Evans—303(A)
Electron straggling in thin foils, E. T. Hungerford and R. D. Birkhoff—6
Energy expenditure per ion pair in solids, E. J. Sternglass—609(A)
Energy losses of electrons passing through MgO foil, Hiroshi Watanabe—1684(L)
Equilibrium charge distribution of stripped 26-Mev N ions, H. L. Reynolds and A. Zucker—1353(L)
γ-ray absorption coefficients for NaI, Cu, Ta, and W, P. R. Howland and W. E. Kreger—407
Ionization of pure gases and mixtures of gases by 5-Mev α particles, T. E. Bortner and G. S. Hurst—609(A)
L-shell ionization by protons of 1.5- to 4.24-Mev energy, E. M. Bernstein and H. W. Lewis—83
Migration areas of Po-Be neutrons in H_2O-Zn mixtures, W. Baer—660(A)
Neutron moderation in SiO_2, Jay Tittman—660(A)
Penetration of 6-Mev γ rays in Pb and Fe, K. Shure, P. A. Roys, and J. J. Taylor—610(A)
Penetration of 6-Mev γ rays in water, P. A. Roys, K. Shure, and J. J. Taylor—911
Range and charge of energetic nitrogen ions in Ni, H. L. Reynolds, D. W. Scott, and A. Zucker—671
Range and specific ionization for high-energy protons in nuclear emulsions, O. Heinz—610(A)
Relative ionization yields for fission fragments in various gases, Lloyd O. Herwig and Glenn H. Miller—413
Slowing-down of neutrons in hydrogenous moderators, P. F. Zweifel and H. Hurwitz, Jr.—660(A)
Spatial distribution of energy dissipation by bremsstrahlung spectrum, David T. Goldman and Henry Brysk—305(A)
Stopping power of organic foils for 6-Mev alphas, John Phelps, W. F. Huebner, and Franklin Hutchinson—441
Stopping powers of metals for low-energy protons, D. W. Green, J. N. Cooper, and J. C. Harris—610(A)
Target-thickness dependence of δ-ray emission produced by 1.3-Mev electrons, J. F. Marshall, R. A. Shatas, and M. A. Pomerantz—634(A)
Transmission of monenergetic positrons and electrons, H. H. Seliger—610(A)
Recombination (see **Molecular Structure and Spectra**)
Rectifiers (see **Electrical Conductivity and Resistance; Semiconductors**)
Relativity and Gravitation
Born-type rigid motion in relativity, G. Salzman and A. H. Taub—1659
Equation of motion of charged test particles in general relativity, D. M. Chase—243
Gravitational field equations, Robert L. Kirkwood—1051
Quantized linear theory of gravitation. I, F. J. Belinfante and J. C. Swihart—630(A); II, J. C. Swihart and F. J. Belinfante—630(A)
Quantum theory of gravitation, Peter G. Bergmann—631(A)
Red-shifts in spectra of celestial bodies, E. Finlay-Freundlich—654(A)
Resolution of four-dimensional vector fields and tensor fields, N. L. Balazs—305(A)
Resistance, Electrical (see **Electrical Conductivity and Resistance**)
Resonance Radiation (see **Radiation**)

Scattering, General (see also **Diffraction; Elementary Particle Interactions; Nuclear Reactions; Range and Energy Loss**)
Correlations in space and time and Born approximation scattering in systems of interacting particles, Léon Van Hove—249
Diffuse surface optical model for nucleon-nuclei scattering, Roger D. Woods and David S. Saxon—577(L)
General conditions on scattering matrix, M. L. Goldberger, M. Gell-Mann, and W. E. Thirring—654(A)
Phase shifts for high-energy nucleon-nucleon scattering, B. D. Fried—851(L); 1706(E)
Polarization in high-energy elastic nucleon-nucleus scattering, Bertram J. Malenka—522
Polarization of nucleons elastically scattered from nuclei, R. M. Sternheimer—587(L); Warren Heckrotte and Joseph V. Lepore—1279(L)
Scattering of H^- ions in range 20–400 ev, E. E. Muschlitz, Jr.—635(A)
Scattering of ions by polarization forces, Erich Vogt and Gregory H. Wannier—1190
Theory of multiple Coulomb scattering from extended nuclei, Leon N. Cooper and James Rainwater—1107(L)
Theory of scattering in solids, G. F. Koster—1436
Time-dependent variational principle, Saul Altshuler and J. F. Carlson—546
Scattering of α Particles (see also **Nuclear Reactions Induced by α Particles and He^3**)
Elastic scattering of intermediate-energy α particles by heavy nuclei, George W. Farwell and Harvey E. Wegner—664(A); 1212
Energy levels of C^{13} by inelastic α scattering, D. W. Miller, V. K. Rasmussen, and M. B. Sampson—649(A)
Theory of elastic scattering of α particles by heavy nuclei, J. S. Blair—605(A); 1218

Scattering of Atoms and Molecules (see **Atomic and Molecular Beams**)

Scattering of Deuterons (see also **Nuclear Reactions Induced by Deuterons and Tritons**)

Elastic scattering of 190-Mev deuterons by protons, Owen Chamberlain and Martin O. Stern—1705(E)

Polarization of high-energy deuterons, Owen Chamberlain, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis—1104(L)

Scattering of Electrons and Positrons (see also **Electrons and Positrons**)

Electron-electron scattering in alkali metals, Elihu Abrahams—839(L)

Electron scattering from nuclei, G. T. Trammell—619(A)

Electron scattering in solids at 20 kev, L. Marton, Tommy F. McCraw, and J. Arol Simpson—634(A)

Electron spectrometer for study of inelastic collision cross sections, E. N. Lassettre, A. S. Berman, S. Silverman, and M. E. Krasnow—635(A)

Electron straggling in thin foils, E. T. Hungerford and R. D. Birkhoff—6

High-energy electron scattering, J. Mayo Greenberg—619(A)

High-energy electron scattering and nuclear structure determinations. II, R. Hofstadter, B. Hahn, A. W. Knudsen, and J. A. McIntyre—512

Nuclear scattering of high-energy electrons, J. H. Smith—271

Perturbation calculation of elastic exchange scattering of electrons by H atoms, Sidney Borowitz—656(A)

Phase shift calculation of high-energy electron scattering, D. R. Yennie, D. G. Ravenhall, and R. N. Wilson—500

Theory of scattering in solids, G. F. Koster—1436

Scattering of Mesons (see also **Mesons; Nuclear Reactions Induced by Mesons**)

Angular distribution of charge-exchange scattering of 40-Mev π^- mesons by H, J. Tinlot and A. Roberts—137

Application of intermediate coupling theory to scattering of pseudoscalar mesons by nucleon, Gyo Takeda—1078

Comparison of cut-off meson theory with experiment, Geoffrey F. Chew—1669

Elastic scattering of pions by nucleons and pion production in nucleon-nucleon collisions, John L. Gammel—209

General relations between photoproduction and scattering of π mesons, Kenneth M. Watson—228

Meson-meson effects in meson-nucleon scattering, Marc H. Ross—619(A)
—1687(L)

Meson-nucleon scattering in Tamm-Dancoff approximation, F. J. Dyson, M. Ross, E. E. Salpeter, S. S. Schweber, M. K. Sundaresan, W. M. Visscher, and H. A. Bethe—1644

Meson production in meson-proton scattering, M. S. Nelkin and H. A. Bethe—618(A)

Meson-proton scattering phase shift analysis, H. A. Bethe and F. de Hoffmann—1100(L)

Numerical calculation of 3/2−3/2 pion-nucleon reaction matrix and phase shifts, Freda F. Salzman and James N. Snyder—286(L)

Phase shift analysis of scattering of negative pions by H, E. Fermi, N. Metropolis, and E. Felix Alei—1581; Ronald L. Martin—1606

π^- interactions at 1.5 Bev. II, J. Crussard, W. D. Walker, and M. Koshiba—624(A)

π^--p collisions at 1.5 Bev. I, W. D. Walker, J. Crussard, and M. Koshiba—624(A)

Pion-hydrogen phase shift analysis between 120 and 217 Mev, F. de Hoffmann, N. Metropolis, E. P. Alei, and H. A. Bethe—1586

Pion-nucleon S phase shifts at low energy, H. P. Noyes—619(A)

P-wave pion-nucleon scattering phase shifts in cut-off theory, Geoffrey F. Chew—285(L)

Scattering of 145-Mev π^+ by H in emulsion, Jay Orear, C. H. Tsao, J. J. Lord, and A. B. Weaver—624(A)

Scattering of 187-Mev negative pions by H, Maurice Glicksman—1045

Structure of nucleon. II. Pion-nucleon scattering, R. G. Sachs—1065

Theory of multiple Coulomb scattering from extended nuclei, Leon N. Cooper and James Rainwater—1107(L)

Total cross section for charge exchange scattering of π^- mesons by H at 42, 30, and 20 Mev, W. J. Spry—1295

Total cross sections for scattering of positive pions by H, J. Blaser, J. Ashkin, F. Feiner, J. Gorman, and M. O. Stern—624(A)

Scattering of Neutrons (see also **Nuclear Reactions Induced by Neutrons**)

Correlations in space and time and Born approximation scattering in systems of interacting particles, Léon Van Hove—249

Cross section for excitation of Pb^{207m} by inelastic neutron scattering, P. H. Stelson and E. C. Campbell—301(A)

De-excitation γ rays from inelastic scattering of neutrons, Gordon L. Griffith—636(A)

Differential cross section for elastic scattering of neutrons from N, C. H. Johnson and J. L. Fowler—637(A)

400-Mev n-p scattering, A. J. Hartzler and R. T. Siegel—185

γ-ray spectrum from inelastic scattering of fast neutrons in Fe, D. L. Lafferty, L. A. Rayburn, and T. M. Hahn—637(A)

γ rays produced by inelastic scattering of d-D neutrons in Cu, Al, and Mg, L. A. Rayburn, D. L. Lafferty, and T. M. Hahn—637(A)

Inelastic scattering of d-D neutrons by Fe and Cu, L. A. Rayburn, D. L. Lafferty, and T. M. Hahn—301(A)

Inelastic scattering of 4.3-Mev neutrons by Fe^{56}, B. Jennings, J. B. Weddell, and R. L. Hellens—636(A)

Inelastic scattering of neutrons by Ba^{137} and Hg^{199}, C. P. Swann and F. R. Metzger—636(A)

Interpretation of scattering of high-energy nucleons by complex nuclei, I. I. Shapiro and J. M. Teem—619(A)

Low-lying states in nuclei from $(n,n'\gamma)$ interactions, Janet B. Guernsey and Clark Goodman—297(A)

Magnetic scattering of cold neutrons by gaseous oxygen, H. Palevsky and R. M. Eisberg—659(A)

Migration areas of Po-Be neutrons in H_2O-Zn mixtures, W. Baer—660(A)

Neutron inelastic scattering, Robert M. Kiehn and Clark Goodman—636(A); 989

Neutron inelastic scattering in Ta and I, Janet B. Guernsey and Clark Goodman—636(A)

Neutron moderation in SiO_2, Jay Tittman—660(A)

Neutron scattering, J. W. Cure and G. S. Hurst—302(A)

n-γ coincidences produced by inelastic scattering of neutrons, P. Shapiro, V. E. Scherrer, B. A. Allison, and W. R. Faust—751

n-p scattering at 91 Mev, R. H. Stahl—664(A)

n-p scattering at 300 Mev, J. De Pangher—578(L)

Polarization in high-energy p-n-n double scattering, Peter Hillman, Vaughn Culler, and N. F. Ramsey—462

Polarization of fast neutrons from nuclear reactions, Harvey B. Willard, Joe K. Bair, and Joe D. Kington—1359(L)

Polarization of 170-Mev neutrons, A. Roberts, J. Tinlot, and E. M. Hafner—663(A)

Scattering of 1.32-Mev neutrons by protons, C. L. Storrs and D. H. Frisch—1252

Scattering of 14.1-Mev neutrons in He, H, and N, J. R. Smith—730
Search for polarization in charge exchange scattering, H. Bradner and R. E. Donaldson—663(A)
Slowing-down of neutrons in hydrogenous moderators, P. F. Zweifel and H. Hurwitz, Jr.—660(A)
Small-angle n-p scattering at 400 Mev, A. J. Hartzler, R. T. Siegel, and W. Opitz—591(L)
Solution of transport equation for case of slab geometry, J. Lehner and G. M. Wing—642(A)
Sphere measurements of neutron inelastic collision cross sections, Robert C. Allen—637(A)
Spin correlations in neutron scattering by gases, A. C. Zemach and R. J. Glauber—605(A)
Time-dependent correlations between spins and neutron scattering in ferromagnetic crystals, Léon Van Hove —1374
Time-of-flight measurements of inelastic neutron scattering, Gerard K. O'Neill—635(A)
Time-of-flight measurements on inelastic scattering of 14.8-Mev neutrons, Gerard K. O'Neill—1235
Scattering of Protons (see also **Nuclear Reactions Induced by Protons**)
Asymmetry in neutron production by bombarding targets with 285-Mev polarized protons, Hugh Bradner and Robert Donaldson—1701(L)
Diffuse surface optical model for nucleon-nuclei scattering, Roger D. Woods and David S. Saxon—577(L)
Elastic proton-deuteron scattering at 95 Mev, J. M. Teem and U. E. Kruse—664(A)
Elastic scattering of 18-Mev protons by Al, Fe, Ni, and Cu, Irving E. Dayton—754
Electron capture and loss cross sections for protons, P. M. Stier, C. F. Barnett, and G. E. Evans—303(A)
400-Mev neutron-proton scattering, A. J. Hartzler and R. T. Siegel—185
Interpretation of scattering of high-energy nucleons by complex nuclei, I. I. Shapiro and J. M. Teem—619(A)
Mechanism of proton polarization in high-energy collisions, Owen Chamberlain, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis—1105(L)
Nuclear internal momentum distributions, J. M. Wilcox and B. J. Moyer—664(A)
Nucleon-nucleon scattering with 312-Mev polarized protons, Owen Chamberlain, Robert Donaldson, Emilio Segrè, Robert Tripp, Clyde Wiegand, and Thomas Ypsilantis—850(L)
Phase shifts for high-energy nucleon-nucleon scattering, Burton D. Fried—851(L); 1706(E)
Polarization effects in high-energy proton-deuteron scattering, S. Tamor—620(A)
Polarization in high-energy elastic nucleon-nucleus scattering, Bertram J. Malenka—522
Polarization in n-p scattering at 100-200 Mev, A. Roberts, J. Tinlot, and E. M. Hafner—1099(L)
Polarization in p-p scattering at 415 Mev, A. Kane, R. A. Stallwood, R. B. Sutton, T. H. Fields, and J. G. Fox —1694(L)
Polarization in scattering by nuclei at high energies, B. J. Malenka—620(A)
Polarization of nucleons elastically scattered from nuclei, R. M. Sternheimer—587(L); Warren Heckrotte and Joseph V. Lepore—1109(L)
Polarization of 170-Mev neutrons, A. Roberts, J. Tinlot, and E. M. Hafner—663(A)
Polarization of 310-Mev protons by deuterium, D. Nagle, J. Marshall, L. Marshall, and W. Skolnik—663(A)
p-p scattering at 9.7 Mev, analysis, Harold H. Hall—424
p-p scattering experiments at 170 and 260 Mev, Owen Chamberlain and John D. Garrison—1349(L)
Scattering of 96-Mev protons from light nuclei, K. Strauch and W. F. Titus—854(L)
Scattering of protons by H near 18 Mev, J. L. Yntema and M. G. White—1226
Scattering of 10-Mev protons on Mg and C, G. E. Fischer —664(A)
Scattering of 314-Mev polarized protons by deuterium, J. Marshall, L. Marshall, D. Nagle, and W. Skolnik —1020
Search for polarization in charge exchange scattering, H. Bradner and R. E. Donaldson—663(A)
Small-angle cross sections for scattering of protons by tritons, Malcolm E. Ennis and Arthur Hemmendinger —772
Small-angle p-p cross sections and polarization at 300 Mev, O. Chamberlain, G. Pettengill, E. Segrè, and C. Wiegand—1348(L)
Small-angle p-p scattering at 330 Mev, David Fischer and Gerson Goldhaber—1350(L)
Scattering of Radiation (see **Gamma Rays; Radiation; Range and Energy Loss; X-Rays**)
Scintillation Counters (see **Methods and Instruments; Luminescence**)
Secondary Emission (see **Electrical Properties**)
Semiconductors
Aging of crushed Si and Ge powders, Selma B. Brody—298(A)
Analysis of magnetoresistance and Hall coefficient in p-type InSb and p-type Ge, T. C. Harman, R. K. Willardson, and A. C. Beer—699
Anisotropy of cyclotron resonance of holes in Ge, R. N. Dexter, H. J. Zeiger, and Benjamin Lax—557(L)
Anisotropy of cyclotron resonance in Ge. I. Theory, Benjamin Lax, H. J. Zeiger, and R. N. Dexter—597(A); II. Experiment, R. N. Dexter, H. J. Zeiger, Benjamin Lax, and E. S. Rosenblum—597(A)
Anomalous optical behavior of InSb and InAs, H. J. Hrostowski, G. H. Wheatley, and W. F. Flood, Jr. —1683(L)
Application of three-carrier model to Hall effect in Ge, R. K. Willardson, T. C. Harman, and A. C. Beer—597(A)
Comparison of Hall and magnetoresistance phenomena in InSb with those in Ge, T. C. Harman, R. K. Willardson, and A. C. Beer—596(A)
Distribution of mass transported from collector into Ge crystal by forming process, M. W. Aarons, M. Poberesкin, J. E. Gates, and E. B. Dale—1345(L)
Electrical properties of several Si-Ge alloys, L. Davis, Jr., G. A. deMars, L. G. Rubin, and W. D. Straub—597(A)
Electron multiplication in Ge at low temperature, E. J. Ryder, I. M. Ross, and G. A. Kleinman—1342(L)
Electron spin resonance of impurity level in Si, A. Honig and A. F. Kip—1686(L)
Electronic thermal conduction in semiconductors, P. J. Price—596(A)
Energy band structure of Ge-Si alloys, Frank Herman—847(L)
Energy gap of Ge-Si alloys, A. Levitas, C. C. Wang, and B. H. Alexander—846(L)
Energy levels and photoconductivity in electron-bombarded Ge, H. Y. Fan, W. Kaiser, E. E. Klontz, K. Lark-Horowitz, and R. R. Pepper—1087(L)
Evaporated multiple layers with semiconductor properties, J. C. M. Brentano and J. D. Richards—841(L)
Hyperfine splitting in spin resonance of Group V donors in Si, R. C. Fletcher, W. A. Yager, G. L. Pearson, and F. R. Merritt—844(L)

Semiconductors (Continued)
Infrared absorption spectrum of Ge, L. H. Hall, J. Bardeen, and F. J. Blatt—559(L)
Ionization energies of groups III and V elements in Ge, T. H. Geballe and F. J. Morin—1085(L)
Magnetoresistance effect in cubic semiconductors with spheroidal energy surfaces, Motoichi Shibuya—1385
Neutron irradiation of InSb, J. W. Cleland and J. H. Crawford, Jr.—1177
Oxygen and surface energy level structure on Ge, Edward N. Clarke—284(L)
Photovoltaic effect in InAs, Robert M. Talley and Dorothy P. Enright—1092(L)
Photovoltaic effect in *p-n* junctions, Robert L. Cummerow—16
Power efficiency for photovoltaic effect in Ge-grown junction, Ralph P. Ruth and James W. Moyer—562(L)
Precipitation of impurities at dislocations in heat-treated Si, Sumner Mayburg—838(L)
Properties of Ge-Si alloys, Everett R. Johnson and Schuyler M. Christian—560(L)
Properties of *p*-type GaSb between 15°K and 925°K, H. N. Leifer and W. C. Dunlap, Jr.—51
Radioactive and photoelectric *p-n* junction power sources, W. G. Pfann and W. Van Roosbroeck—597(A)
Self-powered semiconductor amplifier, C. G. B. Garrett and W. H. Brattain—1091(L)
Spin-orbit interaction and effective masses of holes in Ge, G. Dresselhaus, A. F. Kip, and C. Kittel—568(L)
Theory of electron multiplication in Si and Ge, P. A. Wolff—1415
Theory of galvanomagnetic effects in Ge, B. Abeles and S. Meiboom—31
Theory of thermoelectric power in semiconductors, J. Tauc —1394
Thermal conductivity of semiconductors, A. Neaves and D. ter Haar—596(A)
Use of Si *p-n* junctions for converting solar energy to electrical energy, R. L. Cummerow—561(L)
Vacancies and interstitials in heat-treated Ge, Sumner Mayburg—38
Shock Waves (see **Fluid Dynamics**)
Solid State (see **Crystalline State**)
Solutions (see **Liquids**)
Sound (see **Acoustics**)
Spallation (see **Nuclear Reactions**)
Spark Discharge (see **Electrical Discharges**)
Specific Heat (see **Thermal Properties**)
Spectra, Atomic (see **Atomic Structure and Spectra**)
Spectra, General
Extension of extreme uv solar spectrum, F. S. Johnson, J. D. Purcell, and R. Tousey—621(A)
Photoelectric measurement of reversal temperature, Hedwig Kohn and Einar Hinnov—301(A)
Spectra, Molecular (see **Molecular Structure and Spectra**)
Spectra, Nuclear (see **Nuclear Spectra**)
Spectroscopy Technique (see **Methods and Instruments**)
Spinor Fields (see **Field Theory**)
Standards (see **Constants, Standards, Units**)
Stark Effect (see **Atomic Structure and Spectra**)
Statistical Mechanics and Thermodynamics
Absolute temperature scale between 4.2° and 5.2°K, R. Berman and C. A. Swenson—311
Approximate partition function for certain Fe group salts at low temperatures, L. D. Roberts and J. W. T. Dabbs —307(A)
Can well-informed heat engine (WHE) have free will?, Jerome Rothstein—643(A)
Domain of action of collective coordinates in new approach to many-body problem, Jerome K. Percus and George J. Yevick—642(A)
Dynamical behavior of collective coordinates in new approach to many-body problem, George J. Yevick and Jerome K. Percus—642(A)
Effect of temperature scales on low-temperature calorimetric data, J. R. Clement—601(A)
Equations of motion of coupled ordered and dissipative systems, J. L. Jackson—642(A)
General method for high-speed machine computation of ideal gas thermal properties. Diatomic free radicals of isotopic hydrides, Lester Haar and A. S. Friedman—614(A)
Molar polarization, dipole moment, and nonideality of trichloroheptafluorobutane vapor, D. W. Magnuson—301(A)
Principle of minimum entropy production, Martin J. Klein and Paul H. E. Meijer—642(A)
Quantum-mechanical molecular distribution functions in one-dimensional fluid composed of hard spheres, Robert J. Rubin—643(A)
Simplified model of stationary nonequilibrium process, Harry L. Frisch and Joel L. Lebowitz—643(A)
Solution of transport equation for case of slab geometry, J. Lehner and G. M. Wing—642(A)
Spherical model of antiferromagnet, B. S. Gourary and R. W. Hart—652(A); 676
Statistical aspects of second law of thermodynamics, C. D. Green and D. ter Haar—643(A)
Statistical mechanics and Overhauser nuclear polarization effect, C. Kittel—589(L)
Statistical mechanics of temperature-dependent energy levels, P. T. Landsberg—643(A)
Statistics of face-centered cubic ferromagnet, E. Dempsey and D. ter Haar—651(A)
Thermodynamic constants of liquid HF, C. Harry Knowles and R. T. Lagemann—306(A)
Statistical Methods (see **Mathematical Methods**)
Superconductivity
Effect of pressure on superconducting transition of Sn, M. Garber and D. E. Mapother—603(A)
Estimate of lifetime of positrons in superconductors, M. Dresden—603(A)
Intermediate state in superconductors, A. L. Schawlow, B. T. Matthias, H. W. Lewis, and G. E. Devlin—1344(L)
Superconductivity of Nb_3Sn, B. T. Matthias, T. H. Geballe, S. Geller, and E. Corenzwit—1435
Superconductivity of precipitation hardening Al alloy, R. E. Mould and D. E. Mapother—604(A)
Threshold field properties of some superconductors, E. Maxwell and O. S. Lutes—333
Velocity of sound in superconducting Sn, Charles F. Squire —1126
Supersonics (see **Fluid Dynamics**)

Thermal Conductivity (see **Thermal Properties**)
Thermal Diffusion (see **Diffusion**)
Thermal Expansion (see **Thermal Properties**)
Thermal Properties
Correlation techniques for testing Born-von Karman theory of specific heats, W. C. Overton, Jr., and J. R. Clement—602(A)
Electrical and thermal conductivity of Mg and Mg alloy at low temperatures, D. A. Spohr and R. T. Weber—602(A)
Forbes bar method for measuring thermal conductivity of metals, Joseph M. Clifford and R. B. Sawyer—665(A)

Low-temperature thermal conductivity of Canadian natural graphite, Alan W. Smith—1095(L)
Magnetic and thermal properties of chromic methylamine alum below 1°K, R. P. Hudson and C. K. McLane—932
Melting curves of deuterium and hydrogen, P. F. Chester and J. S. Dugdale—278(L)
Potential theory formulation of radiant heat transfer, Jean I. F. King—298(A)
Role of low-energy phonons in thermal conduction, Conyers Herring—954
Specific heat of $MnCl_2$ at temperatures of liquid He, R. B. Murray—307(A)
Specific heats of metals below one degree absolute, John Rayne—1428
Thermal conductivity of Ga single crystals at low temperatures, Harmon H. Plumb and Jules A. Marcus—602(A)
Thermal conductivity of In-Tl alloys at liquid He temperatures, Ronald J. Sladek—603(A)
Thermal conductivity of liquid He below 1.0°K, Henry A. Fairbank and J. Wilks—277(L)
Thermodynamic constants of liquid HF, C. Harry Knowles and R. T. Lagemann—306(A)

Thermal Radiation (see **Radiation**)
Thermionic Emission (see **Electrical Properties**)
Thermodynamics (see **Statistical Mechanics and Thermodynamics**)
Thermoelectric Effect (see **Electrical Properties; Semiconductors**)
Thermoluminescence (see **Luminescence**)
Thermomagnetic Effect (see **Magnetic Properties**)
Total Cross Sections (see **Electrons and Positrons; Nuclear Reactions**)
Transmutation (see **Nuclear Reactions**)

Uncertainty Principle (see **Quantum Mechanics**)
Units (see **Constants, Standards, Units**)

Vacuum Tubes (see **Methods and Instruments**)
Van der Waals Forces (see **Molecular Structure and Spectra**)
Viscosity (see **Liquids**)

Wave Mechanics (see **Quantum Mechanics**)
Work Function (see **Electrical Properties**)

X-Rays
Avogadro's number, M. E. Straumanis—566(L)
Corrected values of W *K*-series x-ray wavelengths with 2-meter curved crystal diffraction spectrometer, Philip Snelgrove, Jassim El-Hussaini, and Jesse W. M. DuMond—1203
Energy measurements of meson x-rays, M. B. Stearns, M. Stearns, L. Leipuner, and S. DeBenedetti—625(A)
Equipment for measurement of very small x-ray scattering cross sections, W. W. Beeman and R. H. Neynaber—617(A)
Isotope shift in x-ray spectra of heavy elements, G. Igo and M. S. Wertheim—1097(L)
K-absorption edge studies of compounds, H. P. Hanson and J. R. Knight—621(A)
L-absorption spectrum of Si and SiO_2, D. E. Bedo and D. H. Tomboulian—621(A)
Limits on π^--meson mass from mesonic x-rays, M. Stearns, M. B. Stearns, S. DeBenedetti, and L. Leipuner—1353(L)
L-shell ionization by protons of 1.5- to 4.25-Mev energy, E. M. Bernstein and H. W. Lewis—83
Mass of μ^- meson from mesonic x-rays, S. Koslov, V. Fitch, and J. Rainwater—625(A)
Moseley's law applied to proportional counter resolution of adjacent elements, C. F. Hendee and S. Fine—281(L)
Response of anthracene scintillation crystals to monoenergetic soft x-rays, W. H. Robinson and W. Jentschke—1412
Scattered radiation contribution to depth dose data for 35- and 90-Mev synchrotron x-rays, J. Goag and B. Zendle—608(A)
Scattering of x-rays by nuclei, G. Pugh, D. H. Frisch, and R. Gomez—611(A)
Small-angle x-ray scattering from cold-worked Al-Ag and Al-Zn alloys, J.-P. Jan and J. S. Koehler—665(A)
Solid surface studies by total reflection of x-rays, L. G. Parratt—617(A)
Spatial distribution of energy dissipation by bremsstrahlung spectrum, David T. Goldman and Henry Brysk—305(A)
Surface studies of solids by total reflection of x-rays, L. G. Parratt—359
Transmission of x-rays through calcite in Laue diffraction, G. Schwarz and G. L. Rogosa—950
2 types of band emission curves of Cu in soft x-ray region, Gunji Shinoda, Tatsuro Suzuki, and Susumu Kato—840(L)
X-ray absorption in solid argon, Jack Soules and C. H. Shaw—621(A)
X-rays from π mesic atoms, A. D. McGuire, M. Camac, M. L. Halbert, and J. B. Platt—625(A)

THE PHYSICAL REVIEW

A journal of experimental and theoretical physics established by E. L. Nichols in 1893

VOLUME 96

Second Series

OCTOBER 1–DECEMBER 15, 1954

Published for the

AMERICAN PHYSICAL SOCIETY

by the

AMERICAN INSTITUTE OF PHYSICS
Incorporated

THE PHYSICAL REVIEW

A journal of experimental and theoretical physics established by E. L. Nichols in 1893

Published by the American Institute of Physics for the

AMERICAN PHYSICAL SOCIETY

Officers

President

H. A. BETHE
Cornell University
Ithaca, New York

Vice-President

R. T. BIRGE
University of California,
Berkeley, California

Secretary

K. K. DARROW
Bell Telephone Laboratories
Office:
Columbia University
New York 27, New York

Treasurer

G. B. PEGRAM
Columbia University
New York 27, New York

Local Secretary for the Pacific Coast

J. KAPLAN
University of California at Los Angeles
Los Angeles, California

Managing Editor

S. A. GOUDSMIT
Brookhaven National Laboratory
Upton, Long Island
New York

BOARD OF EDITORS

Editor

S. A. GOUDSMIT

Assistant Editor

S. PASTERNACK

Associate Editors

1952–1954	*1953–1955*	*1954–1956*
W. P. ALLIS	W. A. FOWLER	P. G. BERGMANN
F. G. BRICKWEDDE	KENNETH GREISEN	GREGORY BREIT
W. B. FRETTER	CHARLES KITTEL	F. J. DYSON
CONYERS HERRING	R. E. MARSHAK	P. KUSCH
H. W. LEVERENZ	W. K. H. PANOFSKY	R. SMOLUCHOWSKI
ARNOLD NORDSIECK	V. F. WEISSKOPF	J. C. STREET

Manuscripts for publication should be submitted to S. A. GOUDSMIT, Brookhaven National Laboratory, Upton, Long Island, New York. The authors' institutions are requested to pay a publication charge of $15 per page which, if honored, entitles them to 100 free reprints. Instructions will be sent with galley proofs.

Proof and all correspondence concerning papers in the process of publication should be addressed to the Publication Manager, American Institute of Physics, 57 East 55 Street, New York 22, New York.

Subscription Price

United States and Canada $30.00
Elsewhere $32.00

Back Numbers [1]

Yearly back number rate when complete year is available:
Prior to 1949: **$25.00**
Thereafter: **$33.00**
Single copies: **$3.00** each, prior to July, 1929;
$1.50 each, July, 1929–December, 1941;
$3.00 each, January, 1942–December, 1946;
$1.50 each, thereafter.
General index, 1893–1920: **$4.00.**
1921–1950: Paper binding, **$10** (Members); **$14** (Nonmembers)
Cloth binding, **$12** (Members); **$16** (Nonmembers)

Subscriptions, renewals, and orders for back numbers should be addressed to the American Institute of Physics, 57 East 55 Street, New York 22, New York.

Changes of address in the case of members of the American Physical Society should be addressed to the Treasurer; in the case of other subscribers to the American Institute of Physics.

[1] For Series I inquire of Physics Department, Cornell University, Ithaca, New York.

The Physical Review is published semi-monthly at Prince and Lemon Streets, Lancaster, Pennsylvania.

Entered as second-class matter March 6, 1947, at the Post Office at Lancaster, Pennsylvania, under the Act of March 3, 1879.

Acceptance for mailing at special rate of postage provided for in paragraph (d-2), section 34.40, P. L. & R. of 1948, authorized January 27, 1933.

Author Index to Volume 96

References with (A) are to abstracts of papers presented at meeting of the American Physical Society; references with (T) designate title only. References with (L) are to Letters to the Editor. References with (E) are to Errata.

Abe, Hidetaro (see Ôno, Kazuo)—38

Abramowitz, Milton and H. A. Antosiewicz. Coulomb wave functions in transition region—75

—— **and Philip Rabinowitz.** Evaluation of Coulomb wave functions along transition line—77

Adair, Robert K. Resonances in $Li^7(p,n)Be^7$—709

——, **S. E. Darden, and R. E. Fields.** Scattering of polarized neutrons from heavy nuclei—503

Adams, E. N., II. Elastoresistance in p-type Ge and Si—803(L)

—— **and R. Zitter.** Electronic susceptibility in certain alloys—1705(L)

Ahearn, A. J. Uv transmission and α bombardment conduction inhomogeneities in diamond—828(A)

Ahnlund, Katarina. Magnetic analysis of $O^{17}(d,p)O^{18}$ reaction—999

—— (see Mileikowsky, Curt)—996

Alder, K. and A. Winther. Theory of Coulomb excitation—237(L)

Alderman, J. O. (see Bretscher, M. M.)—103

Alexander, T. (see Erdman, K. L.)—858(A)

Allen, G. (see Barile, S.)—673

Allen, K. W., E. Almqvist, J. T. Dewan, and T. P. Pepper. Disintegration of Li^8 and Li^7 by 0.24-Mev tritons—684

Allen, R. G., T. E. Stephenson, C. P. Stanford, and S. Bernstein. Slow neutron cross sections of Au, Ag, In, Ni, and NiO—1297

Allen, William A., Joe M. Mapes, and Wesley G. Wilson. Critical angle associated with high speed impact of sphere on thin plate—844(A)

Allis, W. P. Microwave discharges—831(T)

Allison, B. A. (see Scherrer, V. E.)—386

Allison, H. W. and George E. Moore. Diffusion of W in Ni—840(A)

Almqvist, E. (see Allen, K. W.)—684

Ambler, E. and R. P. Hudson. Critical field phenomena in isotropic paramagnetic crystal—907

Anderson, A. B. C. Metastable jet-tone states of jets from sharp-edged, circular, pipe-like orifices—847(A)

Anderson, D. E. (see Peterson, R. W.)—840(A)

Anderson, K. A. Cosmic-ray studies with Čerenkov detector at $\lambda = 10°$ and 55°—829(A)

Andrew, A., M. R. Jeppson, R. L. Mather, and H. P. Yockey. Creep of Al under cyclotron irradiation—843(A)

Angello, Stephen J. and Theodore E. Ebert. New minority carrier phenomenon in Ge—221(L)

Ansbacher, F. and P. T. Landsberg. Quantum statistics of closed and open systems—1707(L)

Antes, L. L. (see Reynolds, D. C.)—533(L)

Antosiewicz, H. A. (see Abramowitz, Milton)—75

Apker, L. Photoelectric emission and electronic energy structure of some amorphous semiconductors—827(T)

—— (see Taft, E.)—827(A); 1496

Ard, W. B. (see Fairbank, W. M.)—846(A)

Arnold, W. H., J. Ballam, H. Gursky, A. L. Hodson, R. Ronald Rau, George T. Reynolds, and S. B. Treiman. Unstable cosmic-ray particles observed in double cloud-chamber arrangement—853(A)

—— (see Hodson, A. L.)—1089

Artman, J. O. and J. P. Gordon. Absorption of microwaves by O_2 in mm wavelength region—1237

Asaro, Frank. (see Stephens, Frank, Jr.)—1568

Ashkin, J., J. P. Blaser, F. Feiner, J. G. Gorman, and M. O. Stern. Total cross sections for negative and positive pions in hydrogen and deuterium—1104

Ashley, J. E. (see Koontz, P. G.)—862(A)

Babiskin, J. and M. C. Steele. Oscillatory thermal conductivity of Bi in magnetic fields at liquid He temperatures—822(A)

Backman, M. E. and H. L. Morrison. Rittinger's number for several minerals—844(A)

Bailey, V. A. Reflection of waves by inhomogeneous medium—865

Bair, J. K. (see Johnson, C. H.)—985

Baker, T. E., Jr., N. C. Blais, C. L. Hemenway, V. Rojansky, M. S. Webster, and M. S. Werman. Search for departures of cosmic rays from Poisson's law at low counting rates. I—828(A)

Balagna, J. P. (see Browne, C. I.)—827(A)

Balas, W., J. Dempsey, and E. F. Rexer. Oxide impregnated Ni matrix cathode—840(A)

Ballam, J. (see Arnold, W. H.)—853(A)

—— (see Hodson, A. L.)—1089

Ballou, N. E. (see Freiling, E. C.)—102

Balser, Martin (see Silverman, Richard A.)—560

Band, William. Critical flow rate and zero entropy of He superfluid—843(A)

Banister, J. R. and C. D. Broyles. Response of pressure gauges to dust-laden shock waves—847(A)

—— (see Merritt, M. L.)—848(A)

Barile, S., R. Webeler, and G. Allen. Range and straggling of low-energy α particles in cloud chamber—673

Barkas, Walter H. and George Hahn. Emulsion tables—859(A)

—— (see Heckman, Harry H.)—858(A)

Barnes, C. A., W. A. Fowler, C. C. Lauritsen, and R. W. Peterson. Inelastic proton scattering cross section of F^{19}—851(A)

Barnett, C. F. (see Stier, P. M.)—973

Baroody, E. M. Inelastic scattering of medium-fast electrons in alkali metals—837(A)

Barschall, H. H. and J. L. Powell. Energy distribution of nuclear reaction products—713

—— (see Okazaki, A.)—836(A)

Bartholomew, G. A., F. Brown, H. E. Gove, A. K. Litherland, and E. B. Paul. Resonances in proton bombardment of C^{14}—1154(L)

—— (see Gove, H. E.)—825(A)

—— (see Litherland, A. E.)—825(A)

Basson, J. K. Direct quantitative observation of three-photon annihilation of positron-negatron pair—691

Baumann, K. (see Deser, S.)—774

Bean, C. P. (see Roberts, B. W.)—1494

Beaty, E. and R. Varney. Drift velocities of A ions in A at various temperatures—831(A)

Becker, J. H. (see Blunt, R. F.)—578

—— (see Breckenridge, R. G.)—571

Becker, R. L. (see Okazaki, A.)—836(A)

Becker, Robert A. (see Brown, Hugh N.)—1372

Bedford, R. E. and A. M. Crooker. Spectra of As—845(A)

Beer, A. C. (see Willardson, R. K.)—1512

Belinfante, Frederik J. Direct proof of covariance of Gupta's indefinite metric in quantum electrodynamics—780

Bell, S. and S. A. Schaaf. Free molecule flow of non-uniform gas—848(A)

Bender, R. S. Deuteron reaction studies with Pittsburgh cyclotron—849(T)
Benedict, F. D. (see Daitch, P. B.)—1449(L)
Benenson, R. E., M. B. Shurman, and W. Haeberli. Gas-recoil fast neutron spectrometer—836(A)
Bennett, Willard H. Model of solar proton streams—824(A)
Beringer, Robert (see Heald, Mark A.)—645
Berman, Arthur I. and Karl L. Brown. Absolute cross section *versus* energy of $Cu^{65}(\gamma,n)$ and $Cu^{63}(\gamma,2n)$ reactions—83
Bernstein, Seymour (see Allen, R. G.)—1297
—— (see Sherwood, J. E.)—1546
—— (see Stanford, C. P.)—983
Bernstein, W. (see Finston, H. L.)—71
Bethe, H. A. and F. de Hoffmann. Meson-proton scattering phase shift analysis—1714(E)
Binder, D. and W. J. Sturm. Equivalence of x-ray lattice parameter and density changes in neutron-irradiated LiF—1519
Biondi, Manfred A. Atomic collision processes in ionized gases—831(T)
—— Optical and infrared absorption of Cu at 4.2°K—534(L)
—— (see Chanin, Lorne M.)—831(A)
Bitter, F., S. P. Davis, B. Richter, and J. E. R. Young. Optical studies of radioactive Hg—1531
Bittner, J. W. and R. D. Moffat. Elastic scattering of α particles by C—374
Blair, J. M., N. M. Hintz, and D. M. Van Patter. Radiative capture of deuterons by He^3—1023
Blais, N. C. (see Baker, T. E., Jr.)—828(A)
Blakney, R. M. and D. L. Dexter. Effect of dislocations on optical absorption edge in nonmetals—227(L)
Blaser, J. P. (see Ashkin, J.)—1104
Blatt, John M. Integral equations for cascade showers—1644
—— **and S. T. Butler.** Superfluidity of boson gas—1149(L)
Blau, M. and Martin Caulton. Inelastic scattering of 500-Mev negative pions in emulsion nuclei—150
Blewett, J. P. Recent developments in design of high-energy synchrotrons—823(T)
Bloch, Ingram and Yü-Chang Hsieh. Properties of nuclear normal modes—382
—— **and Yü-Chang Hsieh.** Spin-orbit interactions in many-body nuclear shell theory—855(A)
Block, M. M., D. T. King, and W. W. Wada. Direct creation of electron pairs by electrons of great energy. III. Internal energy distributions—853(A)
——, **D. T. King, and W. W. Wada.** Electron tridents between 0.1 and 10 Bev—1627
—— (see King, D. T.)—852(A)
—— (see Wada, W.)—852(A)
Blood, H. L. and W. G. Proctor. Nuclear electric quadrupole interactions of B^{11} in kernite—861(A)
Bloom, Myer (see Muller, B. H.)—861(A)
Blunt, R. F., H. P. R. Frederikse, J. H. Becker, and W. R. Hosler. Electrical and optical properties of intermetallic compounds. III. AlSb—578
——, **W. R. Hosler, and H. P. R. Frederikse.** Electrical and optical properties of intermetallic compounds. II. GaSb—576
—— (see Breckenridge, R. G.)—571
Bockelman, C. K. (see Jung, J. J.)—1353
—— (see Sperduto, A.)—1316
Bode, Donald E. and Henry Levinstein. Effect of oxygen on electrical properties of PbTe films—259
Bohl, Leland. Light elements in cosmic rays—834(T)
Bohm, D. and J. P. Vigier. Model of causal interpretation of quantum theory in terms of fluid with irregular fluctuations—208
Bohm, H. V. (see Dunlap, W. C., Jr.)—822(A)
Bömmel, H. E. Ultrasonic attenuation in superconducting lead—220(L)
Bonner, T. W. and C. F. Cook. Excited states in B^{10} and Be^8—122
Borowitz, Sidney. Perturbation calculation of the elastic scattering of electrons by H atoms—1523
Bortner, T. E. (see Melton, C. E.)—643
Bowen, Theodore. Ionization energy loss of mesons in NaI scintillation crystal—754(A)
Bozorth, R. M. Magnetostriction and crystal anisotropy of single crystals of hexagonal Co—311
Brachman, Malcolm K. Space-time representation in wave mechanics: Illustration of method—516
Bragg, J. K. (see Crowe, R. W.)—10
Braun, E. A., A. Many, and A. E. Simchen. Color centers in chrome alum crystals—1505
Braunstein, R. (see Trischka, J. W.)—968
Brebrick, Robert F. and Wayne W. Scanlon. Electrical properties and solid-vapor equilibrium of PbS—598
Breckenridge, R. G., R. F. Blunt, W. R. Hosler, H. P. R. Frederikse, J. H. Becker, and W. Oshinsky. Electrical and optical properties of intermetallic compounds. I. InSb—571
Breed, Henry E. and J. Mayo Greenberg. Investigations of intensity anomalies in electron diffraction from crystals—823(A)
Breit, G. and P. B. Daitch. Correspondence between semi-classical and quantum treatments of Coulomb excitation—1447(L)
—— **and J. B. Ehrman.** Formula for polarization in nucleon-nucleon scattering—805(L)
——, **J. B. Ehrman, A. M. Saperstein, and M. H. Hull, Jr.** Phase shifts for nucleon-nucleon scattering at 280 Mev—807(L)
—— (see Daitch, P. B.)—1449(L)
Bretscher, M. M., J. O. Alderman, A. Elwyn, and F. B. Shull. Angular distributions of protons from $Na^{23}(d,p)Na^{24}$ and $Ti^{47,48}(d,p)Ti^{48,49}$—103
—— (see Shull, F. B.)—826(A)
Brice, M. K. (see Cork, J. M.)—1295
Bridge, H. S. Results with S particles—834(T)
Brogren, Gösta. Relation between the width of an x-ray line and resolving power of double-crystal spectrometer—589
Brook, M. and J. Kaplan. Dissociation energy of NO and N_2—1540
Brown, F. (see Bartholomew, G. A.)—1154(L)
Brown, Hugh N. and Robert A. Becker. Radiations from Ho^{166}—1372
Brown, Karl L. (see Berman, Arthur I.)—83
Brown, R. J. S., K. F. Famularo, H. D. Holmgren, D. Rankin, and T. F. Stratton. Elastic scattering of deuterons by He^3—80
Brown, W. L., R. C. Fletcher, and K. A. Wright. Traps produced by electron bombardment of Ge at low temperatures—834(A)
—— (see Fletcher, R. C.)—833(A)
—— (see Shulman, R. G.)—833(A)
Browne, C. I., D. C. Hoffman, H. L. Smith, M. E. Bunker, J. P. Mize, J. W. Starner, R. L. Moore, and J. P. Balagna. Radiations of Pa^{233}—827(A)
Browne, C. P., S. F. Zimmerman, and W. W. Buechner. Energy levels of Al^{27}—725
—— (see Sperduto, A.)—1316
Broyles, C. D. (see Banister, J. R.)—847(A)
Brueckner, K. A. Nuclear saturation and two-body forces. II. Tensor forces—508
Brysk, Henry. Spatial distribution of energy dissipation by high-energy x-rays—419

Bube, Richard H. Crystal imperfections in photoconductivity—827(T)
—— (see Jenny, Dietrich A.)—1190
Buechner, W. W. (see Browne, C. P.)—725
—— (see Sperduto, A.)—1316
Buehler, E. (see Fuller, C. S.)—833(A)
Bunker, M. E. (see Browne, C. I.)—827(A)
—— (see Mize, J. P.)—444
Bunney, L. R. (see Freiling, E. C.)—102
Burson, S. B., W. C. Jordan, and J. M. LeBlanc. Decay of $_{32}Ge^{75m}$ (49 sec), $_{32}Ge^{77m}$ (52 sec), and $_{32}Ge^{77}$ (12 hr)—1555
—— (see Jordan, W. C.)—1582
Burstein, E., J. W. Davisson, and N. Sclar. Low-frequency dielectric loss peaks in KCl containing divalent cation impurities—819(A)
Burwell, J. R. (see Kim, Y. B.)—229(L)
Bushkovitch, A. V. (see Liuima, F. A.)—434
Butler, J. (see Hird, B.)—702
Butler, S. T. (see Blatt, J. M.)—1149(L)
Byram, E. T., T. A. Chubb, and H. Friedman. Solar x-ray emission—860(A)

Cabrera, N., M. M. Levine, and J. S. Plaskett. Hollow dislocations and etch pits—1153(L)
Calcamuggio, G. L. (see Haller, W.)—1454(A)
Callaway, Joseph. Mach's principle and unified field theory—778
Capps, R. H. and R. G. Sachs. Scattering of γ rays by nucleons—540(L)
Carlson, B. C. and I. Talmi. Pairing effects in Coulomb energies and radii of mirror nuclei—436
Carlson, C. R. (see Matheson, W. E.)—826(A)
Carlson, R. R. (see Nelson, E. B.)—825(A)
Carroll, Paul E. Contact electrification in metal-metal system. II. Results for Hg-steel—820(A)
Carter, R. S., J. A. Harvey, D. J. Hughes, and V. E. Pilcher. Ratio of $\bar{\Gamma}_n^0/\bar{D}$ for slow neutron resonances—113
Cashman, Robert J. (see Jensen, Harald C.)—798(L)
Caulton, Martin (see Blau, M.)—150
Cegelski, W. M., A. T. Goble, C. L. Hemenway, K. Reinitz, V. Rojansky, and F. A. Rushworth. Search for departures of cosmic rays from Poisson's law at low counting rates. II—828(A)
Chaloupka, P. Influence of geomagnetic field on extensive air showers—1709(L)
Chamberlain, O., E. Segrè, R. Tripp, C. Wiegand, and T. Ypsilantis. Polarization of high-energy protons in elastic scattering on He and C—807(L)
Chang, C. H. and B. A. Jacobsohn. Elimination of pair interaction in pseudoscalar meson theory—856(A)
Chanin, Lorne M. and Manfred A. Biondi. Mobilities of various ions in noble gases—831(A)
Chapman, Seville. Corona discharge current from aircraft—831(A)
Charles, G. W., D. J. Hunt, G. Pish, and D. L. Timma. Preliminary description and analysis of spectrum of Po—838(A)
Chartres, B. A. and H. Messel. New formulation of general three-dimensional cascade theory—1651
Chasson, Robert L. Cosmic-ray intensity fluctuations at sea level—1116
Cheston, W. B. Proton polarization in (d,p) reactions—1590
—— Various comments on deuteron-induced reactions—830(T)
—— (see Naugle, J. E.)—1383
Chih, Chung Ying. n-p scattering at 90 Mev—856(A)
Chou, C. N. Studies of penetrating and cascade showers of cosmic rays with plastic scintillators at elevation of 11 500 feet—830(A)
Christensen, H. Surface "channel" detection method for semiconductors—827(A)
Christy, R. F. Rotational levels in W^{188}—858(A)
—— **and W. A. Fowler.** Hole configurations in light nuclei—851(A)
—— (see Sherr, R.)—1258
Chubb, T. A. (see Byram, E. T.)—860(A)
Chupp, E. L. Long-term studies of neutron and ionizing cosmic-ray intensities—853(A)
Cialella, Carment. (see Miller, William)—1344
Clark, K. C. and L. Kanal. Detection of Hg vapor by resonance ionization—860(A)
Class, C. M. (see Cook, C. F.)—658
Clendenin, William W. (see Rickard, James A.)—1272
Coester, F., Morton Hamermesh, and Katsumi Tanaka. Limiting processes in formal theory of scattering—1142
Cohen, B. L., H. L. Reynolds, and A. Zucker. Comparison of nitrogen- and proton-induced nuclear reactions—1617
—— (see McCormick, G. H.)—722
Cohen, David, Burton J. Moyer, Harlan Shaw, and Charles Waddell. Emission of high-energy γ line from C^{12}—714
—— (see Waddell, Charles)—858(A)
Cohen, M. H. Nuclear quadrupole spectra in solids—1278
Cohen, René. Easily reproducible thermal neutron density standard—850(A)
—— (see Thirion, Jacques)—850(A)
Colladay, G. S. Energy parameters of two-dimensional graphite—846(A)
Colli, Laura and Ugo Facchini. Secondary electron emission by photoelectric action and ion bombardment at cathode in corona breakdown of A—1
Collie, C. H. (see Hird, B.)—702
Collins, T. L. Probable age of earth—824(T)
—— (see Giese, Clayton F.)—823(A)
—— (see Quisenberry, K. S.)—823(A)
Collinson, J. A. Isotope shift in Hf I—949
Conway, John G. and Ralph D. McLaughlin. Nuclear spin of Np^{239}—541(L)
Cook, C. F., C. M. Class, and J. T. Eisinger. Electric excitation of Au^{197}—658
—— (see Bonner, T. W.)—122
Cook, C. J. "Zipper" scattering chamber—835(A)
Cook, C. Sharp and W. E. Kreger. γ radiation following decay of Pr^{144}—855(A)
—— (see Kreger, W. E.)—854(A)
—— (see Kreger, W. E.)—1279
Coomes, E. A. Surface-barrier determination by periodic deviations from Schottky effect—819(T)
Copeland, Paul L. (see Schwartz, Manuel)—1466
Corak, W. S., B. B. Goodman, C. B. Satterthwaite, and A. Wexler. Exponential temperature dependence of electronic specific heat of superconducting V—1442(L)
Corben, H. C. (see Mickelwait, A. B.)—1145
Cork, Bruce and Walter Hartsough. Elastic scattering of 9.7-Mev protons by α particles—859(A)
—— **and Walter Hartsough.** Elastic scattering of 9.7-Mev protons by He^4—1267
Cork, J. M., M. K. Brice, and L. C. Schmid. Energies of radiations from Ce^{144} and Pr^{144}—1295
Cormack, A. M. Resonance scattering of γ rays by nuclei—716
Coryell, Charles D. (see Wiles, Donald R.)—696
Cotts, R. M. and W. D. Knight. Nuclear resonance of Nb^{93} in $KNbO_3$—1285
Cowan, C. L., Jr., F. Reines, and F. B. Harrison. Upper limit on neutrino magnetic moment—1294
—— (see Harrison, F. B.)—1159(L)
—— (see Reines, F.)—1157(L)
Cowan, E. W. V-particles with neutral secondaries—848(T)

Craig, D. S., W. G. Cross, and R. G. Jarvis. γ rays from (p,γ) reactions in B^{11} and Mg^{26}—825(A)
Crooker, A. M. and E. B. Dorling. Dependence of signal-to-noise ratio in photoconductive PbSe layers on temperature of black-body source—846(A)
—— (see Bedford, R. E.)—845(A)
—— (see Nodwell, R. A.)—845(A)
Cross, W. G. (see Craig, D. S.)—825(A)
Crowe, Kenneth M. and Robert H. Phillips. Precision measurement of negative pion mass from its radiative absorption in hydrogen—470
—— (see Phillips, Robert H.)—484
Crowe, R. W., J. K. Bragg, and Virginia G. Thomas. Space-charge formation and Townsend mechanism of spark breakdown in gases—10
Curran, S. C. (see Moljk, A.)—395
Cutkosky, R. E. Solutions of Bethe-Salpeter equation—1135
Cutler, Melvin. Flow of electrons and holes through surface barrier region in point contact rectification—255
Czyzak, S. J. (see Reynolds, D. C.)—1705(L)

Daitch, P. B., J. P. Lazarus, M. H. Hull, Jr., F. D. Benedict, and G. Breit. Validity of semiclassical treatment of Coulomb excitation—1449(L)
—— (see Breit, G.)—1447(L)
Daly, Jr., R. T. and J. H. Holloway. Nuclear magnetic octupole moments of stable Ga isotopes—539(L)
Damon, R. W. and R. W. Redington. Electrical and optical properties of InSe—1498
Danielson, R. E., P. S. Freier, J. S. Naugle, and E. P. Ney. Flux and azimuthal asymmetry of primary cosmic-ray nuclei at equator—829(A)
Darden, S. E., W. Haeberli, and R. B. Walton. Small angle scattering of 1-Mev neutrons by intermediate and heavy nuclei—836(A)
—— (see Adair, R. K.)—503
Dash, W. C. Oxidation of thin films of Ge and Si—822(A)
Daunt, J. G. (see Gordon, W. L.)—1444(L)
Dauphinee, T. M. Semiautomatic apparatus for thermocouple comparison and calibration—843(A)
Davis, Leverett, Jr. Anisotropy of high-energy cosmic rays —743
—— Sidereal time variations in cosmic-ray intensities produced by Fermi's acceleration mechanism—853(A)
Davis, R. E. and Colman Goldberg. Magnetoresistance and planar Hall effects in n-type Ge—833(A)
Davis, S. P. (see Bitter, F.)—1531
Davisson, J. W. (see Burstein, E.)—819(A)
Day, R. B. (see Woodbury, H. H.)—1713(E)
Dayton, I. E. (see Schrank, G.)—1156(L)
Dean, C. Zeeman splitting of nuclear quadrupole resonances —1053
DeBenedetti, S. (see Stearns, M. B.)—804(L)
de Carvalho, Hervasio G. Total cross sections of light elements for 208-Mev and 315-Mev protons—398
——, **J. Marshall, and L. Marshall.** Polarization of protons by scattering from Be—1081
de Hoffman, F. (see Bethe, H. A.)—1714(E)
Dekker, A. J. Escape mechanism for secondary electrons—837(T)
Dempsey, J. (see Balas, W.)—840(A)
Dennison, David M. Energy levels of O^{16} nucleus—378
DePangher, John. Radiative capture of 300-Mev neutrons in H—859(A)
Desai, U. D. (see Sarabhai, V.)—469
Deser, S. Adiabatic theorems in field theory—843(A)
——, **M. L. Goldberger, K. Baumann, and W. Thirring.** Energy level displacements in π-mesonic atoms—774
Dewan, J. T. (see Allen, K. W.)—684
Dexter, D. L. Shapes of absorption and emission lines of impurities in solids—615
—— (see Blakney, R. M.)—227(L)
Dexter, R. N. and Benjamin Lax. Effective masses of holes in Si—223(L)
——, **Benjamin Lax, A. F. Kip, and G. Dresselhaus.** Effective masses of electrons in Si—222(L)
Diamond, H. (see Magnusson, L. B.)—1576
Diamond, R. M. (see Sharp, R. A.)—1713(E)
Dicke, R. H. (see Wittke, J. P.)—530(L)
Ditzenberger, J. A. (see Fuller, C. S.)—833(A)
Dolecek, R. L. Adiabatic magnetization of superconducting sphere—25
Dorfman, J. G. Diamagnetic resonance in electronic conductors—1704(L)
Dorling, E. B. (see Crooker, A. M.)—846(A)
Dresselhaus, G. (see Dexter, R. N.)—222(L)
Dugdale, J. S. and D. K. C. MacDonald. Vibrational anharmonicity and lattice thermal properties—57
DuMond, J. W. M. (see Murray, J. J.)—858(A)
Dunlap, W. C., Jr. Properties of Zn-, Cu-, and Pt-doped Ge—40
——, **H. V. Bohm, and H. P. Mahon, Jr.** Diffusion of impurities in Si—822(A)
Dunn, Eldon L. and Howard R. Kelly. Displacement effect of three-dimensional boundary layer of moderate thickness—847(A)

Ebert, Theodore E. (see Angello, Stephen J.)—221(L)
Eby, F. S. Angular distribution of protons from (d,p) reactions on Be^9, N^{14}, and Zn^{68}—1355
—— **and W. K. Jentschke.** Fluorescent response of NaI(Tl) to nuclear radiations—911
Ehrman, J. B. (see Breit, G.)—805(L); 807(L)
Eichelberger, J. F., K. C. Jordan, S. R. Orr, and J. R. Parks. Calorimetric determination of half-life of Po^{210}—719
Eilenberg, S. L. (see Orear, Jay)—174
Eisele, J. A. and F. Keffer. Effects of anisotropy on thermodynamic properties of antiferromagnets—929
Eisenberg, Y. Interaction of heavy primary cosmic rays in Pb—1378
—— Possible existence of new hyperon—541(L)
Eisinger, J. T. (see Cook, C. F.)—658
Elliott, J. P. and A. M. Lane. Evidence for two-body spin-orbit forces in nuclei—1160(L)
Elliott, R. J. Effect of spin-orbit coupling on magnetic resonance in some semiconductors—266
—— Spin-orbit coupling in band theory—character tables for some 'double' space groups—280
Elvey, C. T. Morphology of auroral displays in Alaska—860 (T)
Elwyn, A. (see Bretscher, M. M.)—103
Engelbrecht, A. (see Javan, Ali)—649
Erdman, K. L., J. B. Warren, D. B. James, and T. Alexander. γ rays from Li^6+p—858(A)
—— (see Warren, J. B.)—857(A)
Etzel, H. W. and F. E. Geiger, Jr. K band in additively colored KCl—225(L)
Evans, G. E. (see Stier, P. M.)—973
Evans, J. E. Contour diagrams of thermal neutron absorption cross sections—849(A)
—— (see Joki, E. G.)—849(A)

Facchini, Ugo (see Colli, Laura)—1
Fafarman, A. and M. H. Shamos. Low-energy differential range spectrum of cosmic-ray μ mesons—1096
Fairbank, W. M., W. B. Ard, and G. K. Walters. Fermi-Dirac degeneracy in liquid He^3 below 1°K—846(A)
Famularo, K. F. (see Brown, R. J. S.)—80
—— (see Simmons, B. E.)—826(A)

—— (see Stratton, T. F.)—825(A)
Fan, C. Y. Excitation of air glow by electronic impact—860(A)
Fano, U. Note on the quantum theory of irreversible processes—869
Farmer, Donald J. and J. F. Streib. One-quantum annihilation of positrons—855(A)
—— (see Kochendorfer, D. B.)—855(A)
Farney, G. K. (see Givin, H. H.)—1337
Farvis, W. E. J. (see Pringle, D. H.)—536(L)
Faust, W. R. (see Scherrer, V. E.)—386
Fechter, H. R. (see Tautfest, G. W.)—35
Feiner, F. (see Ashkin, J.)—1104
Feld, B. T., A. Julian, A. C. Odian, L. S. Osborne and A. Wattenberg. Search for the production of μ-meson pairs by a 345-Mev synchrotron beam—1386
Feldman, Charles. Thin films of $BaTiO_3$—819(A)
Ferrari, F. and C. Villi. Non-uniform charge distributions and μ-meson capture—1159(L)
Feshbach, H., C. E. Porter, and V. F. Weisskopf. Model for nuclear reactions with neutrons—448
Field, L. M. Post-war developments in amplifiers involving energy-exchange processes between electron beams and microwave electric fields—823(T)
Fields, P. R. (see Magnusson, L. B.)—1576
Fields, R. E. (see Adair, R. K.)—503
Fields, T. H., J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton. Reaction $p+p\rightarrow\pi^+ +d$ with polarized protons—812(L)
Fine, M. E. and N. T. Kenney. Low-temperature acoustic relaxation in Ni—Fe ferrites—1487
Fink, Richard W. and Edwin O. Wiig. Reactions of Cs with protons at 40, 80, 100, 150, and 240 Mev—185
Finston, H. L. and W. Bernstein. Decay scheme of I^{122}—71
Fischer, Gerhard E. Scattering of 10-Mev protons on carbon and magnesium—704
Fischer, Vera Kistiakowsky. Decay of Pm^{150}—1549
Fisher, L. H. Mechanism of electric spark—860(T)
Fiske, Milan D. Effects of elastic dilatation and shear on superconducting transition of Sn—821(A)
—— (see Schmitt, R. W.)—1445(L)
Fleming, John R. and J. J. Lord. Grain density and ionization loss in nuclear track emulsions—852(A)
—— (see Hoard, R. F.)—854(A)
Fletcher, R. C., W. L. Brown, and K. A. Wright. Absence of bombardment annealing in electron bombardment of Ge—833(A)
—— (see Brown, W. L.)—834(A)
—— (see Shulman, R. G.)—833(A)
Foglesong, G. M. and D. G. Foxwell. Magnetic analysis of $Co^{59}(d,p)Co^{60}$ reaction—1001
Foley, H. M. (see Sessler, A. M.)—366
Foote, Jr., H. L. (see Sailor, V. L.)—1014
Forman, R. Measurement and theoretical study of conductivity and Hall effect in oxide cathodes—839(A); 1479
Forster, H. H. and A. Oswald. β spectrum of C^{14}—1030
Fowler, C. M. (see Keshishian, V.)—1050
Fowler, W. A. (see Barnes, C. A.)—851(A)
—— (see Christy, R. F.)—851(A)
—— (see Peterson, R. W.)—1250
—— (see Webb, T. S.)—851(A)
Fox, David and Otto Schnepp. Exciton bands in crystalline benzene—1196
Fox, J. G. (see Fields, T. H.)—812(L)
Fox, R. E. (see Hickam, W. M.)—63
Foxwell, D. G. (see Foglesong, G. M.)—1001
Fraser, J. S. (see Milton, J. C. D.)—1508
Frederikse, H. P. R. (see Blunt, R. F.)—576; 578
—— (see Breckenridge, R. G.)—571
Freemantle, R. G., D. J. Prowse, A. Hossain, and J. Rotblat. Scattering of 9.5-Mev protons by Ne and A—1270
——, **D. J. Prowse, and J. Rotblat.** Scattering of 9.5-Mev protons by N—1268
Freier, Phyllis. High-energy nuclear and electromagnetic interactions—834(T)
—— (see Danielson, R. E.)—829(A)
—— (see Naugle, J. E.)—829(A)
—— (see Ney, E. P.)—829(A)
Freiling, E. C., L. R. Bunney, and N. E. Ballou. Identification of Gd and Tb radioisotopes as fission products of U^{235}—102
Freistadt, Hans. Classical field theory in Hamilton-Jacobi formalism—821(A)
Frenkiel, F. N. Turbulence and atmospheric pollution—857(T)
Fretter, W. B. Identification of heavy mesons—848(T)
—— **and E. W. Friesen.** Cascade decay of negative hyperon—853(A)
Friedlander, G. (see Wolfgang, R. L.)—190
Friedman, A. M. (see Magnusson, L. B.)—1576
Friedman, H. (see Byram, E. T.)—860(A)
Friesen, E. W. (see Fretter, W. B.)—853(A)
Fry, W. F. and M. S. Swami. Energetic disintegration of heavy nuclear fragment—809(L)
—— **and M. S. Swami.** K mesons and charged hyperon produced by 3-Bev protons in emulsions—235(L)
Fuller, C. S., J. A. Ditzenberger, N. B. Hannay, and E. Buehler. Resistivity changes in Si induced by heat treatment—833(A)
—— **and J. C. Severiens.** Mobility of impurity ions in Ge and Si—21
Fuller, Everett G. Photodisintegration of He—1306
Furlong, L. R. Low-temperature luminescence of CdS—1714(E)
Furst, Milton and Hartmut Kallmann. Excitation energy and energy transfer by collision in fluorescent solutions—902

Gallagher, C. J. and A. G. Tweet. Plastic deformation of Au-doped Ge—834(A)
Galonsky, A. and M. T. McEllistrem. Energy levels of Li^6—826(A)
Galt, John K. Motion of individual ferromagnetic domain walls—857(T)
Garren, A. Coulomb interference effects in p-p scattering—1709(L)
Garstens, M. A., L. S. Singer, and A. H. Ryan. Magnetic resonance absorption of diphenyl-picryl hydrazyl—53
Geballe, Ronald (see Reeves, M. L.)—862(A)
Geballe, T. H. and G. W. Hull. Seebeck effect in single crystal Si—846(A)
—— (see Hull, G. W.)—846(A)
Geiger, F. E., Jr. (see Etzel, H. W.)—225(L)
Gell-Mann, M. and M. L. Goldberger. Scattering of low-energy photons by particles of spin $\frac{1}{2}$—1433
Gerhart, J. B. (see Naumann, R. A.)—1452(L)
Ghosh, S. N., Walter Gordy, and D. G. Hill. Paramagnetic resonance in U salts—36
Gibbons, Martin D. (see Stout, Virgil L.)—819(A)
Giese, Clayton F. and T. L. Collins. Mass doublet measurements using modulated magnetic field—823(A)
Gilbert, W. S. and J. H. Pepper. Some experimental facilities and techniques used at Berkeley 60-in. cyclotron for irradiation effect studies—862(A)
Giles, Peter C. (see Heckman, Harry H.)—858(A)
Gilvarry, J. J. Solution of temperature-perturbed Thomas-Fermi equation—944

—— Thermodynamics of Thomas-Fermi atom at low temperature—934
Givin, H. H., G. K. Farney, T. M. Hahn, and B. D. Kern. Angular distribution of 12- and 16-Mev γ rays from proton bombardment of thin B target—1337
Glasser, R. G. Mass measurement by multiple Coulomb scattering on stopped particles—835(A)
—— (see Orear, Jay)—1710(L)
—— (see Schein, Marcel)—829(A)
—— (see Sprague, A. D.)—830(A)
Glazer, H. and H. Reiss. Thomas-Fermi calculation of C—H bond moment in methane—838(A)
Gliessman, J. R. (see Hung, C. S.)—1226
Goble, A. T. (see Cegelski, W. M.)—828(A)
Godfrey, Charles S. Comparison of H^3 and He^3 production in high-energy deuteron-deuteron collisions—1621
—— Production of tritons in high-energy deuteron-deuteron collisions—493
Goldberg, Colman (see Davis, R. E.)—833(A)
Goldberger, M. L. (see Deser, S.)—774
—— (see Gell-Mann, M.)—1433
Goldhaber, M. (see Mihelich, J. W.)—1450(L)
—— (see Reines, F.)—1157(L)
Goldstein, Louis. Theory of liquid He^3—1455
Good, W. M. (see Moak, C. D.)—1363
Goodman, B. Long-life luminescence and diffusion in MgO—824(A)
Goodman, B. B. (see Corak, W. S.)—1442(L)
Gordon, J. P. (see Artman, J. O.)—1237
Gordon, W. L., C. H. Shaw, and J. G. Daunt. X-ray diffraction patterns from liquid He—1444(L)
Gordy, Walter (see Ghosh, S. N.)—36
Gorman, J. G. (see Ashkin, J.)—1104
Gove, H. E., G. A. Bartholomew, E. B. Paul, and A. E. Litherland. Reaction $C^{14}(p,\gamma)N^{15}$ above (p,n) threshold—825(A)
—— (see Bartholomew, G. A.)—1154(L)
—— (see Litherland, A. E.)—825(A)
Grebenkemper, C. J. High-frequency resistance of Sn and In in normal and superconducting state—1197
—— Superconductivity of V at 24 000 Mc/sec—316
Green, David and J. Reginald Richardson. Radiations from some odd-odd N=Z nuclei—858(A)
Green, Louis C., Marjorie M. Mulder, Paul C. Milner, Margaret N. Lewis, John W. Woll, Jr., Eleanor K. Kolchin, and David Mace. Analysis of 3-parameter wave function of Hylleraas for He I ground state in terms of central field wave functions—319
Greenberg, J. Mayo. Comparison of several approximations to scattering of high-energy electrons—820(A)
—— (see Breed, Henry E.)—823(A)
Greenspan, Martin. Experiments on sound propagation in rarefied gases—857(T)
Grimes, D. M. and D. W. Martin. Reversible susceptibility of ferromagnetics—889
Groetzinger, Gerhart, David Kahn, and Philip Schwed. New criterion for superconductivity in metals—887
Gugelot, P. C. Elastic scattering of protons by medium and heavy nuclei—849(T)
—— (see Schrank, G.)—1156(L)
Guldner, W. G. (see Wooten, L. A.)—840(A)
Gupta, Suraj N. Gravitation and electromagnetism—1683
—— Multiple photon production in electron-positron annihilation—1453(L)
Gursky, H. (see Arnold, W. H.)—853(A)

Hack, M. N. Bound states and formal theory of scattering—196; 1714(E)
Haeberli, W. (see Benenson, R. E.)—836(A)
—— (see Darden, S. E.)—836(A)
Hagedorn, F. B. (see Webb, T. S.)—851(A)
Hagstrum, Homer D. Auger ejection of electrons from W by noble gas ions—325
—— Theory of Auger ejection of electrons from metals by ions—336
Hahn, George (see Barkas, Walter H.)—859(A)
Hahn, T. M. (see Givin, H. H.)—1337
—— (see Lafferty, D. L.)—381
Hall, J. G. Transition through contact region—847(A)
Haller, W. and G. L. Calcamuggio. New method for high-precision studies of rate processes—1454(A)
Hamermesh, Bernard (see Recksiedler, Arthur L.)—109
Hamermesh, Morton (see Coester, F.)—1142
Handley, Thomas H. and Elmer L. Olson. Neutron-deficient activities of Pr—1003
Hannam, H. J. Influence of tube structure and tube operating conditions upon flicker noise—837(A)
Hannay, N. B., J. R. Haynes, and R. G. Shulman. Interaction of traps and heat treatments in Si—833(A)
—— (see Fuller, C. S.)—833(A)
—— (see Morin, F. J.)—833(A)
Hanson, Howard G. Quenching of NaI fluorescence by various gases and vapors—832(A)
Harman, T. C. (see Willardson, R. K.)—1512
Harris, D. R. (see Hodson, A. L.)—1089
Harrison, F. B., C. L. Cowan, Jr., and F. Reines. Electron spectrum from μ-meson decay—1159(L)
—— (see Cowan, Jr., C. L.)—1294
Hartsough, Walter (see Cork, Bruce)—859(A); 1267
Hartzler, A. J. (see Siegel, R. T.)—859(A)
Harvey, J. A. (see Carter, R. S.)—113
Haskin, D. M. (see Orear, Jay)—1710(L)
—— (see Schein, Marcel)—829(A)
—— (see Sprague, A. D.)—830(A)
Hawkins, W. B. Alignment of Na atoms—532(L)
Haxby, R. O. (see Matheson, W. E.)—826(A)
—— (see Voss, J. R.)—830(A)
Haynes, J. R. (see Hannay, N. B.)—833(A)
Hays, Earl E. Time-of-flight mass spectrometer—1454(A)
Heald, Mark A. and Robert Beringer. Hfs of N—645
Heckman, Harry H., Peter C. Giles, and Walter H. Barkas. High-energy γ ray studies with nuclear track emulsions—858(A)
Heiberg, S. A. Reaction $B^{11}(n,\alpha)Li^8$—856(A)
—— (see James, D. B.)—856(A)
Heineman, R. E. Electron density distribution near large air shower axes at sea level—161
Helfer, H. L. Finley-Freundlich red-shift hypothesis—224(L)
Hemenway, C. L. (see Baker, T. E., Jr.)—828(A)
—— (see Cegelski, W. M.)—828(A)
Hempstead, C. F. (see Parratt, L. G.)—820(A)
Hemstreet, H. W. (see Reynolds, J. M.)—1203
Henry, I. George (see Peterson, Vincent)—850(A)
Herb, R. G. Recent progress in electrostatic-generator techniques—838(T)
Herbst, Roland F. Nuclear forces and β-decay matrix elements—372
Herman, R. C. (see Mador, I. L.)—617
Herring, Conyers. Theory of thermoelectric power of semiconductors—1163
Hess, W. N. and B. J. Moyer. Production of deuterons in high-energy nuclear bombardment of nuclei—859(A)
Heydenburg, N. P. (see Temmer, G. M.)—426
Hickam, W. M., R. E. Fox, and T. Kjeldaas, Jr. Probability curves near threshold for formation of He^+, Ne^{++}, A^{++}, Kr^{++}, and Xe^{++} by electron impact—63
Hill, D. G. (see Ghosh, S. N.)—36
Hill, F. K. Boundary layer problems in hypersonic flow—852(T)

Hillman, Peter, R. H. Stahl, and N. F. Ramsey. Total cross sections of liquefied gases for high-energy neutrons —115
Hiltner, W. A. Galactic magnetic fields—824(T)
Hinman, G. W. (see Leamer, R. D.)—1607
Hinteregger, Hans E. Photoelectric emission in extreme uv—538(L)
Hintz, Norton M. (see Blair, J. M.)—1023
—— (see Johnston, Lawrence H.)—835(A)
Hird, B., C. H. Collie, J. Butler, and C. Whitehead. γ rays from $C^{13}(p,\gamma)N^{14}$ and $Na^{23}(p,\gamma)Mg^{24}$ reactions—702
Hoard, R. F., J. R. Fleming, and J. J. Lord. Identification of primary cosmic-ray heavy nuclei—854(A)
Hobson, J. P., J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee. Spin, magnetic moment, and hfs of Rb^{81}—1450 (L)
Hoch, Michael, Anthony J. Lamantia, and Herrick L. Johnston. Reaction between BaO and C and BaO and Si —839(A)
Hodson, A. L., J. Ballam, W. H. Arnold, D. R. Harris, R. Ronald Rau, George T. Reynolds, and S. B. Treiman. Cloud-chamber evidence for charged counterpart of θ^0 particle—1089
—— (see Arnold, W. H.)—853(A)
Hoff, R. W. and S. G. Thompson. Orbital electron capture in heaviest elements—1350
Hoffman, D. C. (see Browne, C. I.)—827(A)
Hofstadter, R., R. McAllister, and E. Wiener. Electron scattering in H and He—854(A)
—— (see McIntyre, J. A.)—854(A)
Holladay, W. G. and R. G. Sachs. Neutron-proton mass difference—810(L)
Hollander, J. M. (see Kalkstein, M. I.)—730
Holloway, J. H. (see Daly, R. T., Jr.)—539(L)
Holmgren, H. D. (see Brown, R. J. S.)—80
—— (see Stratton, T. F.)—825(A)
Holstein, T. Optical and infrared volume absorptivity of metals—535(L)
Honig, A. Polarization of As nuclei in Si semiconductor—234(L)
——, **C. H. Townes, M. L. Stitch, and M. Mandel.** Microwave spectra of alkali halides—629
Hornig, A. W., E. T. Jaynes, and H. E. Weaver. Observation of paramagnetic resonances in single crystals of $BaTiO_3$—1703(L)
Horton, G. K. and E. Phibbs. Effect of nuclear charge on internally produced pairs—1066
Horwitz, Nahmin. α-particles in primary cosmic rays—834 (T)
Hoskins, Raymond and George Wiener. Ferromagnetic resonance in Fe-Ni alloys—1153(L)
Hosler, W. R. (see Blunt, R. F.)—576; 578
—— (see Breckenridge, R. G.)—571
Hossain, A. (see Freemantle, R. G.)—1268
Howard, B. T., H. F. Ivey, and W. Lehmann. Voltage dependence of electroluminescent brightness—799(L)
Howell, Erle, Jr. (see Neddermeyer, S. H.)—853(A)
Howland, J. J., Jr. (see Rubinson, William)—1610
Hsieh, Yü-Chang (see Bloch, Ingram)—382; 855(A)
Hubbs, J. C. (see Hobson, J. P.)—1450(L)
Hudson, R. P. (see Ambler, E.)—907
Hudspeth, Emmett L. (see Rickard, James A.)—1272
Hugenholtz, N. M. Variational principle in quantum mechanics—1158(L)
Huggett, R. W. (see Kim, Y. B.)—229(L)
Hughes, D. J. (see Carter, R. S.)—113
Huizenga, J. R. and C. M. Stevens. New long-lived isotopes of Pb—548(L)
—— (see Magnusson, L. B.)—1576
—— (see Studier, M. H.)—545(L)
Hull, G. W. and T. H. Geballe. Thermal conductivity of single crystalline Si—846(A)
—— (see Geballe, T. H.)—846(A)
Hull, M. H., Jr. and A. M. Saperstein. Formula for polarization in p-p scattering for P and F waves—806(L)
—— (see Breit, G.)—807(L)
—— (see Daitch, P. B.)—1449(L)
Hung, C. S. and J. R. Gliessman. Resistivity and Hall effect of Ge at low temperatures—1226
Hunt, D. J. (see Charles, G. W.)—838(A)
Hurst, G. S. (see Melton, C. E.)—643
Hutchison, Dwight A. Natural abundance of Li isotopes—1018
Hyde, Earl K. (see Mathur, Hirdaya B.)—126
Hyman, Morton A. Correlation function in Burgers' model of turbulence—821(A)

Ivey, H. F. (see Howard, B. T.)—799(L)

Jackson, J. L. and M. C. Yovits. Properties of quantum statistical impedance—15
Jacobsohn, Boris A. Nuclear fine structure in the μ-mesonic atom—1637
—— (see Chang, C. H.)—856(A)
Jahn, H. A. Direct evaluation of fractional parentage coefficients using Young operators. General theory and $\langle 4|2,2\rangle$ coefficients—989
James, D. B., W. Kubelka, and S. A. Heiberg. Pulse amplitude distribution in BF_3 counter irradiated with 4.87-Mev neutrons—856(A)
—— (see Erdman, K. L.)—858(A)
—— (see Warren, J. B.)—857(A)
Jarvis, R. G. (see Craig, D. S.)—825(A)
Jauch, J. M. S-operator in quantum electrodynamics—830 (T)
Javan, Ali and A. Engelbrecht. Microwave absorption spectra of MnO_3F and ReO_3Cl—649
Jaynes, E. T. (see Hornig, A. W.)—1703(L)
Jen, C. K. and N. W. Lord. Color-center magnetic resonances in LiF—1150(L)
Jenny, Dietrich A. and Richard H. Bube. Semiconducting CdTe—1190
Jensen, Harald C. and Robert J. Cashman. Distribution of trapping levels in CdSe—798(L)
Jentschke, W. K., A. C. Juveland, and G. H. Kinsey. α-emitting isomer Po^{211}—231(L)
—— (see Eby, F. S.)—911
—— (see Zimmerman, E. J.)—1322
Jeppson, M. R. (see Andrew, A.)—843(A)
Johansson, Sven A. E. Decay of UX_1, UX_2, and UZ—1075
Johns, M. W. and S. V. Nablo. Disintegration of Ir^{189} and Ir^{194}—1599
Johnson, C. H., H. B. Willard, and J. K. Bair. Total cross section of Li^6 for neutrons—985
Johnson, C. M. P. (see Jones, G. A.)—547(L)
Johnson, Kenneth A. Nucleon-antinucleon scattering and vacuum polarization—1659
Johnston, Herrick L. (see Hoch, Michael)—839(A)
Johnston, Lawrence H., Norton M. Hintz, and Harry J. Schulte. Measurement of phase noise in pre-excited oscillator system—835(A)
—— (see Tucker, Edmund B.)—835(A)
Joki, E. G. and J. E. Evans. Hf and Zr total cross-section measurements—849(A)
Jones, G. A., W. R. Phillips, C. M. P. Johnson, and D. H. Wilkinson. Some properties of nuclei of mass 19—547 (L)
Jordan, K. C. (see Eichelberger, J. F.)—719
Jordan, W. C., S. B. Burson, and J. M. LeBlanc. Decay of $_{22}Ti^{51}$ (5.8 min)—1582

—— (see Burson, S. B.)—1555
Jorgensen, Theodore, Jr. Comparison of proton energy loss by integral and differential experiments—835(A)
Joshi, M. C. and B. V. Thosar. γ-ray energies in decay of Cs^{134}—1022
Jossem, E. L. and L. G. Parratt. Electron energy levels in ionic crystals—834(A)
Julian, A. (see Feld, B. T.)—1386
Jung, J. J. and C. K. Bockelman. Energy levels of Be^{10}—1353
Juveland, A. C. (see Jentschke, W.)—231(L)

Kahn, David (see Groetzinger, Gerhart)—887
Kalkstein, M. I. and J. M. Hollander. New chain Ba^{128}—Cs^{128}—730
Kallmann, Hartmut (see Furst, Milton)—902
Kambe, K. and J. H. Van Vleck. g factors of ^3P terms of atomic O—845(A)
—— **and J. H. Van Vleck.** Improved theory of Zeeman effect of atomic O—66
Kanal, L. (see Clark, K. C.)—860(A)
Kane, J. A. (see Fields, T. H.)—812(L)
Kaplan, J. (see Brook, M.)—1540
Kaplan, Jerome I. Rf-induced transitions of nuclear spins at electronic resonance frequency—238(L)
Kaplon, M. F., J. H. Noon, and G. W. Racette. Abundance of Li, Be, and B in primary cosmic radiation—1408
Keck, J. C., A. V. Tollestrup, and W. R. Smythe, II. High-energy photodisintegration of deuteron—850(A)
—— (see Tollestrup, A. V.)—850(A)
Keepin, G. R. (see Koontz, P. G.)—862(A)
Keesom, P. H. and N. Pearlman. Atomic heat of Bi between 1° and 4°K—897
Keffer, Frederic. Relaxation processes in ferromagnetic resonance—857(T)
—— (see Eisele, J. A.)—929
Keister, Glenn L. Internal conversion coefficients in decay of Mn^{52}, Co^{60}, and Sc^{46}—855(A)
Keller, Joseph B. Electrohydrodynamics. I. Equilibrium of charged gas in container—843(A)
Kelly, Howard R. Incompressible laminar boundary layer on spinning cylinder at small angles of attack—847(A)
—— (see Dunn, Eldon L.)—847(A)
Kenney, N. T. (see Fine, M. E.)—1487
Kerman, R. O. (see Zimmerman, E. J.)—1322
Kern, B. D. (see Givin, H. H.)—1337
Kerr, Eugene C. Orthobaric densities of He^3, 1.3°K to 3.2°K—551
Keshishian, V., H. W. Kruse, R. J. Klotz, and C. M. Fowler. Energy levels in $_{66}Dy^{160}$—1050
Kikuchi, Ryoichi. λ Transition of liquid He—563
Kim, Y. B., J. R. Burwell, R. W. Huggett, and R. W. Thompson. Magnetic cloud chamber study of V^s events—229(L)
King, D. T., W. Wada, and M. M. Block. Direct creation of electron pairs by electrons of great energy. I. Experimental observations—852(A)
—— (see Block, M. M.)—853(A); 1627
—— (see Wada, W.)—852(A)
Kinoshita, Toichiro. Families of spinor fields—199
Kinsey, G. H. (see Jentschke, W.)—231(L)
Kip, A. F. (see Dexter, R. N.)—222(L)
Kittel, C. and A. H. Mitchell. Theory of donor and acceptor states in Si and Ge—1488
—— (see Ruderman, M. A.)—99
Kjeldaas, T., Jr. (see Hickam, W. M.)—63
Klein, Martin J. and Paul H. E. Meijer. Principle of minimum entropy production—250
Kline, R. M. and D. J. Zaffarano. Decay characteristics of some short-lived nuclides of low atomic number—1620
Klotz, R. J. (see Keshishian, V.)—1050
Knight, W. D. Temperature dependence of nuclear resonance in metals—861(A)
—— (see Cotts, R. M.)—1285
—— (see Teeters, D. R.)—861(A)
Kochendorfer, D. B. and Donald J. Farmer. Decay of Rh^{102}—855(A)
Kofoed-Hansen, O. Neutrino recoil spectrometer. Investigation of A^{37}—1045
Kohman, Truman P. (see Simanton, James R.)—1711(L)
Kohn, W. Interaction of conduction electrons and nuclear magnetic moments in metallic Li—590
—— **and J. M. Luttinger.** Quantum theory of cyclotron resonance in semiconductors—529(L)
—— (see Luttinger, J. M.)—802(L)
Koide, Shoichiro (see Ôno, Kazuo)—38
Kolchin, Eleanor K. (see Green, Louis C.)—319
Koontz, P. G., G. R. Keepin, and J. E. Ashley. ZnS(Ag) phosphor mixtures for neutron detection—862(A)
Koster, G. F. and J. C. Slater. Simplified impurity calculation—1208
Kovacs, Julius S. Final-state interaction in multiple production of mesons in nucleon-nucleon collisions—1454(A)
Krafft, Joseph M. Effect of surface friction on high-speed penetration—822(A)
Krasnow, M. E. (see Lassettre, E. N.)—832(A)
Kreger, W. E. K-capture to positron ratio for Na^{22}—1554
—— **and C. Sharp Cook.** γ radiation from Ce^{144} and Pr^{144}—855(A); 1279
—— **and C. Sharp Cook.** K-capture/positron ratio of Na^{22}—855(A); 1279
—— (see Cook, C. Sharp)—855(A)
Kroll, Norman M. (see Wichmann, Eyvind)—232(L)
Kronheimer, Erwin H. Multi-parameter nuclear wave functions in central-field approximation—1680
Kruger, P. Gerald (see Zimmerman, E. J.)—1322
Krumbein, A. D. (see Wiser, Herbert L.)—831(A)
Krumhansl, J. A., Jr. Elementary processes in semiconductor emitters—839(T)
Kruse, H. W. (see Keshishian, V.)—1050
Kubelka, W. (see James, D. B.)—856(A)
Kunz, W. E. (see Moak, C. D.)—1363
Kuper, A., H. Letaw, Jr., L. Slifkin, E. Sonder, and C. T. Tomizuka. Self-diffusion in Cu—1224
Kurbatov, J. D. (see Sakai, M.)—826(A); 862(A)
Kurşunoğlu, Behram. Tamm-Dancoff methods and nuclear forces—1690

Lafferty, D. L., L. A. Rayburn, and T. M. Hahn. Inelastic neutron scattering in Fe—381
Lagergren, C. Robert. Applications of rapid sweeping to single-focusing mass spectrometer—823(A)
Lamantia, Anthony J. (see Hoch, Michael)—839(A)
Landauer, Joseph K. Elastic moduli of Sn at superconducting transition—296
Landon, H. H. (see Sailor, V. L.)—1014
Landsberg, P. T. Method of transition probabilities in quantum mechanics and quantum statistics—1420
—— (see Ansbacher, F.)—1707(L)
Lane, A. M. (see Elliott, J. P.)—1160(L)
Langer, L. M. (see Plassmann, E. A.)—1593
Lasser, Marvin E. and Henry Levinstein. Optical properties of PbTe—47
Lassettre, E. N., M. E. Krasnow, and S. Silverman. Excitation by electron impact of optically forbidden transition $1^1S \rightarrow 2^1S$ in He—832(A)
Laurie, K. A. (see Warren, J. B.)—857(A)
Lauritsen, C. C. (see Barnes, C. A.)—851(A)
—— (see Peterson, R. W.)—1250
—— (see Webb, T. S.)—851(A)

Lawrence, Samuel C., Jr. Electromagnetic radiations from hydrocarbon flames—860(A)
Lawrence, W. (see Nelson, E. B.)—825(A)
Lax, Benjamin (see Dexter, R. N.)—222(L); 223(L)
Lax, Melvin and Joel L. Lebowitz. Moment singularity analysis of vibration spectra—594
Lazarus, J. P. (see Daitch, P. B.)—1449(L)
Leachman, R. B. and H. W. Schmitt. Fine structure in velocity distributions of slowed fission fragments—1366
Leamer, R. D. and G. W. Hinman. Internal conversion in Ne^{22}—1607
LeBlanc, J. M. (see Burson, S. B.)—1555
—— (see Jordan, W. C.)—1582
Lebowitz, Joel L. (see Lax, Melvin)—594
Leder, L. B. Low-energy-loss interaction of electrons with solids—823(T)
Legvold, Sam (see Rossing, Thomas)—839(A)
Lehmann, W. (see Howard, B. T.)—799(L)
Lehovec, Kurt. Theory of electric breakdown in high-temperature region and its relation to thermionic emission—921
Leies, G. (see Reynolds, D. C.)—533(L)
Leinhardt, T. E. (see Reynolds, J. M.)—1203
Leipuner, L. (see Stearns, M. B.)—804(L)
Letaw, H., Jr. (see Kuper, A.)—1224
Levengood, W. C. Study of moisture condensation patterns on glass and crystalline surfaces—1454(A)
Levine, M. M. (see Cabrera, N.)—1153(L)
Levinstein, Henry (see Bode, Donald E.)—259
—— (see Lasser, Marvin E.)—47
Lewis, Margaret N. (see Green, Louis C.)—319
Li, C. W. and R. Sherr. Inelastic scattering of α particles by Li—389
—— (see Sherr, R.)—1258
Lindemann, W. W. Influence of different activating agents on flicker noise in oxide-coated cathodes—837(A)
Ling, Daniel S., Jr. Expansion of wave packets—216
Linsley, John. Heavy cosmic-ray nuclei—829(A)
Litherland, A. E., E. B. Paul, G. A. Bartholomew, and H. E. Gove. Neutrons from reaction $C^{14}(p,n)N^{14}$—825(A)
—— (see Bartholomew, G. A.)—1154(L)
—— (see Gove, H. E.)—825(A)
Liuima, F. A., A. V. Bushkovitch, and A. G. Rouse. Pressure broadening of OCS in foreign gas mixture—434
Livingston, Ralph (see Zeldes, Henry)—1702(L)
Lofgren, E. J. Preliminary operation of bevatron—838(T)
Logan, R. A. and M. Schwartz. Thermal effects on lifetime of minority carriers in Ge—46
Long, Alton L. (see Simanton, James R.)—1711(L)
Lord, J. J. (see Fleming, John R.)—852(A)
—— (see Hoard, R. F.)—854(A)
—— (see Orear, Jay)—174
Lord, N. W. (see Jen, C. K.)—1150(L)
Low, F. E. Scattering of light of very low frequency by systems of spin $\frac{1}{2}$—1428
Lowen, R. W. Phase-shift analysis of elastic scattering of protons by He^3—826(A)
Lu, D. C. (see Slattery, R. E.)—465
Luttinger, J. M. and W. Kohn. Hyperfine splitting of donor states in Si—802(L)
—— (see Kohn, W.)—529(L)
Luyten, W. J. White dwarfs and degenerate stars—824(T)

MacDonald, D. K. C. (see Dugdale, J. S.)—57
MacDonald, William M., III, and John M. Richardson. Approximate variational principle in quantum statistics—18
Mace, David (see Green, Louis C.)—319
Mador, I. L., R. F. Wallis, M. C. Williams, and R. C. Herman. Production and bleaching of color centers in x-rayed alkali halide crystals—617
Magnusson, L. B., M. H. Studier, P. R. Fields, C. M. Stevens, J. F. Mech, A. M. Friedman, H. Diamond, and J. R. Huizenga. Bk and Cf isotopes produced in neutron irradiation of Pu—1576
Mahon, H. P. (see Dunlap, W. C., Jr.)—822(A)
Maita, J. P. (see Morin, F. J.)—28; 833(A)
Mandel, M. (see Honig, A.)—629
Mann, K. C. Nuclear spectroscopy—857(T)
Manring, Edward R. (see Ting, Yu)—408
Many, A. (see Braun, E. A.)—1505
Mapes, Joe M. (see Allen, William A.)—844(A)
Mapleton, Robert A. Cross-section theorem—415
Mapother, D. E. (see Mould, R. E.)—797(L)
Mara, R. T., G. B. B. M. Sutherland, and H. V. Tyrell. Infrared spectrum of $BaTiO_3$—801(L)
Marburger, R. E. (see Reynolds, D. C.)—533(L)
Marinace, John C. Electrical properties of natural crystals of iron pyrite—593
Marmier, P. E. (see Murray, J. J.)—858(A)
Marshall, J. (see de Carvalho, H. G.)—1081
Marshall, J. F. (see Shatas, R. A.)—1199
Marshall, L. (see de Carvalho, H. G.)—1081
Martin, A. E. (see Swalin, R. A.)—840(A)
Martin, D. W. (see Grimes, D. M.)—889
Mason, W. P. Derivation of magnetostriction and anisotropic energies for hexagonal, tetragonal, and orthorhombic crystals—302
Mather, R. L. (see Andrew, A.)—843(A)
Matheson, W. E., C. R. Carlson, F. S. Mathews, R. O. Haxby, and R. M. Whaley. Cloud-chamber investigation of high-energy photonuclear reactions—826(A)
Mathews, F. S. (see Matheson, W. E.)—826(A)
Mathur, Hirdaya B. and Earl K. Hyde. Spectrometer studies of radiations of some neutron-deficient isotopes of Xe and I—126
Matland, C. G. (see McCoubrey, A. O.)—832(A)
Mawardi, O. K. Turbulent boundary layer noise—857(T)
Maxwell, J. G. (see Silvidi, A. A.)—1454(A)
Maxwell, Louis R. and Stanley J. Pickart. Magnetic and crystalline behavior of certain oxide systems with spinel and perovskite structures—1501
McAllister, R. (see Hofstadter, R.)—854(A)
McClure, G. W. Composition of primary cosmic radiation at $\lambda=10°$N—1391
McCormick, G. H. and B. L. Cohen. Fission and total reaction cross sections for 22-Mev protons on Th^{232}, U^{238}, and U^{235}—722
McCoubrey, A. O. and C. G. Matland. Diffusion of metastable Hg molecules—832(A)
McEllistrem, M. T. (see Galonsky, A.)—826(A)
McIntyre, J. A. and R. Hofstadter. Electron scattering from H, deuterium, and C at 190 Mev—854(A)
McKeown, M. (see Mihelich, J. W.)—1450(L)
McLaughlin, Ralph D. (see Conway, John G.)—541(L)
Mech, J. F. (see Magnusson, L. B.)—1576
Meijer, Paul H. E. (see Klein, Martin J.)—250
Meinel, A. B. Particle-induced laboratory auroral phenomena—860(T)
Melton, C. E., G. S. Hurst, and T. E. Bortner. Ionization produced by 5-Mev α particles in A mixtures—643
Merritt, M. L. and J. R. Banister. Two-fluid flow with application to dust-laden air—848(A)
Merz, W. J. Domains and their formation in $BaTiO_3$ single crystals—819(T)
Meservey, Edward. Neutron-capture cross sections by capture-γ counting—1006
Messel, H. (see Chartres, B. A.)—1651
Meyer, Peter and J. A. Simpson. Changes in amplitude of cosmic-ray 27-day intensity variation with solar activity—1085

Mickelwait, A. B. and H. C. Corben. Vacuum polarization in mesonic atoms—1145
Mihelich, J. W., M. McKeown, and M. Goldhaber. $E3$ isomer in Ir^{191}—1450(L)
Mileikowsky, Curt and Katarina Ahnlund. Proton groups from reaction $O^{18}(d,p)O^{19}$—996
Miller, L. G. (see Smith, G. L.)—849(A)
Miller, William, J. W. Motz, and Carmen Cialella. Thick target bremsstrahlung spectra for 1.00-, 1.25-, and 1.40-Mev electrons—1344
—— (see Motz, J. W.)—544(L)
Mills, R. L. (see Yang, C. N.)—191
Milner, Paul C. (see Green, Louis C.)—319
Milton, J. C. D. and J. S. Fraser. Response of NaI(Tl), KI(Tl), and stilbene to fission fragments—1508
Mitchell, A. H. (see Kittel, C.)—1488
Mitchell, T. P. (see Plesset, M. S.)—848(A)
Mize, J. P., M. E. Bunker, and J. W. Starner. Radiations from Ir^{192m}—444
—— (see Browne, C. I.)—827(A)
Moak, C. D., W. M. Good, and W. E. Kunz. Charged particles from the bombardment of Li^7 by He^3—1363
Moffat, R. D. (see Bittner, J. W.)—374
Moljk, A. and S. C. Curran. β spectra of C^{14} and S^{35}—395
Monchick, Louis and Howard Reiss. Evaporation of small drops at low pressures—839(A)
Moore, George E., L. A. Wooten, and James Morrison. Excess Ba content of emitting oxide-coated cathodes—840(A)
—— (see Allison, H. W.)—840(A)
—— (see Wooten, L. A.)—840(A)
Moore, Richard L. Spins of excited states of some odd-A nuclei according to collective model—858(A)
—— (see Browne, C. I.)—827(A)
Morin, F. J. and J. P. Maita. Electrical properties of Si containing As and B—28
——, **J. P. Maita, R. G. Shulman, and N. B. Hannay.** Impurity levels in Si—833(A)
Morrison, H. L. (see Backman, M. E.)—844(A)
Morrison, James (see Moore, George E.)—840(A)
Moses, H. E. Application of variational principles to scattering problems—519
Motz, J. W. and William Miller. Differential cross-section measurements for 1-Mev bremsstrahlung—544(L)
—— (see Miller, William)—1344
Mould, R. E. and D. E. Mapother. Effect of precipitation hardening on superconducting transition of Al alloy—797(L)
Moyer, B. J. (see Hess, W. N.)—859(A)
—— (see Squire, R. K.)—856(A)
—— (see Waddell, Charles)—858(A)
—— (see Cohen, David)—714
Mulder, Marjorie M. (see Green, Louis C.)—319
Muller, B. H. and Myer Bloom. Nuclear spin lattice relaxation in supercooled menthol—861(A)
Müller, Erwin W. Work functions of W single-crystal planes—837(A)
Murakawa, Kiyoshi. Hfs of spectra of Nd and Gd—1543
Murray, B. (see Sakai, M.)—826(A); 862(A)
Murray, F. J. Order-disorder problem for cubic lattice—822(A)
Murray, J. J., P. Snelgrove, P. E. Marmier, and J. W. M. DuMond. Decay of Ta^{180}—858(A)

Nablo, S. V. (see Johns, M. W.)—1599
Naugle, J. E., P. S. Freier, and E. P. Ney. Example of unstable nuclear fragment being emitted from heavy-meson induced star—829(A)
——, **H. P. Ney, P. S. Freier, and W. B. Cheston.** Interaction of negative heavy meson—1383
—— (see Ney, E. P.)—829(A)
Naugle, J. S. (see Danielson, R. E.)—829(A)
Naumann, Robert A. Identification of Pt^{188}—90
—— **and J. B. Gerhart.** 5.6-second Ir^{191m} following Os^{191} decay—1452(L)
Neddermeyer, S. H. and Erle Howell, Jr. Electromagnetic events of high-energy particles at sea level—853(A)
Nelson, E. B., W. Lawrence, and R. R. Carlson. γ rays from proton capture in Li^7 and F^{19}—825(A)
Nergaard, L. S. Experiments bearing on mobile-donor hypothesis in oxide cathodes—839(T)
Neufeld, Jacob. Electron capture and loss by moving ions in dense media—1470
Newman, Roger. Optical studies of injected carriers. III. Infrared absorption in Ge at low temperatures—1188
—— **and W. W. Tyler.** Properties of Ge doped with Fe. II. Photoconductivity—882
Newton, J. O. γ radiation from reactions $Na^{23}+p$—241(L)
Newton, Roger G. Radiative effects in constant field—523
Ney, E. P., John Naugle, and Phyllis Freier. Densitometric measurement of emulsion tracks—829(A)
—— (see Danielson, R. E.)—829(A)
—— (see Naugle, J. E.)—829(A)
Ney, H. P. (see Naugle, J. E.)—1383
Nierenberg, W. A. (see Hobson, J. P.)—1450(L)
Nodvick, John S. and David S. Saxon. Suppression of coherent radiation by electrons in synchrotron—180
Nodwell, R. A. and A. M. Crooker. Spectra of indium—845(A)
Noon, J. H. (see Kaplon, M. F.)—1408
Novey, T. B. α-γ directional correlation measurements with liquid film sources—547(L)
Nussbaum, Allen. Computation of mobility ratio in pure p-type semiconductors—828(A)

Odian, A. C. (see Feld, B. T.)—1386
Okazaki, A., R. L. Becker, and H. H. Barschall. Scattering of polarized neutrons from heavy nuclei—836(A)
Okumura, Koji. Uv absorption in BaO films—1704(L)
Olbert, Stanislaw. Production spectra of cosmic-ray mesons in atmosphere—1400
Olson, Elmer L. (see Handley, Thomas H.)—1003
Ôno, Kazuo, Shoichiro Koide, Hisao Sekiyama, and Hidetaro Abe. Paramagnetic resonance in chromous sulfate pentahydrates—38
Opitz, W. (see Siegel, R. T.)—859(A)
Orear, Jay. Low-energy behavior of phase shifts in pion-proton scattering—176
—— Measurement of Coulomb interference in 113-Mev π^+-p scattering—1417
——, **R. G. Glasser, D. M. Haskin, and Marcel Schein.** High-energy electron pair produced by 113-Mev positive pion—1710(L)
——, **William Slater, J. J. Lord, S. L. Eilenberg, and A. B. Weaver.** Elastic scattering of 26-Mev negative pions by H in emulsion—174
Orr, S. R. (see Eichelberger, J. F.)—719
Osborne, L. S. (see Feld, B. T.)—1386
Osher, J. E. (see Squire, R. K.)—856(A)
Oshinsky, W. (see Breckenridge, R. G.)—571
Oswald, A. (see Forster, H. H.)—1030

Palfrey, T. R. (see Voss, J. R.)—830(A)
Parker, Eugene N. Tensor virial equations—1686
Parks, J. R. (see Eichelberger, J. F.)—719
Parratt, L. G. and C. F. Hempstead. Universal curves for dispersion and scattering of x-rays—820(A)
—— (see Jossem, E. L.)—834(A)
Parzen, G. and T. Wainwright. Relativistic Coulomb scattering of electrons and positrons—188

Paskin, Arthur. Contact electrification effects in metal-metal system. I. General theory—819(A)
Paul, E. B. (see Bartholomew, G. A.)—1154(L)
—— (see Gove, H. E.)—825(A)
—— (see Litherland, A. E.)—825(A)
Paul, Ronald S. γ-ray absorption coefficients at 6.13 Mev —1563
Pearlman, N. (see Keesom, P. H.)—897
Pearson, John and John S. Rinehart. Application of engravement method to study of particle velocity distribution in explosively loaded cylinders—844(A)
Pepper, J. H. (see Gilbert, W. S.)—862(A)
Pepper, T. P. (see Allen, K. W.)—684
Percus, J. K. Quantization of multiple frequency linear systems—1147
Peria, W. T. Optical absorption spectra of stoichiometric single crystals of MgO—824(A)
Perlman, I. (see Stephens, Frank, Jr.)—1568
Peterson, R. W., D. E. Anderson, and W. G. Shepherd. Applications of radioactive tracer techniques to study of thermionic emission of oxide-coated cathodes—840(A)
Peterson, R. W., W. A. Fowler, and C. C. Lauritsen. Fluorine-plus-proton reactions—1250
—— (see Barnes, C. A.)—851(A)
Peterson, Vincent. Photostar production up to 500 Mev—850(A)
—— **and I. George Henry.** Photoproduction of mesons from H near threshold—850(A)
Petrow, Henry G. and Gregory Rocco. Fission yield of Gd^{159} and Tb^{161}—1614
Phelps, A. V. Absorption studies of He metastable molecule —832(A)
Phibbs, E. (see Horton, G. K.)—1066
Philipp, H. R. Photoelectric emission from BaO—827(A)
Phillips, R. J. N. Renormalization of a neutral vector meson interaction—1678
Phillips, Robert H. and Kenneth M. Crowe. Indirect measurement of n-n interaction—484
—— (see Crowe, Kenneth M.)—470
Phillips, W. R. (see Jones, G. A.)—547(L)
Pickart, Stanley J. (see Maxwell, Louis R.)—1501
Pidd, R. W. Determination of nuclear radii by electron scattering—821(T)
Pilcher, V. E. (see Carter, R. S.)—113
Pinnick, H. T. Magnetic susceptibility of residual bisulfate compounds of C—832(A)
Pish, G. (see Charles, G. W.)—838(A)
Plaskett, J. S. (see Cabrera, N.)—1153(L)
Plassmann, E. A. and L. M. Langer. β spectrum of RaE —1594
Plesset, M. S. and T. P. Mitchell. Stability of spherical shape of vapor cavity in liquid—848(A)
Pomerantz, M. A. (see Shatas, R. A.)—1199
Porter, Charles E. Neutron cross sections of light nuclei—836(A)
—— (see Feshbach, H.)—448
Posener, D. W. and M. W. P. Strandberg. Centrifugal distortion in asymmetric top molecules. III. H_2O, D_2O, and HDO—1714(E)
Powell, J. L. (see Barschall, H. H.)—713
Preston, M. A. and J. Shapiro. Calculations on charge independence with repulsive core potentials—813(L)
Pringle, D. H. and W. E. J. Farvis. Electron groups in He negative glow—536(L)
Proctor, W. G. (see Blood, H. L.)—861(A)
Prowse, D. J. (see Freemantle, R. G.)—1268; 1270
Pruett, C. H. and R. G. Wilkinson. Disintegration of Ce^{139}—1340
Quisenberry, K. S., T. T. Scolman, and T. L. Collins. Stabilization of potentials in precision double-focusing mass spectrometer—823(A)
Rabinowitz, Philip (see Abramowitz, Milton)—77
Racette, G. W. (see Kaplon, M. F.)—1408
Ramsey, N. F. Recent cyclotron experiments at Harvard University—838(T)
—— (see Hillman, Peter)—115
—— (see Stahl, R. H.)—1310
Rankin, D. (see Brown, R. J. S.)—80
Rasmussen, V. K., John R. Rees, M. B. Sampson, and N. S. Wall. Search for 15-Mev γ radiation from $N^{14}+d$ and $Be^9+\alpha$—812(L)
Rau, R. Ronald (see Arnold, W. H.)—853(A)
—— (see Hodson, A. L.)—1089
Ravenhall, D. G. and D. R. Yennie. Results of phase shift calculation of high-energy electron scattering—239(L); 1714(E)
Rayburn, L. A. (see Lafferty, D. L.)—381
Recksiedler, Arthur L. and Bernard Hamermesh. Two-step cascades in Cl^{36} and Cd^{114} neutron-capture γ-ray spectra—109
Reddie, J. S. (see Roesch, W. C.)—854(A)
Redington, R. W. (see Damon, R. W.)—1498
Rees, John R. (see Rasmussen, V. K.)—812(L)
Reeves, M. L. and Ronald Geballe. De prebreakdown currents in gases of high dielectric strength—862(A)
Reid, A. T. Age-dependent branching stochastic processes in cascade theory—751
Reines, F., C. L. Cowan, Jr., and M. Goldhaber. Conservation of number of nucleons—1157(L)
—— (see Cowan, C. L., Jr.)—1294
—— (see Harrison, F. B.)—1159(L)
Reinitz, K. (see Cegelski, W. M.)—828(A)
Reiss, Howard (see Glazer, H.)—838(A)
—— (see Saltsburg, Howard)—838(A)
Rexer, E. F. (see Balas, W.)—840(A)
Reynolds, D. C. and S. J. Czyzak. Mechanism for photovoltaic and photoconductivity effects in activated CdS crystals—1705(L)
——, **G. Leies, L. L. Antes, and R. E. Marburger.** Photovoltaic effect in CdS—533(L)
Reynolds, George T. (see Arnold, W. H.)—853(A)
—— (see Hodson, A. L.)—1089
Reynolds, H. L. and A. Zucker. Excitation functions for N-induced nuclear reactions in C—1615
—— **and A. Zucker.** Range of N ions in emulsion—393
—— (see Cohen, B. L.)—1617
Reynolds, J. M., H. W. Hemstreet, T. E. Leinhardt, and D. D. Triantos. Hall effect in Bi—1203
—— **and D. D. Triantos.** Temperature dependence of periodic Hall effect in Bi—822(A)
Rice, O. K. Heat and entropy of mixing of He^3 and He^4 on the basis of the two-fluid theory of He^4—1464
—— Shape of coexistence curve of two-phase systems near critical point—838(A)
—— Statistical mechanics of He II near 1°K—1460
Richardson, John M. (see MacDonald, William M., III) —18
Richardson, J. Reginald (see Green, David)—858(A)
Richter, B. (see Bitter, F.)—1531
Rickard, James A., Emmett L. Hudspeth, and William W. Clendenin. Excitation curve for $C^{14}(d,p)C^{15}$ and properties of C^{15}—1272
Riess, Howard (see Monchick, Louis)—839(A)
Rightmire, Robert A. (see Simanton, James R.)—1711(L)
Rinehart, John S. (see Pearson, John)—844(A)
Rittner, E. S. Use of p-n junctions for solar energy conversion—1708(L)

Roberts, B. W. and C. P. Bean. Large magnetic Kerr rotation in BiMn alloy—1494
Rocco, Gregory (see Petrow, Henry G.)—1614
Roe, G. M. and R. H. Stark. Numerical solution of diffusion equation in cylindrical geometrics—820(A)
Roesch, W. C. and J. S. Reddie. Geiger-Mueller counter tube age characteristics—854(A)
Rohrlich, F. Formal and methodological aspects of present quantum electrodynamics—830(T)
Rojansky, V. (see Baker, T. E., Jr.)—828(A)
—— (see Cegelski, W. M.)—828(A)
Rosen, Philip. Entropy of radiation—555
Rosenfeld, A. H. Production of charged pions from H and C—130; 1714(E)
—— Production of pions in nucleon-nucleon collisions at cyclotron energies—139
Rossing, Thomas and Sam Legvold. Excitation of molecular vibrations in halogen-substituted methanes—839(A)
Rotblat, J. (see Freemantle, R. G.)—1268; 1270
Rouse, A. G. (see Liuima, F. A.)—434
Rowen, J. H. and W. von Aulock. Measurement of complex tensor permeability of ferrites—1151(L)
Royden, Virginia. Measurement of spin and gyromagnetic ratio of C^{13} by collapse of spin-spin splitting—543(L)
Rubinow, S. I. Generalized variational principle for scattering amplitude—218
Rubinson, William and J. J. Howland, Jr. K-electron ejection in the β decay of S^{35}—1610
Ruderman, M. A. and C. Kittel. Indirect exchange coupling of nuclear magnetic moments by conduction electrons —99
Rudnick, I. Attenuation of very high amplitude sound waves —857(T)
Rushworth, F. A. (see Cegelski, W. M.)—828(A)
Ryan, A. H. (see Garstens, M. A.)—53

Sachs, R. G. (see Capps, R. H.)—540(L)
—— (see Holladay, W. G.)—810(L)
Sailor, V. L., H. H. Landon, and H. L. Foote, Jr. Neutron resonances in rare earth elements—1014
Sakai, M., B. Murray, and J. D. Kurbatov. Comparative study of γ spectrum of I^{131} with scintillation and thick lens spectrometer—826(A)
——, **B. Murray, and J. D. Kurbatov.** Disintegration of As^{76}—862(A)
Saltsburg, Howard and Howard Reiss. Kinetics of phase transitions for systems undergoing association: Monomer-dimer equilibrium—838(A)
Sampson, M. B. (see Rasmussen, V. K.)—812(L)
Sands, M., J. G. Teasdale, and R. L. Walker. Photoproduction of charged mesons from deuterium—849(A)
Saperstein, A. M. (see Breit, G.)—807(L)
—— (see Hull, M. H., Jr.)—806(L)
Sarabhai, V., U. D. Desai, and D. Venkatesan. Cycle of world-wide changes in daily variation of meson intensity —469
Satchler, G. R. Angular correlation of three nuclear radiations—1713(E)
Satterthwaite, C. B. (see Corak, W. S.)—1442(L)
Saxon, David S. (see Nodvick, John S.)—180
Scanlon, Wayne W. (see Brebrick, Robert F.)—598
Schaaf, S. A. (see Bell, S.)—848(A)
Schafroth, M. R. Superconductivity of charged boson gas —1149(L)
—— Theory of superconductivity—1442(L)
Schein, Marcel, D. M. Haskin, and R. G. Glasser. Nuclear collisions at extreme relativistic energies—829(A)
—— (see Orear, Jay)—1710(L)
—— (see Sprague, A. D.)—830(A)
Schellenbaum, Ralph and Jay Todd, Jr. Path of triple point for spherical shocks above a rigid plane—848(A)
——(see Todd, Jay, Jr.)—847(A)
Scherrer, V. E., B. A. Allison, and W. R. Faust. γ radiation from interaction of 3.2-Mev neutrons with various materials—386
Schiff, L. I. Nuclear multipole transitions in inelastic electron scattering—765
Schlegel, Richard. Relativistic statistical mechanics of ideal gas—820(A)
Schluter, R. A. Neutral pion-deuteron production in 400-Mev n-p collisions—734
Schmid, L. C. (see Cork, J. M.)—1295
Schmidt, F. H. Investigations with University of Washington cyclotron—849(T)
Schmitt, H. W. (see Leachman, R. B.)—1366
Schmitt, R. W. Electrical resistivity minimum reported in Cu-Zn alloys—1446(L)
—— **and M. D. Fiske.** Electrical resistivity minimum and structural defects in Cu—1445(L)
Schnepp, Otto (see Fox, David)—1196
Schrank, G., P. C. Gugelot, and I. E. Dayton. Direct interaction in $Fe^{56}(p,p')Fe^{56}$—1156(L)
Schulte, Harry J. (see Johnston, Lawrence H.)—835(A)
Schuman, R. P. Production of Nb^{89m} by pile irradiation of Nb—121
Schwartz, Manuel and Paul L. Copeland. Secondary emission by positive ion bombardment—1466
—— (see Logan, R. A.)—46
Schwed, Philip (see Groetzinger, Gerhart)—887
Sclar, N. (see Burstein, E.)—819(A)
Scolman, T. T. (see Quisenberry, K. S.)—823(A)
Seagrave, John D. Elastic and inelastic scattering of 14-Mev neutrons by deuterons—855(A)
Seaton, N. T. Absolute differential range spectrum of low-energy cosmic-ray μ mesons—853(A)
Segrè, E. (see Chamberlain, O.)—807(L)
Sekiyama, Hisao (see Ôno, Kazuo)—38
Sengupta, S. Nuclear electric quadrupole moment of Na^{23} —235(L)
Serin, B. Structure of intermediate state of superconductors —228(L)
Sessler, A. M. Mesonic corrections to quadrupole moment of deuteron—793
—— **and H. M. Foley.** Statistical atom with angular momentum—366
Severiens, J. C. (see Fuller, C. S.)—21
Shamos, M. H. (see Fafarman, A.)—1096
Shapiro, J. (see Preston, M. A.)—813(L)
Sharp, R. A. and R. M. Diamond. New Ti nuclide: Ti^{44} —1713(E)
Shatas, R. A., J. F. Marshall, and M. A. Pomerantz. Emission of energetic secondary electrons produced by 1.3-Mev electron bombardment—1199
Shaw, C. H. (see Gordon, W. L.)—1444(L)
Shaw, Harlan, (see Cohen, David)—714
—— (see Waddell, Charles)—858(A)
Shepherd, W. G. (see Peterson, R. W.)—840(A)
Sherman, F. S. Low density wind tunnel study of shock-wave structure and relaxation phenomena in gases—852 (T)
Sherr, R., C. W. Li, and R. F. Christy. Coulomb excitation of F^{19} by α particles—1258
—— (see Li, C. W.)—389
Sherwood, J. E., T. E. Stephenson, and Seymour Bernstein. Stern-Gerlach experiment on polarized neutrons—1546
Shrader, Ross E. Excitation of ZnO phosphors by low-energy electrons—824(A)

Shull, F. B. and M. M. Bretscher. Angular distributions in (d,p) reactions with Ti^{47} and Ti^{48}—826(A)
—— (see Bretscher, M. M.)—103
Shulman, R. G., W. L. Brown, and R. C. Fletcher. Hole trapping due to lattice defects in Ge—833(A)
—— (see Hannay, N. B.)—833(A)
—— (see Morin, F. J.)—833(A)
Shurman, M. B. (see Benenson, R. E.)—836(A)
Siegel, R. T., A. J. Hartzler, and W. Opitz. Small-angle n-p scattering at 400 Mev—859(A)
Siegert, A. J. F. Theory of condensation—243
Silsbee, H. B. (see Hobson, J. P.)—1450(L)
Silverman, Richard A. and Martin Balser. Statistics of electromagnetic radiation scattered by turbulent medium—560
Silverman, S. (see Lassettre, E. N.)—832(A)
Silvidi, A. A. and J. G. Maxwell. β spectrum of Bi^{210} using diffusion cloud chamber—1454(A)
Simanton, James R., Robert A. Rightmire, Alton L. Long, and Truman P. Kohman. Long-lived radioactive Al^{26}—1711(L)
Simchen, A. E. (see Braun, E. A.)—1505
Simmons, B. E., D. M. Van Patter, K. F. Famularo, and R. V. Stuart. Coulomb excitation of Nd—826(A)
—— (see Van Patter, D. M.)—825(A)
Simpson, J. A. (see Meyer, Peter)—1085
Singer, L. S. (see Garstens, M. A.)—53
Singer, Sidney (see Zimmerman, E. J.)—1322
Sjöstrand, N. G. (see von Dardel, G.)—1245; 1567
Slater, J. C. (see Koster, G. F.)—1208
Slater, William (see Orear, Jay)—174
Slattery, R. E., D. C. Lu, and M. L. Wiedenbeck. Long-lived radioactivity of Eu^{152} and Eu^{154}—465
Slifkin, L. (see Kuper, A.)—1224
—— (see Tomizuka, C. T.)—610
Smith, F. Graham. Galactic and extra-galactic sources of radio waves—824(T)
Smith, G. L. and L. G. Miller. MTR crystal spectrometer data printing system—849(A)
Smith, H. L. (see Browne, C. I.)—827(A)
Smith, Lyle W. Research with cosmotron—838(T)
Smythe, W. R., II (see Keck, J. C.)—850(A)
—— (see Tollestrup, A. V.)—850(A)
Snelgrove, P. (see Murray, J. J.)—858(A)
Snyder, James, N. Determination of α-α scattering phase shifts—1333
Sonder, E. (see Kuper, A.)—1224
Speck, D. R. (see Woodward, E. C.)—529(L)
Sperduto, A., W. W. Buechner, C. K. Bockelman, and C. P. Browne. (d,p) reactions from C, N, and O—1316
Spicer, W. E. Luminescence from NaCl—824(A)
Sprague, A. D., D. M. Haskin, R. G. Glasser, and Marcel Schein. Comparison of proton and meson produced stars of comparable excitation energy—830(A)
Squire, C. F. (see Thompson, J. C.)—287
Squire, R. K., B. J. Moyer, and J. E. Osher. Čerenkov counter for electron detection—856(A)
Stadler, Henry L. Absorption of positive pions by deuterium at 76 and 94 Mev—496
Stahl, R. H. and N. F. Ramsey. n-p scattering at 91 Mev—1310
—— (see Hillman, Peter)—115
Stallwood, R. A. (see Fields, T. H.)—812(L)
Standil, S. Bursts in NaI(Tl) near sea level—777
Stanford, C. P., T. E. Stephenson, and Seymour Bernstein. Neutron spin from magnetic resonance experiment—983
—— (see Allen, R. G.)—1297
Stark, R. H. (see Roe, G. M.)—820(A)
Starner, J. W. (see Browne, C. I.)—827(A)
—— (see Mize, J. P.)—444
Stearns, M. (see Stearns, M. B.)—804(L)
Stearns, M. B., M. Stearns, S. DeBenedetti, and L. Leipuner. Energies of π^--mesonic x-ray K lines—804(L)
Steele, M. C. (see Babiskin, J.)—822(A)
Stein, Robert P. Back diffusion of electrons to plane emitting surface—862(A)
Stelson, P. H. Angular distributions of α-particles from the $Na^{23}(p,\alpha)Ne^{20}$ reaction—1584
Stephens, Frank, Jr., Frank Asaro, and I. Perlman. Low-lying 1−states in even-even nuclei—1568
Stephenson, T. E. (see Allen, R. G.)—1297
—— (see Sherwood, J. E.)—1546
—— (see Stanford, C. P.)—983
Stern, M. O. (see Ashkin, J.)—1104
Sternheimer, R. M. Electronic polarizabilities of ions from the Hartree-Fock wave functions—951
Stevens, C. M. (see Huizenga, J. R.)—548(L)
—— (see Magnusson, L. B.)—1576
Stevens, K. W. H. Electronic-lattice interaction in paramagnetic crystals—857(T)
Stevenson, J. R. Electronic structure of MgO—839(A)
Stewart, R. W. Hot-wire measurements of turbulence in ocean—847(A)
Stier, P. M., C. F. Barnett, and G. E. Evans. Charge states of heavy-ion beams passing through gases—973
Stitch, M. L. (see Honig, A.)—629
Stout, Virgil L. and Martin D. Gibbons. Gettering of vacuum vessel by Ti metal—819(A)
Strandberg, M. W. P. (see Posener, D. W.)—1714(E)
Stratton, T. F., K. F. Famularo, H. D. Holmgren, and R. V. Stuart. Excited state of O^{19}—825(A)
—— (see Brown, R. J. S.)—80
—— (see Van Patter, D. M.)—825(A)
Streib, J. F. (see Farmer, Donald J.)—855(A)
Stuart, R. V. (see Simmons, B. E.)—826(A)
—— (see Stratton, T. F.)—825(A)
Stubbins, Warren Fenton. Beam escape from synchrocyclotrons—856(A)
Studier, M. H. and J. R. Huizenga. Correlation of spontaneous fission half-lives—545(L)
—— (see Magnusson, L. B.)—1576
Stump, Robert and Harry E. Talley. Lifetime of positrons in superconducting Pb and Sn—904
Sturm, W. J. (see Binder, D.)—1519
Sutherland, G. B. B. M. (see Mara, R. T.)—801(L)
Sutton, R. B. (see Fields, T. H.)—812(L)
Suzuki, Tomizo (see Takayama, Kazuo)—531(L)
Swalin, R. A. and A. E. Martin. Solute diffusion in Ni—840(A)
Swami, M. S. (see Fry, W. F.)—235(L); 809(L)
Swan, P. Solution of many-body scattering problems by Fredholm's equation—1144
Swann, W. F. G. Acquirement of cosmic-ray energies by electromagnetic induction in galaxies—240(L)

Taft, E. and L. Apker. Fermi level in amorphous Sb films—1496
—— **and L. Apker.** Fermi level in semiconducting amorphous Sb films—827(A)
Takayama, Kazuo, Tomizo Suzuki, and Tadaichi Yabumoto. Hall effect in positive column—531(L)
Talley, Harry E. (see Stump, Robert)—904
Talmi, I. (see Carlson, B. C.)—436
Tanaka, Katsumi (see Coester, F.)—1142
Tannenwald, P. E. Microwave properties of Mn-ferrite single crystal—846(A)
Tautfest, G. W. and H. R. Fechter. Secondary electron yield from Al by high-energy primary electrons—35

Taylor, J. C. Calculation of potentials from new Tamm-Dancoff equation—1438
Teasdale, J. G. (see Sands, M.)—849(A)
Teeters, D. R. and W. D. Knight. Nuclear magnetic resonance in CuAl alloys—861(A)
Temmer, G. M. and N. P. Heydenburg. Coulomb excitation process in lighter odd-mass nuclei—426
Tessman, Jack R. Magnetic anisotropy at 0°K—1192
Thirion, Jacques, René Cohen, and Ward Whaling. Magnetic analysis of $O^{18}(d,p)O^{19}$ and $N^{15}(d,p)N^{16}$ reactions —850(A)
Thirring, W. (see Deser, S.)—774
Thomas, Virginia G. (see Crowe, R. W.)—10
Thompson, J. C. and C. F. Squire. Magnetization of Sn at superconducting transition—287
Thompson, L. C. γ radiation from deuterons on several light nuclei—369
Thompson, R. W. Recent results on V-particles—848(T)
—— (see Kim, Y. B.)—229(L)
Thompson, S. G. (see Hoff, R. W.)—1350
Thornton, W. A. Light output of luminescent plastics—292
Thosar, B. V. (see Joshi, M. C.)—1022
Timma, D. L. (see Charles, G. W.)—838(A)
Ting, Yu, Edward R. Manring, and Dudley Williams. Zeeman effects in Cl nuclear quadrupole resonance in $NaClO_x$—408
Todd, Jay, Jr., and Ralph Schellenbaum. Shape of shock wave derived from spherical shock wave incident on concave wedge—847(A)
—— (see Schellenbaum, Ralph)—848(A)
Tollestrup, A. V., J. C. Keck, and W. R. Smythe, II. High-energy photodisintegration of deuteron—850(A)
—— (see Keck, J. C.)—850(A)
—— (see Woodbury, H. H.)—1713(E)
Tomizuka, C. T. and L. Slifkin. Diffusion of Cd, In, and Sn in single crystals of Ag—610
—— (see Kuper, A.)—1224
Torrey, H. C. Nuclear spin relaxation by translational diffusion. II. Diffusion in b.c.c. lattice—690
Tove, P. A. (see Tyrén, H.)—773
Townes, C. H. (see Honig, A.)—629
Treiman, S. B. (see Arnold, W. H.)—853(A)
—— (see Hodson, A. L.)—1089
Triantos, D. D. (see Reynolds, J. M.)—822(A); 1203
Tripp, R. (see Chamberlain, O.)—807(L)
Trischka, J. W. and R. Braunstein. Rotational spectra of RbCl by molecular beam electric resonance method—968
Tucker, Edmund B., Lawrence H. Johnston, and Donald E. Young. 200-Mc phase detector—835(A)
Tweet, A. G. Grain-boundary conduction in Au-doped Ge—828(A)
—— (see Gallagher, C. J.)—834(A)
Tyler, W. W. Injection breakdown in Fe-doped Ge diodes —226(L)
—— **and H. H. Woodbury.** Properties of Ge doped with Fe. I. Electrical conductivity—874
—— (see Newman, R.)—882
Tyrell, H. V. (see Mara, R. T.)—801(L)
Tyrén, H. and P. A. Tove. Short-lived radionuclides produced by synchrocyclotron—773

Uehling, Edwin A. Relative contributions of K-shell and other electrons to stopping power of light and heavy elements—861(A)

Vaidya, P. C. Spherically symmetric solutions in nonsymmetrical field theories. II—5
van der Ziel, A. Noise mechanisms in oxide-coated cathodes —837(A)
Van Patter, D. M., B. E. Simmons, T. F. Stratton, and D. M. Zipoy. Angular distribution of $O^{16}(d,p)O^{17}$—825(A)
—— (see Blair, J. M.)—1023
—— (see Simmons, B. E.)—826(A)
Van Vleck, J. H. Some dilemmas in electron spin relaxation —857(T)
—— (see Kambe, K.)—66; 845(A)
Varney, R. N. Drift velocities and mobilities—831(T)
—— (see Beaty, E.)—831(A)
Vasileff, H. D. Thermal ionization of impurities in polar crystals. I. Formal theory—603
Venkatesan, D. (see Sarabhai, V.)—469
Vigier, J. P. (see Bohm, D.)—208
Villi, C. (see Ferrari, F.)—1159(L)
Vineyard, George N. Multiple scattering of neutrons—93
Visscher, William M. Self-energy effects on meson-nucleon scattering according to Tamm-Dancoff method—788
von Aulock, W. (see Rowen, J. H.)—1151(L)
von Dardel, G. and N. G. Sjöstrand. Absorption cross section of B for thermal neutrons—1566
—— **and N. G. Sjöstrand.** Diffusion parameters of thermal neutrons in water—1245
Voss, J. R., T. R. Palfrey, and R. O. Haxby. Coulomb effect on photoproduction of low-energy charged mesons —830(A)

Wada, W., M. M. Block, and D. T. King. Direct creation of electron pairs by electrons of great energy. II. Theoretical considerations—852(A)
—— (see Block, M. M.)—853(A); 1627
—— (see King, D. T.)—852(A)
Waddell, Charles, Harlan Shaw, David Cohen, and B. J. Moyer. 15.2-Mev γ emission from C^{12}—858(A)
—— (see Cohen, David)—714
Wainwright, T. (see Parzen, G.)—188
Wagner, Genevieve D. and Edwin O. Wiig. Reactions of cobalt with protons at 60, 100, 170, and 240 Mev—1100
Walker, R. L. (see Sands, M.)—849(A)
Wall, N. S. Neutron binding energies from (d,p) Q values —664
—— Proton angular distributions from deuteron bombardment of Bi^{209}, Pb^{207}, and Y^{89}—670
—— (see Rasmussen, V. K.)—812(L)
Wallis, R. F. (see Mador, I. L.)—617
Walters, G. K. (see Fairbank, W. M.)—846(A)
Walton, R. B. (see Darden, S. E.)—836(A)
Wannier, Gregory H. Corrected values for charge transfer cross section in noble gases—831(A)
Ward, J. K. Ground-state potential constants of ClO_x—845(A)
Wargo, Peter. Methods of preparing thin film MgO secondary emission surfaces on Ag-Mg alloys—837(A)
Warren, J. B., K. A. Laurie, D. B. James, and K. L. Erdman. γ radiation from proton bombardment of O—857(A)
Warren, J. B. (see Erdman, K. L.)—858(A)
Waterman, H. Nuclear magnetic resonance in kernite—862(A)
Wattenberg, A. (see Feld, B. T.)—1386
Weaver, A. B. (see Orear, Jay)—174
Weaver, H. E. (see Hornig, A. W.)—1703(L)
Webb, T. S., F. B. Hagedorn, W. A. Fowler, and C. C. Lauritsen. Elastic scattering of protons by F^{19}—851(A)
Webber, D. S. Polarized infrared absorption spectrum of gypsum—846(A)
Webeler, R. (see Barile, S.)—673
Weber, J. Vacuum fluctuation noise and dissipation—556
Webster, M. S. (see Baker, T. E., Jr.)—828(A)

Wegener, P. P. Review of experimental methods in hypersonic research—852(T)
Wehner, G. K. Recent results in sputtering by ion bombardment—819(T)
Weigl, John W. Action spectra for photoconductivity of dye films—834(A)
Weisskopf, V. F. (see Feshbach, H.)—448
Weisz, R. S. Magnetic anisotropy constants of ferromagnetic spinels—800(L)
Werman, M. S. (see Baker, T. E., Jr.)—828(A)
Wessel, Walter. Simple interpretation of Wehner's sputtering law—819(A)
West, Harry I., Jr. Low-energy pair production cross sections in scintillators—835(A)
Westervelt, D. R. Reversibility of additive coloring reaction in KCl—844(A)
Wetherill, George W. Variations in isotopic abundances of Ne and A extracted from radioactive minerals—679
Wexler, A. (see Corak, W. S.)—1442(L)
Whaley, R. M. (see Matheson, W. E.)—826(A)
Whaling, Ward (see Thirion, Jacques)—850(A)
White, Robert L. Magnetic interactions in $^2\Sigma$ molecules—845(A)
White, William C. Ablation from ultra-speed pellets—844(A)
Whitehead, C. (see Hird, B.)—702
Whyburn, William M. Oscillation and stability in certain nonlinear systems—843(A)
Wichmann, Eyvind and Norman M. Kroll. Vacuum polarization in strong Coulomb field—232(L)
Wick, G. C. Properties of Bethe-Salpeter wave functions—1124
Widom, B. Virial expansion of ideal Bose-Einstein gas—820(A)
—— Virial series of ideal Bose-Einstein gas—16
Wiedenbeck, M. L. (see Slattery, R. E.)—465
Wiegand, C. (see Chamberlain, O.)—807(L)
Wiener, E. (see Hofstadter, R.)—854(A)
Wiener, George (see Hoskins, Raymond)—1153(L)
Wiig, Edwin O. (see Fink, Richard W.)—185
—— (see Wagner, Genevieve D.)—1100
Wiles, Donald R. and Charles D. Coryell. Fission yield fine structure in mass region 99–106—696
Wilkinson, D. H. (see Jones, G. A.)—547(L)
Wilkinson, R. G. (see Pruett, C. H.)—1340
Willard, H. B. (see Johnson, C. H.)—985
Willardson, R. K., T. C. Harman, and A. C. Beer. Transverse Hall and magnetoresistance effects in p-type Ge—1512
Williams, Dudley (see Ting, Yu)—408
Williams, M. C. (see Mador, I. L.)—617
Wilson, Wesley G. (see Allen, William A.)—844(A)
Winslow, George H. α-decay theory with surface well potential—1032
Winther, A. (see Alder, K.)—237(L)
Wiser, Herbert L. and A. D. Krumbein. Mechanism of termination of Geiger-plateau region—831(A)
Wittke, J. P. and R. H. Dicke. Redetermination of hyperfine splitting in ground state of atomic H—530(L)
Wolfenstein, L. Possible triple scattering experiments—1654
Wolfgang, R. L. and G. Friedlander. Excitation function of $C^{12}(p,pn)C^{11}$ reaction in Bev region—190
Wolfsberg, Max. Orbital electron excitation associated with electron capture in A^{37}—1712(L)
Woll, John W., Jr. (see Green, Louis C.)—319
Woodbury, H. H., A. V. Tollestrup, and R. B. Day. Low-energy γ radiation from bombardment of C by protons—1713(E)
—— (see Tyler, W. W.)—874
Woodward, E. C. and D. R. Speck. Isotope shift in λ4415 Cd II—529(L)
Wooten, L. A., George E. Moore, and W. G. Guldner. Measurement of excess Ba in emitting oxide-coated cathodes—840(A)
—— (see Moore, George E.)—840(A)
Wright, G. T. Scintillation response of phosphors at low particle energies—569
Wright, K. A. (see Brown, W. L.)—834(A)
—— (see Fletcher, R. C.)—833(A)
Wyld, H. W., Jr. Fourth order corrections to meson-nucleon scattering in pseudoscalar meson theory—1661

Yabumoto, Tadaichi (see Takayama, Kazuo)—531(L)
Yamaka, Eiso. Afterglow of MgO single crystals—293
Yang, C. N. Experimental findings at Brookhaven National Laboratory—848(T)
—— **and R. L. Mills.** Conservation of isotopic spin and isotopic gauge invariance—191
Yennie, D. R. (see Ravenhall, D. G.)—239(L); 1714(E)
Yockey, H. P. (see Andrew, A.)—843(A)
York, Carl M., Jr. Čerenkov radiation detector for the selection of slow particles—1635
Young, Donald E. (see Tucker, Edmund B.)—835(A)
Young, J. E. R. (see Bitter, F.)—1531
Yovits, M. C. (see Jackson, J. L.)—15
Ypsilantis, T. (see Chamberlain, O.)—807(L)

Zaffarano, D. J. Nuclear radii from β transition-energies between mirror pairs—821(T)
—— (see Kline, R. M.)—1620
Zeldes, Henry and Ralph Livingston. Environmental effect on atomic H hfs in acids—1702(L)
Zener, C. Classical theory of temperature dependence of magnetic anisotropy energy—1335
Zimmerman, E. J., R. O. Kerman, Sidney Singer, P. Gerald Kruger, and W. Jentschke. Proton-proton scattering at 5.77 Mev—1322
Zimmerman, S. F. (see Browne, C. P.)—725
Zipoy, D. M. (see Van Patter, D. M.)—825(A)
Zitter, R. (see Adams, E. N., II)—1705(L)
Zucker, Alexander. Cross-section measurements with 29-Mev N ions—849(T)
—— (see Cohen, B. L.)—1617
—— (see Reynolds, H. L.)—393; 1615
Zumino, B. Evaluation of collision matrix for Dirac particles in external potential—202
Zweifel, P. F. Capture-positron branching ratios—1572

Analytic Subject Index to Volume 96

References with (A) are to abstracts of papers presented at meetings of the American Physical Society; references with (L) are to Letters to the Editor; references with (E) are to Errata. Items are listed under the following categories.

Acoustics
Astrophysics
Atomic and Molecular Beams
Atomic Mass and Abundance
Atomic Structure and Spectra
Biophysics
Chemical Effects and Properties
Constants, Standards, Units
Cosmic Radiation
Crystalline State
Dielectrics and Dielectric Properties
Diffraction
Diffusion
Elasticity and Plasticity
Electrical Conductivity and Resistance
Electrical Discharges
Electrical Properties
Electromagnetic Theory and Electrodynamics
Electrons and Positrons
Elementary Particle Interactions
Errata
Field Theory
Films, Properties
Fluid Dynamics
Gamma Rays
Gases
Geophysics
Helium, Liquid
Imperfections in Solids
Ionization
Ions
Ions and Electrons, Mobility
Liquids
Luminescence
Magnetic Properties
Magnetic Resonance
Mathematical Methods
Mechanics
Mesons and Hyperons
Methods and Instruments
Microwaves
Miscellaneous
Molecular Aggregates
Molecular Structure and Spectra
Neutrino
Noise
Nuclear Fission
Nuclear Moments and Spin
Nuclear Photoeffects
Nuclear Reactions, General
Nuclear Reactions Induced by α Particles and He^3
Nuclear Reactions Induced by Deuterons and Tritons
Nuclear Reactions Induced by Mesons
Nuclear Reactions Induced by Neutrons
Nuclear Reactions Induced by Protons
Nuclear Spectra
Nuclear Structure Theory
Optical Properties
Proceedings of the American Physical Society
Quantum Electrodynamics
Quantum Mechanics
Radiation
Radioactivity
Range and Energy Loss of Particles
Relativity and Gravitation
Scattering, General
Scattering of α Particles
Scattering of Deuterons
Scattering of Electrons and Positrons
Scattering of Mesons
Scattering of Neutrons
Scattering of Protons
Semiconductors
Spectra, General
Statistical Mechanics and Thermodynamics
Superconductivity
Thermal Properties
X-Rays

Absorption of Radiation (see **Radiation**)
Acoustics
Adsorption (see **Gases**)
Aerodynamics (see **Fluid Dynamics**)
Afterglow (see **Electrical Discharges**)
Alloys (see **Crystalline State**)
Annihilation (see **Electrons and Positrons**)
Antiferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Antiferromagnetism (see **Magnetic Properties**)
Arcs (see **Electrical Discharges**)
Astrophysics
Acquirement of cosmic-ray energies by electromagnetic induction in galaxies, W. F. G. Swann—240(L)
Anisotropy of high-energy cosmic rays, Leverett Davis, Jr.—743
Finley-Freundlich red-shift hypothesis, H. L. Helfer—224(L)
Model of solar proton streams, Willard H. Bennett—824(A)
Sidereal time variations in cosmic-ray intensities produced by Fermi's acceleration mechanism, Leverett Davis, Jr.—853(A)
Solar x-ray emission, E. T. Byram, T. A. Chubb, and H. Friedman—860(A)
Atmosphere (see **Geophysics**)
Atomic and Molecular Beams
Rb^{81} spin, magnetic moment, and hfs, J. P. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—1450(L)
Rotational spectra of RbCl by molecular beam electric resonance method, J. W. Trischka and R. Braunstein—968
Stern-Gerlach experiment on polarized neutrons, J. E. Sherwood, T. E. Stephenson, and Seymour Bernstein—1546
Atomic Mass and Abundance
Applications of rapid sweeping to single-focusing mass spectrometer, C. Robert Lagergren—823(A)
Mass doublet measurements using modulated magnetic field, Clayton F. Giese—823(A)
Microwave spectra of alkali halides, A. Honig, C. H. Townes, M. L. Stitch, and M. Mandel—629
Natural abundance of Li isotopes, Dwight A. Hutchison—1018
Stabilization of potentials in precision double-focusing mass spectrometer, K. S. Quisenberry, T. T. Scolman, and T. L. Collins—823(A)
Variations in isotopic abundances on Ne and A extracted from radioactive minerals, George W. Wetherill—679
Atomic Structure and Spectra
Analysis of 3-parameter wave function of Hylleraas for He I ground state in terms of central field wave functions, Louis C. Green, Marjorie M. Mulder, Paul C. Milner, Margaret N. Lewis, John W. Woll, Jr., Eleanor K. Kolchin, and David Mace—319
As spectra, R. E. Bedford and A. M. Crooker—845(A)
Direct quantitative observation of three-photon annihilation of positron-negatron pair, J. K. Basson—691
Electronic polarizabilities of ions from the Hartree-Fock wave functions, R. M. Sternheimer—951
Energies of π^--mesonic x-ray K lines, M. B. Stearns, M. Stearns, S. DeBenedetti, and L. Leipuner—804(L)
Energy level displacements in pi-mesonic atoms, S. Deser, M. L. Goldberger, K. Baumann, and W. Thirring—774
Environmental effect on atomic H hfs in acids, Henry Zeldes and Ralph Livingston—1702(L)

Excitation by electron impact of optically forbidden transition $1^1S \rightarrow 2^1S$ in He, E. N. Lassettre, M. E. Krasnow, and S. Silverman—832(A)
g factors of ^3P terms of atomic oxygen, K. Kambe and J. H. Van Vleck—845(A)
Hf I isotope shift, J. A. Collinson—949
Hfs of nitrogen, Mark A. Heald and Robert Beringer—645
Hyperfine splitting in ground state of atomic hydrogen, J. P. Wittke and R. H. Dicke—530(L)
Improved theory of Zeeman effect of atomic oxygen, K. Kambe and J. H. Van Vleck—66
Indium spectra, R. A. Nodwell and A. M. Crooker—845(A)
Isotope shift in λ4415 Cd II, E. C. Woodward and D. R. Speck—529(L)
Nd and Gd hfs, Kiyoshi Murakawa—1543
Np^{239} nuclear spin, John G. Conway and Ralph D. McLaughlin—541(L)
Nuclear fine structure in μ-mesonic atom, Boris A. Jacobsohn—1637
Nuclear magnetic octupole moments of stable Ga isotopes, R. T. Daly, Jr., and J. H. Holloway—539(L)
Optical studies of radioactive Hg, F. Bitter, S. P. Davis, B. Richter, and F. E. R. Young—1531
Po spectrum, G. W. Charles, D. J. Hunt, G. Pish, and D. L. Timma—838(A)
Solution of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry—944
Statistical atom with angular momentum, A. M. Sessler and H. M. Foley—366
Thermodynamics of Thomas-Fermi atom at low temperature, J. J. Gilvarry—934
Vacuum polarization in mesonic atoms, A. B. Mickelwait and H. C. Corben—1145

Aurora (see **Astrophysics; Geophysics**)

Barkhausen Effect (see **Magnetic Properties**)
Biophysics
Boson Theory (see **Field Theory**)
Bremsstrahlung (see **Radiation**)
Broadening of Spectral Lines (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Spectra, General**)

Capture Cross Sections (see **Electrons and Positrons; Nuclear Reactions; Radiation**)
Čerenkov Effect (see **Radiation**)
Chemical Effects and Properties
Method for high precision studies of rate processes, W. Haller and G. L. Calcamuggio—1454(A)
Reaction between BaO and C and BaO and Si, Michael Hoch, Anthony J. Lamantia, and Herrick L. Johnston—839(A)
Chemical Reactions (see **Chemical Effects and Properties**)
Chemiluminescence (see **Luminescence**)
Cold Emission (see **Electrical Properties**)
Colloids (see **Chemical Effects and Properties; Molecular Aggregates**)
Compton Effect (see **Radiation**)
Conductivity, Electrical (see **Electrical Conductivity and Resistance**)
Conductivity, Thermal (see **Thermal Properties**)
Constants, Standards, Units
Easily reproducible thermal neutron density standard, René Cohen—850(A)
Cosmic Radiation (see also **Mesons and Hyperons**)
Absolute differential range spectrum of low-energy cosmic-ray μ mesons, N. T. Seaton—853(A)
Abundance of Li, Be, and B in primary radiation, M. F. Kaplon, J. H. Noon, and G. W. Racette—1408
Acquirement of cosmic-ray energies by electromagnetic induction in galaxies, W. F. G. Swann—240(L)
Age-dependent branching stochastic processes in cascade theory, A. T. Reid—751
Anisotropy of high-energy cosmic rays, Leverett Davis, Jr.—743
Bursts in NaI(Tl) near sea level, S. Standil—777
Čerenkov radiation detector for the selection of slow particles, Carl M. York, Jr.—1635
Changes in amplitude of 27-day intensity variation with solar activity, Peter Meyer and J. A. Simpson—1085
Composition of primary radiation at λ=10° N, G. W. McClure—1391
Cosmic-ray intensity fluctuations at sea level, Robert L. Chasson—1116
Cosmic-ray studies with Čerenkov detector at λ=10° and 55°, K. A. Anderson—829(A)
Cycle of world-wide changes in daily variation of meson intensity, V. Sarabhai, U. D. Desai, and D. Venkatesan—469
Direct creation of electron pairs by electrons of great energy. I. Experimental observations, D. T. King, W. Wada, and M. M. Block—852(A); II. Theoretical considerations, W. Wada, M. M. Block, and D. T. King—852(A); III. Internal energy distributions, M. M. Block, D. T. King, and W. Wada—853(A)
Electromagnetic events of high-energy particles at sea level, S. H. Neddermeyer and Erle Howell, Jr.—853(A)
Electron density distribution near large air shower axes at sea level, R. E. Heineman—161
Electron tridents between 0.1 and 10 Bev, M. M. Block, D. T. King, and W. W. Wada—1627
Flux and azimuthal asymmetry of primary cosmic-ray nuclei at equator, R. E. Danielson, P. S. Freier, J. S. Naugle, and E. P. Ney—829(A)
Heavy cosmic-ray nuclei, John Linsley—829(A)
Identification of primary cosmic-ray heavy nuclei, R. F. Hoard, J. R. Fleming, and J. J. Lord—854(A)
Influence of geomagnetic field on extensive air showers, P. Chaloupka—1709(L)
Integral equations for cascade showers, John M. Blatt—1644
Interaction of heavy primary cosmic rays in Pb, Y. Eisenberg—1378
Long-term studies of neutron and ionizing cosmic-ray intensities, E. L. Chupp—853(A)
Low-energy differential range spectrum of cosmic-ray μ mesons, A. Fafarman and M. H. Shamos—1096
New formulation of general three-dimensional cascade theory, B. A. Chartres and H. Messel—1651
Nuclear collisions at extreme relativistic energies, Marcel Schein, D. M. Haskin, and R. G. Glasser—829(A)
Production spectra of cosmic-ray mesons in atmosphere, Stanislaw Olbert—1400
Search for departures of cosmic rays from Poisson's law at low counting rates. I, T. E. Baker, Jr., N. C. Blais, C. L. Hemenway, V. Rojansky, M. S. Webster, and M. S. Werman—828(A); II, W. M. Cegelski, A. T. Goble, C. L. Hemenway, K. Reinitz, V. Rojansky, and F. A. Rushworth—828(A)
Sidereal time variations in cosmic-ray intensities produced by Fermi's acceleration mechanism, Leverett Davis, Jr.—853(A)
Studies of penetrating and cascade showers with plastic scintillators at elevation of 11 500 feet, C. N. Chou—830(A)
Unstable cosmic-ray particles observed in double cloud-chamber arrangement, W. H. Arnold, J. Ballam, H. Gursky, A. L. Hodson, R. Ronald Rau, George T. Reynolds, and S. B. Treiman—853(A)

Cosmology (see **Astrophysics; Relativity and Gravitation**)
Critical Potentials (see **Atomic Structure and Spectra; Molecular Structure and Spectra**)
Cross Section (see **Electrons and Positrons; Nuclear Reactions; Radiation; Scattering**)
Crystal Counters (see **Methods and Instruments**)
Crystalline State (see also **Electrical Properties; Imperfections in Solids; Magnetic Properties; Semiconductors; etc.**)
Atomic heat of Bi between 1° and 4°K, P. H. Keesom and N. Pearlman—897
Color centers in chrome alum crystals, E. A. Braun, A. Many, and A. E. Simchen—1505
Derivation of magnetostriction and anisotropic energies for hexagonal, tetragonal, and orthorhombic crystals, W. P. Mason—302
Diffusion of Cd, In, and Sn in single crystals of Ag, C. T. Tomizuka and L. Slifkin—610
Effect of dislocations on optical absorption edge in nonmetals, R. M. Blakney and D. L. Dexter—227(L)
Effect of precipitation hardening on superconducting transition of Al alloy, R. E. Mould and D. E. Mapother—797(L)
Effects of anisotropy on thermodynamic properties of antiferromagnets, J. A. Eisele and F. Keffer—929
Electron energy levels in ionic crystals, E. L. Jossem and L. G. Parratt—834(A)
Energy parameters of two-dimensional graphite, G. S. Colladay—846(A)
Equivalence of x-ray lattice parameter and density changes in neutron-irradiated LiF, D. Binder and W. J. Sturm—1519
Exciton bands in crystalline benzene, David Fox and Otto Schnepp—1196
Fermi level in amorphous Sb films, E. Taft and L. Apker—1496
Hollow dislocations and etch pits, N. Cabrera, M. M. Levine, and J. S. Plaskett—1153(L)
Intensity anomalies in electron diffraction from crystals, Henry E. Breed and J. Mayo Greenberg—823(A)
K band in additively colored KCl, H. W. Etzel and F. E. Geiger, Jr.—225(L)
Magnetic and crystalline behavior of certain oxide systems with spinel and perovskite structures, Louis R. Maxwell and Stanley J. Pickart—1501
Magnetostriction and crystal anisotropy of single crystals of hexagonal Co, R. M. Bozorth—311
Moisture condensation patterns on glass and crystalline surfaces, W. C. Levengood—1454(A)
Moment singularity analysis of vibration spectra, Melvin Lax and Joel L. Lebowitz—594
Optical and infrared absorption of Cu at 4.2°K, Manfred A. Biondi—534(L)
Optical and infrared volume absorptivity of metals, T. Holstein—535(L)
Production and bleaching of color centers in x-rayed alkali halide crystals, I. L. Mador, R. F. Wallis, M. C. Williams, and R. C. Herman—617
Relation between the width of an x-ray line and resolving power of double-crystal spectrometer, Gosta Brogren—589
Reversibility of additive coloring reaction in KCl, D. R. Westervelt—844(A)
Rittinger's number for several minerals, M. E. Backman and H. L. Morrison—844(A)
Shapes of absorption and emission lines of impurities in solids, D. L. Dexter—615
Simplified impurity calculation, G. F. Koster and J. C. Slater—1208
Spin-orbit coupling in band theory-character tables for some 'double' space groups, R. J. Elliott—280
Theory of effect of spin-orbit coupling on magnetic resonance in some semiconductors, R. J. Elliott—266
Thermal ionization of impurities in polar crystals. I. Formal theory, H. D. Vasileff—603
Vibrational anharmonicity and lattice thermal properties, J. S. Dugdale and D. K. C. MacDonald—57

Diamagnetism (see **Magnetic Properties**)
Dielectrics and Dielectric Properties
Dc prebreakdown currents in gases of high dielectric strength, M. L. Reeves and Ronald Geballe—862(A)
Infrared spectrum of $BaTiO_3$, R. T. Mara, G. B. B. M. Sutherland, and H. V. Tyrell—801(L)
Low-frequency dielectric loss peaks in KCl containing divalent cation impurities, E. Burstein, J. W. Davisson, and N. Sclar—819(A)
Thin films of $BaTiO_3$, Charles Feldman—819(A)
Diffraction (see also **Scattering**)
Intensity anomalies in electron diffraction from crystals, Henry E. Breed and J. Mayo Greenberg—823(A)
X-ray diffraction patterns from liquid He, W. L. Gordon, C. H. Shaw, and J. G. Daunt—1444(L)
Diffusion
Back diffusion of electrons to plane emitting surface, Robert P. Stein—862(A)
Diffusion of Cd, In, and Sn in single crystals of Ag, C. T. Tomizuka and L. Slifkin—610
Diffusion of impurities in Si, W. C. Dunlap, Jr., H. V. Bohm, and H. P. Mahon, Jr.—822(A)
Diffusion of metastable Hg molecules, A. O. McCoubrey and C. G. Matland—832(A)
Diffusion of W in Ni, H. W. Allison and George E. Moore—840(A)
Diffusion parameters of thermal neutrons in water, G. von Dardel and N. G. Sjöstrand—1245
Long-life luminescence and diffusion in MgO, B. Goodman—824(A)
Nuclear spin relaxation by translational diffusion. II. Diffusion in b.c.c. lattice, H. C. Torrey—690
Numerical solution of diffusion equation in cylindrical geometrics, G. M. Roe and R. H. Stark—820(A)
Self-diffusion in Cu, A. Kuper, H. Letaw, Jr., L. Slifkin, E. Sonder, and C. T. Tomizuka—1224
Solute diffusion in Ni, R. A. Swalin and A. E. Martin—840(A)
Discharge of Electricity in Gases (see **Electrical Discharges**)
Disintegration and Excitation of Nucleus (see **Nuclear Reactions**)
Dynamics (see **Mechanics**)

Elasticity and Plasticity
Ablation from ultra-speed pellets, William C. White—844(A)
Application of engravement method to study of particle velocity distribution in explosively loaded cylinders, John Pearson and John S. Rinehart—844(A)
Creep of Al under cyclotron irradiation, A. Andrew, M. R. Jeppson, R. L. Mather, and H. P. Yockey—843(A)
Critical angle associated with high-speed impact of sphere on thin plate, William A. Allen, Joe M. Mapes, and Wesley G. Wilson—844(A)
Effects of elastic dilatation and shear on superconducting transition of Sn, Milan D. Fiske—821(A)
Elastic moduli of Sn at superconducting transition, Joseph K. Landauer—296

Low-temperature acoustic relaxation in Ni-Fe ferrites, M. E. Fine and N. T. Kenney—1487
Rittinger's number for several minerals, M. E. Backman and H. L. Morrison—844(A)
Electrical Breakdown (see **Dielectrics and Dielectric Properties; Electrical Discharges**)
Electrical Conductivity and Resistance (see also **Semiconductors; Superconductors**)
Action spectra for photoconductivity of dye films, John W. Weigl—834(A)
Afterglow of MgO single crystals, Eiso Yamaka—293
Conductivity and Hall effect in oxide cathode, R. Forman—839(A)
Dependence of signal-to-noise ratio in photoconductive PbSe layers on temperature of blackbody source, A. M. Crooker, and E. B. Dorling—846(A)
Electrical and optical properties of InSe, R. W. Damon and R. W. Redington—1498
Electrical and optical properties of intermetallic compounds. I. InSb, R. G. Breckenridge, R. F. Blunt, W. R. Hosler, H. P. R. Frederikse, J. H. Becker, and W. Oshinsky—571; II. GaSb, R. F. Blunt, W. R. Hosler, and H. P. R. Frederikse—576; III. AlSb, R. F. Blunt, H. P. R. Frederikse, J. H. Becker, and W. R. Hosler—578
Electrical conductivity and Hall effect in oxide cathodes, R. Forman—1479
Electrical properties and solid-vapor equilibrium of PbS, Robert F. Brebrick and Wayne W. Scanlon—598
Electrical properties of natural crystals of iron pyrite, John C. Marinace—593
Electrical resistivity minimum and structural defects in Cu, R. W. Schmitt and M. D. Fiske—1445(L)
Electrical resistivity minimum reported in Cu-Zn alloys, R. W. Schmitt—1446(L)
Hall effect in Bi, J. M. Reynolds, H. W. Hemstreet, T. E. Leinhardt, and D. D. Triantos—1203
Hall effect in positive column, Kazuo Takayama, Tomizo Suzuki, and Tadaichi Yabumoto—531(L)
High-frequency resistance of Sn and In in normal and superconducting state, C. J. Grebenkemper—1197
Mechanism for photovoltaic and photoconductivity effects in activated CdS crystals, D. C. Reynolds and S. J. Czyzak—1705(L)
Properties of quantum statistical impedance, J. L. Jackson and M. C. Yovits—15
Temperature dependence of periodic Hall effect in Bi, J. M. Reynolds and D. D. Triantos—822(A)
Electrical Discharges
Absorption studies of He metastable molecule, A. V. Phelps—832(A)
Corona discharge current from aircraft, Seville Chapman—831(A)
Corrected values for charge transfer cross section in noble gases, Gregory H. Wannier—831(A)
Dc prebreakdown currents in gases of high dielectric strength, M. L. Reeves and Ronald Geballe—862(A)
Diffusion of metastable Hg molecules, A. O. McCoubrey and C. G. Matland—832(A)
Drift velocities of A ions in A at various temperatures, E. Beaty and R. Varney—831(A)
Electron groups in He negative glow, D. H. Pringle and W. E. J. Farvis—536(L)
Excitation of air glow by electronic impact, C. Y. Fan—860(A)
Hall effect in positive column, Kazuo Takayama, Tomizo Suzuki, and Tadaichi Yabumoto—531(L)
Mechanism of termination of Geiger-plateau region, Herbert L. Wiser and A. D. Krumbein—831(A)
Mobilities of various ions in noble gases, Lorne M. Chanin and Manfred A. Biondi—831(A)
Secondary electron emission by photoelectric action and ion bombardment at cathode in corona breakdown of argon, Laura Colli and Ugo Facchini—1
Space-charge formation and Townsend mechanism of spark breakdown in gases, R. W. Crowe, J. K. Bragg, and Virginia G. Thomas—10
Electrical Properties (see also **Dielectrics and Dielectric Properties; Electrical Conductivity and Resistance; Semiconductors; Superconductors**)
Applications of radioactive tracer techniques to study of thermionic emission of oxide-coated cathodes, R. W. Peterson, D. E. Anderson, and W. G. Shepherd—840(A)
Auger ejection of electrons from W by noble gas ions, Homer D. Hagstrum—325
Back diffusion of electrons to plane emitting surface, Robert P. Stein—862(A)
Contact electrification effects in metal-metal system. I. General theory, Arthur Paskin—819(A); II. Results for Hg-steel, Paul E. Carroll—820(A)
Effect of oxygen on electrical properties of PbTe films, Donald E. Bode and Henry Levinstein—259
Electronic polarizabilities of ions from the Hartree-Fock wave functions, R. M. Sternheimer—951
Electronic structure of MgO, J. R. Stevenson—839(A)
Emission of energetic secondary electrons produced by 1.3-Mev electron bombardment, R. A. Shatas, J. F. Marshall, and M. A. Pomerantz—1199
Excess Ba in emitting oxide-coated cathodes, L. A. Wooten, George E. Moore, and W. G. Guldner—840(A); George E. Moore, L. A. Wooten, and James Morrison—840(A)
Inelastic scattering of medium-fast electrons in alkali metals, E. M. Baroody—837(A)
Interpretation of Wehner's sputtering law, Walter Wessel—819(A)
Mechanism for photovoltaic and photoconductivity effects in activated CdS crystals, D. C. Reynolds and S. J. Czyzak—1705(L)
Methods of preparing thin-film MgO secondary emission surfaces on Ag-Mg alloys, Peter Wargo—837(A)
Oxide-impregnated Ni matrix cathode, W. Balas, J. Dempsey, and E. F. Rexer—840(A)
Photoelectric emission from BaO, H. R. Philipp—827(A)
Photoelectric emission in extreme uv, Hans E. Hinteregger—538(L)
Photovoltaic effect in CdS, D. C. Reynolds, G. Leies, L. L. Antes, and R. E. Marburger—533(L)
Reaction between BaO and C and BaO and Si, Michael Hoch, Anthony J. Lamantia, and Herrick L. Johnston—839(A)
Secondary electron yield from Al by high-energy primary electrons, G. W. Tautfest and H. R. Fechter—35
Secondary emission by positive ion bombardment, Manuel Schwartz and Paul L. Copeland—1466
Seebeck effect in single crystal Si, T. H. Geballe and G. W. Hull—846(A)
Theory of Auger ejection of electrons from metals by ions, Homer D. Hagstrum—336
Theory of electric breakdown in high-temperature region and its relation to thermionic emission, Kurt Lehovec—921
Theory of thermoelectric power of semiconductors, Conyers Herring—1163
Work functions of W single-crystal planes, Erwin W. Muller—837(A)
Electrodynamics (see **Electromagnetic Theory and Electrodynamics**)
Electrolysis (see **Chemical Effects and Properties**)

Electromagnetic Theory and Electrodynamics
Gravitation and electromagnetism, Suraj N. Gupta—1683
Radiative effects in constant field, Roger G. Newton—523
Reflection of waves by inhomogeneous medium, V. A. Bailey—865
Suppression of coherent radiation by electrons in synchrotron, John S. Nodvick and David S. Saxon—180
Vacuum fluctuation noise and dissipation, J. Weber—556
Electron Diffraction (see **Diffraction; Scattering of Electrons and Positrons**)
Electron Optics (see **Electromagnetic Theory and Electrodynamics**)
Electronic Tubes (see **Methods and Instruments**)
Electrons and Positrons (see also **Electromagnetic Theory and Electrodynamics; Elementary Particle Interactions; Scattering of Electrons and Positrons**)
Direct creation of electron pairs by electrons of great energy. I. Experimental observations, D. T. King, W. Wada, and M. M. Block—852(A); II. Theoretical considerations, W. Wada, M. M. Block, and D. T. King—852(A); III. Internal energy distributions, M. M. Block, D. T. King, and W. Wada—853(A)
Direct quantitative observation of three-photon annihilation of positron-negatron pair, J. K. Basson—691
Effect of nuclear charge on internally produced pairs, G. K. Horton and E. Phibbs—1066
Electron tridents between 0.1 and 10 Bev, M. M. Block, D. T. King, and W. W. Wada—1627
Lifetime of positrons in superconducting Pb and Sn, Robert Stump and Harry E. Talley—904
Low-energy pair production cross sections in scintillators, Harry I. West, Jr.—835(A)
Multiple photon production in electron-positron annihilation, Suraj N. Gupta—1453(L)
One-quantum annihilation of positrons, Donald J. Farmer and J. F. Streib—855(A)
Electrons, Mobility (see **Ions and Electrons, Mobility**)
Electrons, Scattering of (see **Scattering of Electrons and Positrons**)
Electrons, Secondary (see **Electrical Properties**)
Electrons, Thermionic (see **Electrical Properties**)
Electro-Optical Effects (see **Optical Properties**)
Electrostriction (see **Dielectrics and Dielectric Properties**)
Elementary Particle Interactions
Absorption of positive ions by deuterium at 76 and 94 Mev, Henry L. Stadler—496
Charge independence with repulsive core potentials, M. A. Preston and J. Shapiro—813(L)
Conservation of number of nucleons, F. Reines, C. L. Cowan, Jr., and M. Goldhaber—1157(L)
Coulomb interference effects in p-p scattering, A. Garren—1709(L)
Diffusion parameters of thermal neutrons in water, G. von Dardel and N. G. Sjöstrand—1245
Elastic scattering of 26-Mev negative pions by H in emulsion, Jay Orear, William Slater, J. J. Lord, S. L. Eilenberg, and A. B. Weaver—174
Final-state interaction in multiple production of mesons in nucleon-nucleon collisions, Julius S. Kovacs—1454(A)
Formula for polarization in nucleon-nucleon scattering, G. Breit and J. B. Ehrman—805(L)
Fourth-order corrections to meson-nucleon scattering in pseudoscalar meson theory, H. W. Wyld, Jr.—1661
High-energy photodisintegration of deuteron, J. C. Keck, A. V. Tollestrup, and W. R. Smythe, II—850(A); A. V. Tollestrup, J. C. Keck, and W. R. Smythe, II—850(A)
Indirect measurement of n-n interaction, Robert H. Phillips and Kenneth M. Crowe—484
Low-energy behavior of phase shifts in pion-proton scattering, Jay Orear—176
Meson-proton scattering phase shift analysis, H. A. Bethe and F. de Hoffmann—1714(E)
Mesonic corrections to quadrupole moment of deuteron, A. M. Sessler—793
Multiple photon production in electron-positron annihilation, Suraj N. Gupta—1453(L)
Negative pion mass from its radiative absorption in hydrogen, Kenneth M. Crowe and Robert H. Phillips—470
Neutral pion-deuteron production in 400-Mev n-p collisions, R. A. Schluter—734
n-p scattering at 90 Mev, Chung Ying Chih—856(A)
n-p scattering at 91 Mev, R. H. Stahl and N. F. Ramsey—1310
Nuclear forces and β-decay matrix elements, Roland F. Herbst—372
Nuclear saturation and two-body forces. II. Tensor forces, K. A. Brueckner—508
Nucleon-antinucleon scattering and vacuum polarization, Kenneth A. Johnson—1659
Phase shifts for nucleon-nucleon scattering at 280 Mev, G. Breit, J. B. Ehrman, A. M. Saperstein, and M. H. Hull, Jr.—807(L)
Photoproduction of charged mesons from deuterium, M. Sands, J. G. Teasdale, and R. L. Walker—849(A)
Photoproduction of mesons from H near threshold, Vincent Peterson and I. George Henry—850(A)
Polarization in p-p scattering for P and F waves, M. H. Hull, Jr., and A. M. Saperstein—806(L)
p-p scattering at 5.77 Mev, E. J. Zimmerman, R. O. Kerman, Sidney Singer, Gerald Kruger, and W. Jentschke—1322
Production of charged pions from hydrogen and carbon, A. H. Rosenfeld—130; 1714(E)
Production of pions in nucleon-nucleon collisions at cyclotron energies, A. H. Rosenfeld—139
Radiative capture of 300-Mev neutrons in hydrogen, John DePangher—859(A)
Reaction $p+p\rightarrow\pi^{+}+d$ with polarized protons, T. H. Fields, J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton—812(L)
Self-energy effects on meson-nucleon scattering according to Tamm-Dancoff method, William M. Visscher—788
Small-angle n-p scattering at 400 Mev, R. T. Siegel, A. J. Hartzler, and W. Opitz—859(A)
Tamm-Dancoff methods and nuclear forces, Behram Kurşunoğlu—1690
Total cross sections for negative and positive pions in hydrogen and deuterium, J. Ashkin, J. P. Blaser, F. Feiner, J. G. Gorman, and M. O. Stern—1104
Total cross sections of light elements for 208-Mev and 315-Mev protons, Hervasio G. de Carvalho—398
Elements (see **Atomic Mass and Abundance**)
Energy Loss of Particles (see **Range and Energy Loss**)
Energy States of Atoms (see **Atomic Structure and Spectra**)
Energy States of Molecules (see **Molecular Structure and Spectra**)
Energy States of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Equations of State (see **Chemical Effects and Properties**)
Errata
Angular correlation of three nuclear radiations, G. R. Satchler—1713(E)
Bound states and formal theory of scattering, M. N. Hack—1714(E)
Centrifugal distortion in asymmetric top molecules. III. H_2O, D_2O, and HDO, D. W. Posener and M. W. P. Strandberg—1714(E)

Low-energy γ radiation from bombardment of C by protons, H. H. Woodbury, A. V. Tollestrup, and R. B. Day —1713(E)
Low-temperature luminescence of CdS, L. R. Furlong—1714(E)
Meson-proton scattering phase shift analysis, H. A. Bethe and F. de Hoffmann—1714(E)
Phase shift calculation of high-energy electron scattering, D. G. Ravenhall and D. R. Yennie—1714(E)
Production of charged pions from hydrogen and carbon, A. H. Rosenfeld—1714(E)
Ti", new Ti nuclide, R. A. Sharp and R. M. Diamond—1713(E)
Errors of Measurement (see **Methods and Instruments**)
Evaporation (see **Liquids**)
Excitation of Atoms (see **Atomic Structure and Spectra**)
Excitation of Molecules (see **Molecular Structure and Spectra**)
Excitation of Nucleus (see **Nuclear Reactions; Nuclear Spectra; Nuclear Structure Theory**)
Explosion Phenomena (see **Fluid Dynamics**)

Faraday Effect (see **Optical Properties**)
Ferroelectric Phenomena (see **Dielectrics and Dielectric Properties**)
Ferromagnetism (see **Magnetic Properties**)
Field Emission (see **Electrical Properties**)
Field Theory (see also **Quantum Electrodynamics; Relativity and Gravitation**)
Adiabatic theorems in field theory, S. Deser—843(A)
Calculation of potentials from new Tamm-Dancoff equation, J. C. Taylor—1438
Classical field theory in Hamilton-Jacobi formalism, Hans Freistadt—821(A)
Conservation of isotopic spin and isotopic gauge invariance, C. N. Yang and R. L. Mills—191
Elimination of pair interaction in pseudoscalar meson theory, C. H. Chang and B. A. Jacobsohn—856(A)
Families of spinor fields, Toichiro Kinoshita—199
Fourth-order corrections to meson-nucleon scattering in pseudoscalar meson theory, H. W. Wyld, Jr.—1661
Gravitation and electromagnetism, Suraj N. Gupta—1683
Mach's principle and unified field theory, Joseph Callaway —778
Mesonic corrections to quadrupole moment of deuteron, A. M. Sessler—793
n-p mass difference, W. G. Holladay and R. G. Sachs—810(L)
Nucleon-antinucleon scattering and vacuum polarization, Kenneth A. Johnson—1659
Properties of Bethe-Salpeter wave functions, G. C. Wick —1124
Renormalization of a neutral vector meson interaction, R. J. N. Phillips—1678
Solutions of Bethe-Salpeter equation, R. E. Cutkosky—1135
Spherically symmetric solutions in nonsymmetrical field theories. II, P. C. Vaidya—5
Tamm-Dancoff methods and nuclear forces, Behram Kurşunoğlu—1690
Vacuum polarization in mesonic atoms, A. B. Mickelwait and H. C. Corben—1145
Variational principle in quantum mechanics, N. M. Hugenholtz—1158(L)
Films, Properties
Action spectra for photoconductivity of dye films, John W. Weigl—834(A)
Effect of oxygen on electrical properties of PbTe films, Donald E. Bode and Henry Levinstein—259
Fermi level in amorphous Sb films, E. Taft and L. Apker —1496
Fermi level in semiconducting amorphous Sb films, E. Taft and L. Apker—827(A)
Interpretation of Wehner's sputtering law, Walter Wessel —819(A)
Oxidation of thin films of Ge and Si, W. C. Dash—822(A)
Thin films of $BaTiO_3$, Charles Feldman—819(A)
Uv absorption in BaO films, Koji Okumura—1704(L)
Fine Structure (see **Atomic Structure and Spectra**)
Fission of Nucleus (see **Nuclear Fission**)
Fluctuation Phenomena (see **Noise**)
Fluid Dynamics
Corona discharge current from aircraft, Seville Chapman —831(A)
Correlation function in Burgers' model of turbulence, Morton A. Hyman—821(A)
Displacement effect of three-dimensional boundary layer of moderate thickness, Eldon L. Dunn and Howard R. Kelly—847(A)
Electrohydrodynamics. I. Equilibrium of charged gas in container, Joseph B. Keller—843(A)
Free molecule flow of nonuniform gas, S. Bell and S. A. Schaaf—848(A)
Hot-wire measurements of turbulence in ocean, R. W. Stewart—847(A)
Incompressible laminar boundary layer on spinning cylinder at small angles of attack, Howard R. Kelly—847(A)
Metastable jet-tone states of jets from sharp-edged, circular, pipe-like orifices, A. B. C. Anderson—847(A)
Path of triple point for spherical shocks above a rigid plane, Ralph Schellenbaum and Jay Todd, Jr.—848(A)
Response of pressure gauges to dust-laden shock waves, J. R. Banister and C. D. Broyles—847(A)
Shape of shock wave derived from spherical shock wave incident on concave wedge, Jay Todd, Jr., and Ralph Schellenbaum—847(A)
Stability of spherical shape of vapor cavity in liquid, M. S. Plesset and T. P. Mitchell—848(A)
Statistics of electromagnetic radiation scattered by turbulent medium, Richard A. Silverman and Martin Balser —560
Transition through contact region, J. G. Hall—847(A)
Two-fluid flow with application to dust-laden air, M. L. Merritt and J. R. Banister—848(A)
Fluorescence (see **Luminescence**)
Friction (see **Mechanics**)

Galvanomagnetic Effect (see **Magnetic Properties**)
Gamma Rays (see also **Nuclear Reactions; Nuclear Spectra; Range and Energy Loss**)
γ-ray absorption coefficients at 6.13 Mev, Ronald S. Paul —1563
High-energy γ-ray studies with nuclear track emulsions, Harry H. Heckman, Peter C. Giles, and Walter H. Barkas—858(A)
Scattering of γ rays by nucleons, R. H. Capps and R. G. Sachs—540(L)
Gases
Electrohydrodynamics. I. Equilibrium of charged gas in container, Joseph B. Keller—843(A)
Free molecule flow of nonuniform gas, S. Bell and S. A. Schaaf—848(A)
Geophysics
Excitation of air glow by electronic impact, C. Y. Fan—860(A)
Hot-wire measurements of turbulence in ocean, R. W. Stewart—847(A)

Geophysics (Continued)
Model of solar proton streams, Willard H. Bennett—824(A)
Variations in isotopic abundances of Ne and A extracted from radioactive minerals, George W. Wetherill—679
Glasses (see **Molecular Aggregates**)
Gravitation (see **Relativity and Gravitation**)
Gyromagnetization (see **Magnetic Properties**)

Hall Effect (see **Electrical Conductivity and Resistance; Semiconductors**)
Heat Capacity (see **Thermal Properties**)
Heat Conduction (see **Thermal Properties**)
Heat of Dissociation and Formation (see **Molecular Structure and Spectra**)
Heat of Fusion (see **Thermal Properties**)
Heat of Vaporization (see **Thermal Properties**)
Helium, Liquid
Critical flow rate and zero entropy of He superfluid, William Band—843(A)
Fermi-Dirac degeneracy in liquid He^3 below 1°K, W. M. Fairbank, W. B. Ard, and G. K. Walters—846(A)
Heat and entropy of mixing of He^3 and He^4 on the basis of two-fluid theory of He^4, O. K. Rice—1464
λ transition of liquid He, Ryoichi Kikuchi—563
Orthobaric densities of He^3, 1.3°K to 3.2°K, Eugene C. Kerr—551
Statistical mechanics of He II near 1°K, O. K. Rice—1460
Superfluidity of boson gas, J. M. Blatt and S. T. Butler—1149(L)
Theory of liquid He^3, Louis Goldstein—1455
X-ray diffraction patterns from liquid He, W. L. Gordon, C. H. Shaw, and J. G. Daunt—1444(L)
High-Voltage Tubes and Machines (see **Methods and Instruments**)
Hydrodynamics (see **Fluid Dynamics**)
Hyperfine Structure (see **Atomic Structure and Spectra; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Hyperons (see **Mesons and Hyperons**)

Imperfections in Solids (see also **Crystalline States; Electrical Conductivity and Resistance; Luminescence; Semiconductors**)
Afterglow of MgO single crystals, Eiso Yamaka—293
Color-center magnetic resonances in LiF, C. K. Jen and N. W. Lord—1150(L)
Color centers in chrome alum crystals, E. A. Braun, A. Many, and A. E. Simchen—1505
Creep of Al under cyclotron irradiation, A. Andrew, M. R. Jeppson, R. L. Mather, and H. P. Yockey—843(A)
Distribution of trapping levels in CdSe, Harald C. Jensen and Robert J. Cashman—798(L)
Effect of dislocations on optical absorption edge in nonmetals, R. M. Blakney and D. L. Dexter—227(L)
Effect of precipitation hardening on superconducting transition of Al alloy, R. E. Mould and D. E. Mapother—797(L)
Electrical resistivity minimum and structural defects in Cu, R. W. Schmitt and M. D. Fiske—1445(L)
Electrical resistivity minimum reported in Cu-Zn alloys, R. W. Schmitt—1446(L)
Equivalence of x-ray lattice parameter and density changes in neutron-irradiated LiF, D. Binder and W. J. Sturm—1519
Hollow dislocations and etch pits, N. Cabrera, M. M. Levine, and J. S. Plaskett—1153(L)
K band in additively colored KCl, H. W. Etzel and F. E. Geiger—225(L)
Long-life luminescence and diffusion in MgO, B. Goodman—824(A)
Low-frequency dielectric loss peaks in KCl containing divalent cation impurities, E. Burstein, J. W. Davisson, and N. Sclar—819(A)
Optical absorption spectra of stoichiometric single crystals of MgO, W. T. Peria—824(A)
Production and bleaching of color centers in x-rayed alkali halide crystals, I. L. Mador, R. F. Wallis, M. C. Williams, and R. C. Herman—617
Reversibility of additive coloring reaction in KCl, D. R. Westervelt—844(A)
Uv absorption in BaO films, Koji Okumura—1704(L)
Uv transmission and α bombardment conduction inhomogeneities in diamond, A. J. Ahearn—828(A)
Inelastic Scattering (see **Nuclear Reactions; Scattering**)
Instruments (see **Methods and Instruments**)
Internal Conversion (see **Nuclear Spectra**)
Ionization (see also **Electrical Discharges; Range and Energy Loss**)
Dc prebreakdown currents in gases of high dielectric strength, M. L. Reeves and Ronald Geballe—862(A)
Ionization energy loss of mesons in NaI scintillation crystal, Theodore Bowen—754(A)
Ionization produced by 5-Mev α particles in A mixtures, C. E. Melton, T. E. Bortner, and G. S. Hurst—643
Probability curves near threshold for formation of He^+, Ne^{++}, A^{++}, Kr^{++}, and Xe^{++} by electron impact, W. M. Hickam, R. E. Fox, and T. Kjeldaas, Jr.—63
Ionization Potentials of Atoms (see **Atomic Structure and Spectra**)
Ionization Potentials of Molecules (see **Molecular Structure and Spectra**)
Ionosphere (see **Geophysics**)
Ions (see also **Electrical Discharges**)
Auger ejection of electrons from W by noble gas ions, Homer D. Hagstrum—325
Charge states of heavy-ion beams passing through gases, P. M. Stier, C. F. Barnett, and G. E. Evans—973
Electron capture and loss by moving ions in dense media, Jacob Neufeld—1470
Electronic polarizabilities of ions from the Hartree-Fock wave functions, R. M. Sternheimer—951
Interpretation of Wehner's sputtering law, Walter Wessel—819(A)
Secondary emission by positive ion bombardment, Manuel Schwartz and Paul L. Copeland—1466
Theory of Auger ejection of electrons from metals by ions, Homer D. Hagstrum—336
Ions and Electrons, Mobility (see also **Electrical Discharges; Semiconductors**)
Mobilities of various ions in noble gases, Lorne M. Chanin and Manfred A. Biondi—831(A)
Mobility of impurity ions in Ge and Si, C. S. Fuller and J. C. Severiens—21
Mobility ratio in pure *p*-type semiconductors, Allen Nussbaum—828(A)
Isobars (see **Atomic Mass and Abundance**)
Isomers, Molecular (see **Molecular Structure and Spectra**)
Isomers, Nuclear (see **Nuclear Spectra**)
Isotopes (see **Atomic Mass and Abundance; Radioactivity**)

Kerr Effect (see **Optical Properties**)
Kinetic Theory of Gases (see **Gases; Statistical Mechanics and Thermodynamics**)

Liquid Helium (see **Helium, Liquid**)
Liquids
Evaporation of small drops at low pressures, Louis Monchick and Howard Reiss—839(A)

Luminescence
Afterglow of MgO single crystals, Eiso Yamaka—293
Distribution of trapping levels in CdSe, Harald C. Jensen and Robert J. Cashman—798(L)
Excitation energy and energy transfer by collision in fluorescent solutions, Milton Furst and Hartmut Kallmann—902
Excitation of ZnO phosphors by low-energy electrons, Ross E. Shrader—824(A)
Fluorescent response of NaI(Tl) to nuclear radiations, F. S. Eby and W. K. Jentschke—911
Light output of luminescent plastics, W. A. Thornton—292
Long-life luminescence and diffusion in MgO, B. Goodman —824(A)
Low-temperature luminescence of CdS, L. R. Furlong—1714(E)
Luminescence from NaCl, W. E. Spicer—824(A)
Quenching of NaI fluorescence by various gases and vapors, Howard G. Hanson—832(A)
Response of NaI(Tl), KI(Tl), and stilbene to fission fragments, J. C. D. Milton and J. S. Fraser—1508
Scintillation response of phosphors at low particle energies, G. T. Wright—569
Thermal ionization of impurities in polar crystals. I. Formal theory, H. D. Vasileff—603
Voltage dependence of electroluminescent brightness, B. T. Howard, H. F. Ivey, and W. Lehmann—799(L)
ZnS(Ag) phosphor mixtures for neutron detection, P. G. Koontz, G. R. Keepin, and J. E. Ashley—862(A)

Magnetic Fields (see **Electromagnetic Theory and Electrodynamics**)
Magnetic Properties
Adiabatic magnetization of superconducting sphere, R. L. Dolecek—25
Classical theory of temperature dependence of magnetic anisotropy energy, C. Zener—1335
Critical field phenomena in isotropic paramagnetic crystal, E. Ambler and R. P. Hudson—907
Derivation of magnetostriction and anisotropic energies for hexagonal, tetragonal, and orthorhombic crystals, W. P. Mason—302
Effects of anisotropy on thermodynamic properties of antiferromagnets, J. A. Eisele and F. Keffer—929
Electronic susceptibility in certain alloys, E. N. Adams, II, and R. Zitter—1705(L)
Ferromagnetic resonance in Fe-Ni alloys, Raymond Hoskins and George Wiener—1153(L)
Large magnetic Kerr rotation in BiMn alloy, B. W. Roberts and C. P. Bean—1494
Low-temperature acoustic relaxation in Ni-Fe ferrites, M. E. Fine and N. T. Kenney—1487
Magnetic and crystalline behavior of certain oxide systems with spinel and perovskite structures, Louis R. Maxwell and Stanley J. Pickart—1501
Magnetic anisotropy at 0°K, Jack R. Tessman—1192
Magnetic anisotropy constants of ferromagnetic spinels, R. S. Weisz—800(L)
Magnetic resonance absorption of diphenyl-picryl hydrazyl, M. A. Garstens, L. S. Singer, and A. H. Ryan—53
Magnetic susceptibility of residual bisulfate compounds of carbon, H. T. Pinnick—832(A)
Magnetization of Sn at superconducting transition, J. C. Thompson and C. F. Squire—287
Magnetostriction and crystal anisotropy of single crystals of hexagonal Co, R. M. Bozorth—311
Measurement of complex tensor permeability of ferrites, J. H. Rowen and W. von Aulock—1151(L)
Microwave properties of Mn-ferrite single crystal, P. E. Tannenwald—846(A)
Oscillatory thermal conductivity of Bi in magnetic fields at liquid He temperatures, J. Babiskin and M. C. Steele —822(A)
Reversible susceptibility of ferromagnetics, D. M. Grimes and D. W. Martin—889
Magnetic Resonance (see also **Nuclear Moments and Spin**)
Color-center magnetic resonances in LiF, C. K. Jen and N. W. Lord—1150(L)
Diamagnetic resonance in electronic conductors, J. G. Dorfman—1704(L)
Effect of spin-orbit coupling on magnetic resonance in some semiconductors, R. J. Elliott—266
Environmental effect on atomic H hfs in acids, Henry Zeldes and Ralph Livingston—1702(L)
Ferromagnetic resonance in Fe-Ni alloys, Raymond Hoskins and George Wiener—1153(L)
Hfs of nitrogen, Mark A. Heald and Robert Beringer—645
Hyperfine splitting of donor states in Si, J. M. Luttinger and W. Kohn—802(L)
Indirect exchange coupling of nuclear magnetic moments by conduction electrons, M. A. Ruderman and C. Kittel —99
Interaction of conduction electrons and nuclear magnetic moments in metallic Li, W. Kohn—590
Measurement of complex tensor permeability of ferrites, J. H. Rowen and W. von Aulock—1151(L)
Microwave properties of Mn-ferrite single crystal, P. E. Tannenwald—846(A)
Neutron spin from magnetic resonance experiment, C. P. Stanford, T. E. Stephenson, and Seymour Bernstein—983
Nuclear electric quadrupole interactions of B^{11} in kernite, H. L. Blood and W. G. Proctor—861(A)
Nuclear magnetic resonance in kernite, H. Waterman—862(A)
Nuclear quadrupole spectra in solids, M. H. Cohen—1278
Nuclear resonance of Nb^{93} in $KNbO_3$, R. M. Cotts and W. D. Knight—1285
Nuclear spin lattice relaxation in supercooled menthol, B. H. Muller and Myer Bloom—861(A)
Nuclear spin relaxation by translational diffusion. II. Diffusion in b.c.c. lattice, H. C. Torrey—690
Paramagnetic resonance in chromous sulfate pentahydrates, Kazuo Ono, Shoichiro Koide, Hisao Sekiyama, and Hidetaro Abe—38
Paramagnetic resonance in U salts, S. N. Ghosh, Walter Gordy, and D. G. Hill—36
Paramagnetic resonances in single crystals of $BaTiO_3$, A. W. Hornig, E. T. Jaynes, and H. E. Weaver—1703(L)
Polarization of As nuclei in Si semiconductor, A. Honig, —234(L)
Quantum theory of cyclotron resonance in semiconductors, W. Kohn and J. M. Luttinger—529(L)
Rb^{81} spin, magnetic moment, and hfs, J. P. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—1450(L)
Rf-induced transitions of nuclear spins at electronic resonance frequency, Jerome I. Kaplan—238(L)
Rotational spectra of RbCl by molecular beam electric resonance method, J. W. Trischka and R. Braunstein —968
Spin and gyromagnetic ratio of C^{13} by collapse of spin-spin splitting, Virginia Royden—543(L)
Temperature dependence of nuclear resonance in metals, W. D. Knight—861(A)
Zeeman effects in Cl nuclear quadrupole resonance in $NaClO_3$, Yu Ting, Edward R. Manring, and Dudley Williams—408

Magnetic Resonance (Continued)
Zeeman splitting of nuclear quadrupole resonances, C. Dean—1053
Magneto-Optical Effects (see **Optical Properties**)
Magnetoresistance (see **Electrical Conductivity and Resistance; Semiconductors**)
Magnetostriction (see **Magnetic Properties**)
Mass Defects (see **Atomic Mass and Abundance**)
Mass Spectroscopy (see **Atomic Mass and Abundance; Methods and Instruments**)
Mathematical Methods
Age-dependent branching stochastic processes in cascade theory, A. T. Reid—751
Coulomb wave functions in transition region, Milton Abramowitz and H. A. Antosiewicz—75
Determination of α-α scattering phase shifts, James N. Snyder—1333
Evaluation of Coulomb wave functions along transition line, Milton Abramowitz and Philip Rabinowitz—77
Reflection of waves by inhomogeneous medium, V. A. Bailey—865
Solution of many-body scattering problems by Fredholm's equation, P. Swan—1144
Measurements (see **Methods and Instruments**)
Mechanics
Ablation from ultra-speed pellets, William C. White—844(A)
Application of engravement method to study of particle velocity distribution in explosively loaded cylinders, John Pearson and John S. Rinehart—844(A)
Critical angle associated with high-speed impact of sphere on thin plate, William A. Allen, Joe M. Mapes, and Wesley G. Wilson—844(A)
Effect of surface friction on high-speed penetration, Joseph M. Krafft—822(A)
Oscillation and stability in certain nonlinear systems, William M. Whyburn—843(A)
Mechanics, Quantum—Atomic Structure and Spectra (see **Atomic Structure and Spectra**)
Mechanics, Quantum—General (see **Quantum Mechanics**)
Mechanics, Quantum—Molecular Structure and Spectra (see **Molecular Structure and Spectra**)
Mechanics, Quantum—Nuclear (see **Nuclear Structure Theory**)
Mechanics, Quantum—of Solid Bodies (see **Crystalline State**)
Mechanics, Statistical (see **Statistical Mechanics and Thermodynamics**)
Meson Field Theory (see **Field Theory**)
Mesons and Hyperons (see also **Cosmic Radiation; Elementary Particle Interactions; Nuclear Reactions Induced by Mesons; Scattering of Mesons**)
Absolute differential range spectrum of low-energy cosmic-ray μ mesons, N. T. Seaton—853(A)
Cascade decay of negative hyperon, W. B. Fretter and E. W. Friesen—853(A)
Čerenkov radiation detector for the selection of slow particles, Carl M. York, Jr.—1635
Cloud-chamber evidence for charged counterpart of θ^0 particle, A. L. Hodson, J. Ballam, W. H. Arnold, D. R. Harris, R. Ronald Rau, George T. Reynolds, and S. B. Treiman—1089
Coulomb effect on photoproduction of low-energy charged mesons, J. R. Voss, T. R. Palfrey, and R. O. Haxby—830(A)
Cycle of world-wide changes in daily variation of meson intensity, V. Sarabhai, U. D. Desai, and D. Venkatesan—469
Electron spectrum from μ-meson decay, F. B. Harrison, C. L. Cowan, Jr., and F. Reines—1159(L)
Energetic disintegration of heavy nuclear fragment, W. F. Fry and M. S. Swami—809(L)
Energies of π^--mesonic x-ray K lines, M. B. Stearns, M. Stearns, S. DeBenedetti, and L. Leipuner—804(L)
Energy level displacements in pi-mesonic atoms, S. Deser, M. L. Goldberger, K. Baumann, and W. Thirring—774
Final-state interaction in multiple production of mesons in nucleon-nucleon collisions, Julius S. Kovacs—1454(A)
Fourth order corrections to meson-nucleon scattering in pseudoscalar meson theory, H. W. Wyld, Jr.—1661
High-energy electron pair produced by 113-Mev positive pion, Jay Orear, R. G. Glasser, D. M. Haskin, and Marcel Schein—1710(L)
Interaction of negative heavy meson, J. E. Naugle, H. P. Ney, P. S. Freier, and W. B. Cheston—1383
Ionization energy loss of mesons in NaI scintillation crystal, Theodore Bowen—754(A)
K mesons and charged hyperon produced by 3-Bev protons in emulsions, W. F. Fry and M. S. Swami—235(L)
Low-energy differential range spectrum of cosmic-ray μ mesons, A. Fafarman and M. H. Shamos—1096
Magnetic cloud-chamber study of V^s events, Y. B. Kim, J. R. Burwell, R. W. Huggett, and R. W. Thompson—229(L)
Negative pion mass from its radiative absorption in hydrogen, Kenneth M. Crowe and Robert H. Phillips—470
Neutral pion-deuteron production in 400-Mev n-p collisions, R. A. Schluter—734
Nonuniform charge distributions and μ-meson capture, F. Ferrari and C. Villi—1159(L)
Nuclear collisions at extreme relativistic energies, Marcel Schein, D. M. Haskin, and R. G. Glasser—829(A)
Nuclear fine structure in μ-mesonic atom, Boris A. Jacobsohn—1637
Photoproduction of charged mesons from deuterium, M. Sands, J. G. Teasdale, and R. L. Walker—849(A)
Photoproduction of mesons from H near threshold, Vincent Peterson and I. George Henry—850(A)
Possible existence of new hyperon, Y. Eisenberg—541(L)
Production of charged pions from hydrogen and carbon, A. H. Rosenfeld—130; 1714(E)
Production of pions in nucleon-nucleon collisions at cyclotron energies, A. H. Rosenfeld—139
Production spectra of cosmic-ray mesons in atmosphere, Stanislaw Olbert—1400
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, T. H. Fields, J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton—812(L)
Search for production of μ-meson pairs by 345-Mev synchrotron beam, B. T. Feld, A. Julian, A. C. Odian, L. S. Osborne, and A. Wattenberg—1386
Unstable cosmic-ray particles observed in double cloud-chamber arrangement, W. H. Arnold, J. Ballam, H. Gursky, A. L. Hodson, R. Ronald Rau, George T. Reynolds, and S. B. Treiman—853(A)
Unstable nuclear fragment emitted from heavy-meson induced star, I. E. Naugle, P. S. Freier, and E. P. Ney—829(A)
Vacuum polarization in mesonic atoms, A. B. Mickelwait and H. C. Corben—1145
Metals (see **Crystalline State**)
Metastable Atoms (see **Atomic Structure and Spectra**)
Metastable Molecules (see **Molecular Structure and Spectra**)
Meteorology (see **Geophysics**)
Methods and Instruments
Applications of rapid sweeping to single-focusing mass spectrometer, C. Robert Lagergren—823(A)

Beam escape from synchrocyclotrons, Warren Fenton Stubbins—856(A)
Čerenkov counter for electron detection, R. K. Squire, B. J. Moyer, and J. E. Osher—856(A)
Čerenkov radiation detector for the selection of slow particles, Carl M. York, Jr.—1635
Densitometric measurement of emulsion tracks, E. P. Ney, John Naugle, Phyllis Freier—829(A)
Detection of Hg vapor by resonance ionization, K. C. Clark and L. Kanal—860(A)
Easily reproducible thermal neutron density standard, René Cohen—850(A)
Emulsion tables, Walter H. Barkas and George Hahn—859(A)
Experimental facilities and techniques used at Berkeley 60-in. cyclotron for irradiation effect studies, W. S. Gilbert and J. H. Pepper—862(A)
Gas-recoil fast neutron spectrometer, R. E. Benenson, M. B. Shurman, and W. Haeberli—836(A)
Geiger-Mueller counter tube age characteristics, W. C. Roesch and J. S. Reddie—854(A)
Gettering of vacuum vessel by Ti metal, Virgil L. Stout and Martin D. Gibbons—819(A)
Grain density and ionization loss in nuclear track emulsions, John R. Fleming and J. J. Lord—852(A)
High-energy γ-ray studies with nuclear track emulsion, Harry H. Heckman, Peter Giles, and Walter H. Barkas—858(A)
Mass doublet measurements using modulated magnetic field, Clayton F. Giese and T. L. Collins—823(A)
Mass measurement by multiple Coulomb scattering on stopped particles, R. G. Glasser—835(A)
Method for high-precision studies of rate processes, W. Haller and G. L. Calcamuggio—1454(A)
Methods of preparing thin film MgO secondary emission surfaces on Ag-Mg alloys, Peter Wargo—837(A)
MTR crystal spectrometer data printing system, G. L. Smith and L. G. Miller—849(A)
Neutrino recoil spectrometer. Investigation of A^{37}, O. Kofoed-Hansen—1045
Relation between width of x-ray line and resolving power of double-crystal spectrometer, Gosta Brogren—589
Response of NaI(Tl), KI(Tl), and stilbene to fission fragments, J. C. D. Milton and J. S. Fraser—1508
Scintillation response of phosphors at low particle energies, G. T. Wright—569
Semiautomatic apparatus for thermocouple comparison and calibration, T. M. Dauphinee—843(A)
Stabilization of potentials in precision double-focusing mass spectrometer, K. S. Quisenberry, T. T. Scolman, and T. L. Collins—823(A)
Suppression of coherent radiation by electrons in synchrotron, John S. Nodvick and David S. Saxon—180
Surface "channel" detection method for semiconductors, H. Christensen—827(A)
Time-of-flight mass spectrometer, Earl E. Hays—1454(A)
200-Mc phase detector, Edmund B. Tucker, Lawrence H. Johnston, and Donald E. Young—835(A)
"Zipper" scattering chamber, C. J. Cook—835(A)
ZnS(Ag) phosphor mixtures for neutron detection, P. G. Koontz, G. R. Keepin, and J. E. Ashley—862(A)

Microwaves (see also **Atomic Structure and Spectra; Magnetic Resonance; Molecular Structure and Spectra; Nuclear Moments and Spin**)
Microwave properties of Mn-ferrite single crystal, P. E. Tannenwald—846(A)
Phase noise in pre-excited oscillator system, Lawrence Johnston, Norton M. Hintz, and Harry J. Schulte—835(A)
200-Mc phase detector, Edmund B. Tucker, Lawrence H. Johnston, and Donald E. Young—835(A)

Miscellaneous
Mobility of Ions and Electrons (see **Ions and Electrons, Mobility**)
Molecular Aggregates
Moisture condensation patterns on glass and crystalline surfaces, W. C. Levengood—1454(A)
Molecular Beams (see **Atomic and Molecular Beams**)
Molecular Structure and Spectra
Absorption of microwaves by O_3 in mm wavelength region, J. O. Artman and J. P. Gordon—1237
Absorption studies of He metastable molecule, A. V. Phelps—832(A)
Centrifugal distortion in asymmetric top molecules. III. H_2O, D_2O, and HDO, D. W. Posener and M. W. P. Strandberg—1714(E)
Diffusion of metastable Hg molecules, A. O. McCoubrey and C. G. Matland—832(A)
Dissociation energy of NO and N_2, M. Brook and J. Kaplan—1540
Electromagnetic radiations from hydrocarbon flames, Samuel C. Lawrence, Jr.—860(A)
Excitation of air glow by electronic impact, C. Y. Fan—860(A)
Excitation of molecular vibrations in halogen-substituted methanes, Thomas Rossing and Sam Legvold—839(A)
Ground-state potential constants of ClO_3, J. K. Ward—845(A)
Magnetic interactions in $^2\Sigma$ molecules, Robert L. White—845(A)
Microwave absorption spectra of MnO_3F and ReO_3Cl, Ali Javan and A. Engelbrecht—649
Microwave spectra of alkali halides, A. Honig, C. H. Townes, M. L. Stitch, and M. Mandel—629
Polarized infrared absorption spectrum of gypsum, D. S. Webber—846(A)
Pressure broadening of OCS in foreign gas mixture, F. A. Liuima, A. V. Bushkovitch, and A. G. Rouse—434
Rotational spectra of RbCl by molecular beam electric resonance method, J. W. Trischka and R. Braunstein—968
Thomas-Fermi calculation of C—H bond moment in methane, H. Glazer and H. Reiss—838(A)
Moments, Nuclear (see **Nuclear Moments and Spin**)
Moments of Molecules (see **Molecular Structure and Spectra**)

Neutrino (see also **Nuclear Spectra; Radioactivity**)
Neutron Diffraction (see **Diffraction; Scattering of Neutrons**)
Neutrons (see **Elementary Particle Interactions**)
Noise
Dependence of signal-to-noise ratio in photoconductive PbSe layers on temperature of blackbody source, A. M. Crooker and E. B. Dorling—846(A)
Influence of different activating agents on flicker noise in oxide-coated cathodes, W. W. Lindemann—837(A)
Influence of tube structure and tube operating conditions upon flicker noise, H. J. Hannam—837(A)
Noise mechanisms in oxide-coated cathodes, A. van der Ziel—837(A)
Phase noise in pre-excited oscillator system, Lawrence H. Johnston, Norton M. Hintz, and Harry J. Schulte—835(A)
Vacuum fluctuation noise and dissipation, J. Weber—556
Nuclear Fission
Bk and Cf isotopes produced in neutron irradiation of Pu, L. B. Magnusson, M. H. Studier, P. R. Fields, C. M. Stevens, J. F. Mech, A. M. Friedman, H. Diamond, and J. R. Huizenga—1576
Correlation of spontaneous fission half-lives, M. H. Studier and J. R. Huizenga—545(L)

Nuclear Fission (Continued)
Fine structure in velocity distributions of slowed fission fragments, R. B. Leachman and H. W. Schmitt—1366
Fission and total reaction cross sections for 22-Mev protons on Th^{232}, U^{235}, and U^{238}, G. H. McCormick and B. L. Cohen—722
Fission yield fine structure in mass region 99–106, Donald R. Wiles and Charles D. Coryell—696
Fission yield of Gd^{159} and Tb^{161}, Henry G. Petrow and Gregory Rocco—1614
Gd and Tb radioisotopes as fission products of U^{235}, E. C. Freiling, L. R. Bunney, and N. E. Ballou—102
Response of NaI(Tl), KI(Tl), and stilbene to fission fragments, J. C. D. Milton and J. S. Fraser—1508
Nuclear Forces (see **Elementary Particle Interactions; Field Theory; Nuclear Structure Theory**)
Nuclear Induction (see **Magnetic Resonance; Nuclear Moments and Spin**)
Nuclear Isomers (see **Nuclear Spectra; Radioactivity**)
Nuclear Moments and Spin
Alignment of Na atoms, W. B. Hawkins—532(L)
Hfs of nitrogen, Mark A. Heald and Robert Beringer—645
Hyperfine splitting in ground state of atomic hydrogen, J. P. Wittke and R. H. Dicke—530(L)
Hyperfine splitting of donor states in Si, J. M. Luttinger and W. Kohn—802(L)
Indirect exchange coupling of nuclear magnetic moments by conduction electrons, M. A. Ruderman and C. Kittel —99
Interaction of conduction electrons and nuclear magnetic moments in metallic lithium, W. Kohn—590
Isotope shift in λ4415 Cd II, E. C. Woodward and D. R. Speck—529(L)
Microwave absorption spectra of MnO_3F and ReO_3Cl, Ali Javan and A. Engelbrecht—649
Na^{23} electric quadrupole moment, S. Sengupta—235(L)
Nd and Gd hfs, Kiyoshi Murakawa—1543
Neutron spin from magnetic resonance experiment, C. P. Stanford, T. E. Stephenson, and Seymour Bernstein—983
Np^{239} nuclear spin, John G. Conway and Ralph D. McLaughlin—541(L)
Nuclear electric quadrupole interactions of B^{11} in kernite, H. L. Blood and W. G. Proctor—861(A)
Nuclear fine structure in the μ-mesonic atom, Boris A. Jacobsohn—1637
Nuclear magnetic octupole moments of stable Ga isotopes, R. T. Daly, Jr., and J. H. Holloway—539(L)
Nuclear quadrupole spectra in solids, M. H. Cohen—1278
Nuclear resonance of Nb^{93} in $KNbO_3$, R. M. Cotts and W. D. Knight—1285
Nuclear spin relaxation by translational diffusion. II. Diffusion in b.c.c. lattice, H. C. Torrey—690
Optical studies of radioactive Hg, F. Bitter, S. P. Davis, B. Richter, and J. E. R. Young—1531
Polarization of As nuclei in Si semiconductor, A. Honig —234(L)
Rb^{85} spin, magnetic moment, and hfs, J. P. Hobson, J. C. Hubbs, W. A. Nierenberg, and H. B. Silsbee—1450(L)
Rf-induced transitions of nuclear spins at electronic resonance frequency, Jerome I. Kaplan—238(L)
Rotational spectra of RbCl by molecular beam electric resonance method, J. W. Trischka and R. Braunstein —968
Spin and gyromagnetic ratio of C^{13} by collapse of spin-spin splitting, Virginia Royden—543(L)
Spins of excited states of some odd A nuclei according to collective model, Richard L. Moore—858(A)
Stern-Gerlach experiment on polarized neutrons, J. E. Sherwood, T. E. Stephenson, and Seymour Bernstein —1546
Zeeman effects in Cl nuclear quadrupole resonance in $NaClO_3$, Yu Ting, Edward R. Manring, and Dudley Williams—408
Zeeman splitting of nuclear quadrupole resonances, C. Dean—1053
Nuclear Photoeffects
Absolute cross section *versus* energy of $Cu^{63}(\gamma,n)$ and $Cu^{63}(\gamma,2n)$ reactions, Arthur I. Berman and Karl L. Brown—83
Cloud-chamber investigation of high-energy photonuclear reactions, W. E. Matheson, C. R. Carlson, F. S. Mathews, R. O. Haxby, and R. M. Whaley—826(A)
Coulomb effect on photoproduction of low-energy charged mesons, J. R. Voss, T. R. Palfrey, and R. O. Haxby —830(A)
High-energy γ-ray studies with nuclear track emulsions, Harry H. Heckman, Peter C. Giles, and Walter H. Barkas—858(A)
High-energy photodisintegration of deuteron, J. C. Keck, A. V. Tollestrup, and W. R. Smythe, II—850(A); A. V. Tollestrup, J. C. Keck, and W. R. Smythe, II—850(A)
Photodisintegration of He, Everett G. Fuller—1306
Photoproduction of charged mesons from deuterium, M. Sands, J. G. Teasdale, and R. L. Walker—849(A)
Photoproduction of mesons from H near threshold, Vincent Peterson and I. George Henry—850(A)
Photostar production up to 500 Mev, Vincent Peterson—850(A)
Nuclear Reactions, General (see also **Elementary Particle Interactions; Scattering**)
Comparison of nitrogen- and proton-induced nuclear reactions, B. L. Cohen, H. L. Reynolds, and A. Zucker—1817
Correspondence between semiclassical and quantum treatments of Coulomb excitation, G. Breit and P. B. Daitch —1447(L)
Coulomb excitation, K. Alder and A. Winther—237(L)
Energy distribution of nuclear reaction products, H. H. Barschall and J. L. Powell—713
Excitation functions for nitrogen-induced nuclear reactions in carbon, H. L. Reynolds and A. Zucker—1615
Interaction of heavy primary cosmic rays in Pb, Y. Eisenberg—1378
Nuclear collisions at extreme relativistic energies, Marcel Schein, D. M. Haskin, and R. G. Glasser—829(A)
Nuclear multipole transitions in inelastic electron scattering, L. I. Schiff—765
Validity of semiclassical treatment of Coulomb excitation, P. B. Daitch, J. P. Lazarus, M. H. Hull, Jr., F. D. Benedict, and G. Breit—1449(L)
Nuclear Reactions Induced by α Particles and He^3 (see also **Scattering of α Particles**)
Charged particles from the bombardment of Li^7 by He^3, C. D. Moak, W. M. Good, and W. E. Kunz—1363
Coulomb excitation of F^{19} by α particles, R. Sherr, C. W. Li, and R. F. Christy—1258
Coulomb excitation process in lighter odd-mass nuclei, G. M. Temmer and N. P. Heydenburg—426
Inelastic scattering of α particles by Li, C. W. Li and R. Sherr—389
Properties of nuclei of mass 19, G. A. Jones, W. R. Phillips, C. M. P. Johnson, and D. H. Wilkinson—547(L)
Search for 15-Mev γ radiation from $N^{14}+d$ and $Be^9+\alpha$, V. K. Rasmussen, John R. Rees, M. B. Sampson, and N. S. Wall—812(L)

Nuclear Reactions Induced by Deuterons and Tritons (see also **Scattering of Deuterons**)
Angular distributions in (d,p) reactions with Ti^{47} and Ti^{48}, F. B. Shull and M. M. Bretscher—826(A)
Angular distributions of protons from $Na^{23}(d,p)Na^{24}$ and $Ti^{47,48}(d,p)Ti^{48,49}$, M. M. Bretscher, J. O. Alderman, A. Elwyn, and F. B. Shull—103
B^{10} and Be^{8} excited states, T. W. Bonner and C. F. Cook —122
Be^{10} energy levels, J. J. Jung and C. K. Bockelman—1353
$Co^{59}(d,p)Co^{60}$ magnetic analysis, G. M. Foglesong and D. G. Foxwell—1001
Disintegration of Li^{6} and Li^{7} by 0.24-Mev tritons, K. W. Allen, E. Almqvist, J. T. Dewan, and T. P. Pepper—684
(d,p) reactions from C, N, and O, A. Sperduto, W. W. Buechner, C. K. Bockelman, and C. P. Browne—1316
Excitation curve for $C^{14}(d,p)C^{15}$ and properties of C^{15}, James A. Rickard, Emmett L. Hudspeth, and William W. Clendenin—1272
γ radiation from deuterons on several light nuclei, L. C. Thompson—369
H^{3} and He^{3} production in high-energy deuteron-deuteron collisions, Charles S. Godfrey—1621
Magnetic analysis of $O^{18}(d,p)O^{19}$ and $N^{15}(d,p)N^{16}$ reactions, Jacques Thirion, Rene Cohen, and Ward Whaling —850(A)
Neutron binding energies from (d,p) Q values, N. S. Wall—664
$O^{18}(d,p)O^{17}$ angular distribution, D. M. Van Patter, B. E. Simmons, T. F. Stratton, and D. M. Zipoy—825(A)
$O^{17}(d,p)O^{18}$ magnetic analysis, Katarina Ahnlund—999
$O^{18}(d,p)O^{19}$ proton groups, Curt Mileikowsky and Katarina Ahnlund—996
O^{19} excited state, T. F. Stratton, K. F. Famularo, H. D. Holmgren, and R. V. Stuart—825(A)
Production of tritons in high-energy deuteron-deuteron collisions, C. S. Godfrey—493
Proton angular distributions from deuteron bombardment of Bi^{209}, Pb^{207}, and Y^{89}, N. S. Wall—670
Proton polarization in (d,p) reactions, W. B. Cheston—1590
Radiative capture of deuterons by He^{3}, J. M. Blair, N. M. Hintz, and D. M. Van Patter—1023
Search for 15-Mev γ radiation from $N^{14}+d$ and $Be^{9}+\alpha$, V. K. Rasmussen, John R. Rees, M. B. Sampson, and N. S. Wall—812(L)

Nuclear Reactions Induced by Mesons (see also **Elementary Particle Interactions; Mesons; Scattering of Mesons**)
Absorption of positive pions by deuterium at 76 and 94 Mev, Henry L. Stadler—496
Comparison of proton- and meson-produced stars of comparable excitation energy, A. D. Sprague, D. M. Haskin, R. G. Glasser, and Marcel Schein—830(A)
Inelastic scattering of 500-Mev negative pions in emulsion nuclei, M. Blau and Martin Caulton—150
Interaction of negative heavy meson, J. E. Naugle, H. P. Ney, P. S. Freier, and W. B. Cheston—1383
Negative pion mass from its radiative absorption in hydrogen, Kenneth M. Crowe and Robert H. Phillips—470
Nonuniform charge distributions and μ-meson capture, F. Ferrari and C. Villi—1159(L)
Possible existence of new hyperon, Y. Eisenberg—541(L)
Total cross sections for negative and positive pions in hydrogen and deuterium, J. Ashkin, J. P. Blaser, F. Feiner, J. G. Gorman, and M. O. Stern—1104
Unstable nuclear fragment emitted from heavy-meson induced star, J. E. Naugle, P. S. Freier, and E. P. Ney —829(A)

Nuclear Reactions Induced by Neutrons (see also **Elementary Particle Interactions; Scattering of Neutrons**)
Absorption cross section of B for thermal neutrons, G. von Dardel and N. G. Sjöstrand—1566
Angular distribution of protons from (d,p) reactions on Be^{9}, N^{14}, and Zn^{68}, F. S. Eby—1355
$B^{11}(n,\alpha)Li^{8}$ reaction, S. A. Heiberg—856(A)
Bk and Cf isotopes produced in neutron irradiation of Pu, L. B. Magnusson, M. H. Studier, P. R. Fields, C. M. Stevens, J. F. Mech, A. M. Friedman, H. Diamond, and J. R. Huizenga—1576
Contour diagrams of thermal neutron absorption cross sections, J. E. Evans—849(A)
Diffusion parameters of thermal neutrons in water, G. von Dardel and N. G. Sjöstrand—1245
Elastic and inelastic scattering of 14-Mev neutrons by deuterons, John D. Seagrave—855(A)
Final-state interaction in multiple production of mesons in nucleon-nucleon collisions, Julius S. Kovacs—1454(A)
γ radiation from interaction of 3.2-Mev neutrons with various materials, V. E. Scherrer, B. A. Allison, and W. R. Faust—386
Hf and Zr total cross-section measurements, E. G. Joki and J. E. Evans—849(A)
Indirect measurement of n-n interaction, Robert H. Phillips and Kenneth M. Crowe—484
Inelastic neutron scattering in Fe, D. L. Lafferty, L. A. Rayburn, and T. M. Hahn—381
Li^{6} total cross section for neutrons, C. H. Johnson, H. B. Willard, and J. K. Bair—985
Model for nuclear reactions with neutrons, H. Feshbach, C. E. Porter, and V. F. Weisskopf—448
Nb^{93m} production by pile irradiation of Nb, R. P. Schuman—121
Neutral pion-deuteron production in 400-Mev n-p collisions, R. A. Schluter—734
Neutron-capture cross sections by capture-γ counting, Edward Meservey—1006
Neutron cross sections of light nuclei, Charles E. Porter —836(A)
Neutron resonances in rare earth elements, V. L. Sailor, H. H. Landon, and H. L. Foote, Jr.—1014
Production of deuterons in high-energy nuclear bombardment of nuclei, W. N. Hess and B. J. Moyer—859(A)
Production of pions in nucleon-nucleon collisions at cyclotron energies, A. H. Rosenfeld—139
Pulse amplitude distribution in BF_3 counter irradiated with 4.87-Mev neutrons, D. B. James, W. Kubelka, and S. A. Heiberg—856(A)
Radiative capture of 300-Mev neutrons in hydrogen, John DePangher—859(A)
Ratio of $\bar{\Gamma}_n^0/\bar{D}$ for slow-neutron resonances, R. S. Carter, J. A. Harvey, D. J. Hughes, and V. E. Pilcher—113
Slow neutron cross sections of Au, Ag, In, Ni, and Ni oxide, R. G. Allen, T. E. Stephenson, C. P. Stanford, and S. Bernstein—1297
Total cross sections of liquefied gases for high-energy neutrons, Peter Hillman, R. H. Stahl, and N. F. Ramsey —115

Nuclear Reactions Induced by Protons (see also **Elementary Particle Interactions; Scattering of Protons**)
Angular distribution of 12- and 16-Mev γ rays from proton bombardment of thin B target, H. H. Givin, G. K. Farney, T. M. Hahn, and B. D. Kern—1337
Angular distributions of α particles from the $Na^{23}(p,\alpha)Ne^{20}$ reaction, P. H. Stelson—1584
$C^{14}(p,\gamma)N^{15}$ reaction above (p,n) threshold, H. E. Gove, G. A. Bartholomew, E. B. Paul, and A. E. Litherland —825(A)

Nuclear Reactions Induced by Protons (Continued)
Comparison of nitrogen- and proton-induced nuclear reactions, B. L. Cohen, H. L. Reynolds, and A. Zucker—1617
Comparison of proton- and meson-produced stars of comparable excitation energy, A. D. Sprague, D. M. Haskin, R. G. Glasser, and Marcel Schein—830(A)
Conservation of number of nucleons, F. Reines, C. L. Cowan, Jr., and M. Goldhaber—1157(L)
Coulomb excitation of Nd, B. E. Simmons, D. M. Van Patter, K. F. Famularo, and R. V. Stuart—826(A)
Cs reactions with protons at 40, 80, 100, 150, and 240 Mev, Richard W. Fink and Edwin O. Wiig—185
Direct interaction in $Fe^{56}(p,p')Fe^{56}$, G. Schrank, P. C. Gugelot, and I. E. Dayton—1156(L)
Electric excitation of Au^{197}, C. F. Cook, C. M. Class, and J. T. Eisinger—658
Emission of high-energy γ line from C^{13}, David Cohen, Charles Waddell, Harlan Shaw, and Burton J. Meyer—714
Energy levels of Al^{27}, C. P. Browne, S. F. Zimmerman, and W. W. Buechner—725
Excitation function of $C^{13}(p,pn)C^{12}$ reaction in Bev region, R. L. Wolfgang and G. Friedlander—190
15.2-Mev γ emission from C^{13}, Charles Waddell, Harlan Shaw, David Cohen, and B. J. Moyer—858(A)
Fission and total reaction cross sections for 22-Mev protons on Th^{232}, U^{235}, and U^{238}, G. H. McCormick and B. L. Cohen—722
Fluorine-plus-proton reactions, R. W. Peterson, W. A. Fowler, and C. C. Lauritsen—1250
γ radiation from bombardment of C by protons, H. H. Woodbury, A. V. Tollestrup, and R. B. Day—1713(E)
γ radiation from proton bombardment of oxygen, J. B. Warren, K. A. Laurie, D. B. James, and K. L. Erdman—857(A)
γ radiation from reactions $Na^{23}+p$, J. O. Newton—241(L)
γ rays from $C^{13}(p,\gamma)N^{14}$ and $Na^{23}(p,\gamma)Mg^{24}$ reactions, B. Hird, C. H. Collie, J. Butler, and C. Whitehead—702
γ rays from Li^6+p, K. L. Erdman, J. B. Warren, D. B. James, and T. Alexander—858(A)
γ rays from (p,γ) reactions in B^{11} and Mg^{24}, D. S. Craig, W. G. Cross, and R. G. Jarvis—825(A)
γ rays from proton capture in Li^7 and F^{19}, E. B. Nelson, W. Lawrence, and R. R. Carlson—825(A)
Inelastic proton scattering cross section of F^{19}, C. A. Barnes, W. A. Fowler, C. C. Lauritsen, and R. W. Peterson—851(A)
K mesons and charged hyperon produced by 3-Bev protons in emulsions, W. F. Fry and M. S. Swami—235(L)
Neutrons from reaction $C^{14}(p,n)N^{14}$, A. E. Litherland, E. B. Paul, G. A. Bartholomew, and H. E. Gove—825(A)
Production of charged pions from hydrogen and carbon, A. H. Rosenfeld—130; 1714(E)
Production of deuterons in high-energy nuclear bombardment of nuclei, W. N. Hess and B. J. Moyer—859(A)
Production of pions in nucleon-nucleon collisions at cyclotron energies, A. H. Rosenfeld—139
Reaction $p+p\rightarrow\pi^++d$ with polarized protons, T. H. Fields, J. G. Fox, J. A. Kane, R. A. Stallwood, and R. B. Sutton—812(L)
Reactions of cobalt with protons at 60, 100, 170, and 240 Mev, Genevieve D. Wagner and Edwin O. Wiig—1100
Resonances in $Li^7(p,n)Be^7$, Robert K. Adair—709
Resonances in proton bombardment of C^{14}, G. A. Bartholomew, F. Brown, H. E. Gove, A. K. Litherland, and E. B. Paul—1154(L)
Scattering of 9.5-Mev protons by nitrogen, R. G. Freemantle, D. J. Prowse, and J. Rotblat—1268
Scattering of 9.5 protons by neon and argon, R. G. Freemantle, D. J. Prowse, A. Hossain, and J. Rotblat—1270
Scattering of 10-Mev protons on C and Mg, Gerhard E. Fischer—704
Short-lived radionuclides produced by synchrocyclotron, H. Tyrén and P. A. Tove—773
Total cross sections of light elements for 208-Mev and 315-Mev protons, Hervasio G. de Carvalho—398
Nuclear Scattering (see **Scattering**)
Nuclear Spectra (see also **Nuclear Reactions; Radioactivity**)
α-γ directional correlation measurements with liquid film sources, T. B. Novey—547(L)
Angular correlation of three nuclear radiations, G. R. Satchler—1713(E)
As^{76} disintegration, M. Sakai, B. Murray, and J. D. Kurbatov—862(A)
B^{10} and Be^9 excited states, T. W. Bonner and C. F. Cook—122
Be^{10} energy levels, J. J. Jung and C. K. Bockelman—1353
Bi^{210} β spectrum using diffusion cloud chamber, A. A. Silvidi and J. G. Maxwell—1454(A)
Bk and Cf isotopes produced in neutron irradiation of Pu, L. B. Magnusson, M. H. Studier, P. R. Fields, C. M. Stevens, J. F. Mech, A. M. Friedman, H. Diamond, and J. R. Huizenga—1576
C^{14} and S^{35} β spectra, A. Moljk and S. C. Curran—395
C^{14} β spectrum, H. H. Forster and A. Oswald—1030
Capture-positron branching ratios, P. F. Zweifel—1572
Ce^{139} disintegration, C. H. Pruett and R. G. Wilkinson—1340
Ce^{144} and Pr^{144} γ radiation, W. E. Kreger and C. Sharp Cook—1279
Ce^{144} and Pr^{144} γ-radiation energies, J. M. Cork, M. K. Brice, and L. C. Schmid—1295
Coulomb excitation, K. Alder and A. Winther—237(L)
Coulomb excitation of F^{19} by α particles, R. Sherr, C. W. Li, and R. F. Christy—1258
Coulomb excitation of Nd, B. E. Simmons, D. M. Van Patter, K. F. Famularo, and R. V. Stuart—826(A)
Coulomb excitation process in lighter odd-mass nuclei, G. M. Temmer and N. P. Heydenburg—426
Cs^{134} decay γ-ray energies, M. C. Joshi and B. V. Thosar—1022
Decay characteristics of some short-lived nuclides of low atomic number, R. M. Kline and D. J. Zaffarano—1620
Direct evaluation of fractional parentage coefficients using Young operators. General theory and $\langle 4|2,2\rangle$ coefficients, H. A. Jahn—989
Dy^{160} energy levels, V. Keshishian, H. W. Kruse, R. J. Klotz, and C. M. Fowler—1050
Emission of high-energy γ line from C^{13}, David Cohen, Charles Waddell, Harlan Shaw, and Burton J. Meyer—714
Eu^{152} and Eu^{154} long-lived radioactivity, R. E. Slattery, D. C. Lu, and M. L. Wiedenbeck—465
15.2-Mev γ emission from C^{13}, Charles Waddell, Harlan Shaw, David Cohen, and B. J. Moyer—858(A)
Fluorine-plus-proton reactions, R. W. Peterson, W. A. Fowler, and C. C. Lauritsen—1250
γ radiation from bombardment of C by protons, H. H. Woodbury, A. V. Tollestrup, and R. B. Day—1713(E)
Ge^{75m} (49 sec), Ge^{77m} (52 sec), and Ge^{77} (12 hr) decay, S. B. Burson, W. C. Jordan, and J. M. LeBlanc—1555
Ho^{166} radiations, Hugh N. Brown and Robert A. Becker—1372
I^{131} γ spectrum studies with scintillation and thick lens spectrometer, M. Sakai, B. Murray, and J. D. Kurbatov—862(A)
I^{129} decay scheme, H. L. Finston and W. Bernstein—71

Internal conversion coefficients in decay of Mn^{52}, Co^{60}, and Sc^{46}, Glen L. Keister—855(A)
Ir^{191} E3 isomer, J. W. Mihelich, M. McKeown, and M. Goldhaber—1450(L)
Ir^{191m} (5 sec) following Os^{191} decay, R. A. Naumann and J. B. Gerhart—1452(L)
Ir^{192} and Ir^{194} disintegration, M. W. Johns and S. V. Nablo—1599
Ir^{192m} radiations, J. P. Mize, M. E. Bunker, and J. W. Starner—444
Li^8 energy levels, A. Galonsky and M. T. McEllistrem—826(A)
Low-lying l states in even-even nuclei, Frank Stephens, Jr., Frank Asaro, and I. Perlman—1568
Na^{22} K-capture/positron ratio, W. E. Kreger and C. Sharp Cook—854(A); W. E. Kreger—1554
Nb^{93m} production by pile irradiation of Nb, R. P. Shuman—121
Ne^{23} internal conversion, R. D. Leamer and G. W. Hinman—1607
Neutrino recoil spectrometer. Investigation of A^{37}, O. Kofoed-Hansen—1045
Nuclear forces and β-decay matrix elements, Roland F. Herbst—372
O^{16} energy levels, David M. Dennison—378
Orbital electron capture in heaviest elements, R. W. Hoff and S. G. Thompson—1350
Orbital electron excitation associated with electron capture in A^{37}, Max Wolfsberg—1712(L)
Pa^{233} radiations, C. I. Browne, D. C. Hoffman, H. L. Smith, M. E. Bunker, J. P. Mize, J. W. Starner, R. L. Moore, and J. P. Balagna—827(A)
Pb long-lived isotopes, J. R. Huizenga and C. M. Stevens—548(L)
Pm^{150} decay, Vera Kistiakowsky Fischer—1549
Po^{211} α-emitting isomer, W. A. Jentschke, A. C. Juveland, and G. H. Kinsey—231(L)
Pr neutron-deficient activities, Thomas H. Handley and Elmer L. Olson—1003
Pr^{144} decay γ radiation, C. Sharp Cook and W. E. Kreger—855(A)
Properties of nuclei of mass 19, G. A. Jones, W. R. Phillips, C. M. P. Johnson, and D. H. Wilkinson—547(L)
Pt^{190} identification, Robert A. Naumann—90
Radiations from some odd-odd $N=Z$ nuclei, David Green and J. Reginald Richardson—858(A)
Radiations of neutron-deficient isotopes of xenon and iodine, Hirdaya B. Mathur and Earl K. Hyde—126
RaE β spectrum, E. A. Plassmann and L. M. Langer—1593
Resonance scattering of γ rays by nuclei, A. M. Cormack—716
Rh^{102} decay, D. B. Kochendorfer and Donald J. Farmer—855(A)
S^{35} β decay, K-electron ejection, William Rubinson and J. J. Howland—1610
Ta^{180} decay, J. J. Murray, P. Snelgrove, P. E. Marmier, and J. W. M. DuMond—858(A)
Ti^{44}, new Ti nuclide, R. A. Sharp and R. M. Diamond—1713(E)
Ti^{51} (5.8 min) decay, W. C. Jordan, S. B. Burson, and J. M. LeBlanc—1582
Two-step cascades in Cl^{36} and Cd^{114} neutron-capture γ-ray spectra, Arthur L. Recksiedler and Bernard Hamermesh—109
UX_1, UX_2, and UZ decay, Sven A. E. Johansson—1075
W^{180} rotational levels, R. F. Christy—858(A)

Nuclear Structure Theory (see also **Nuclear Reactions; Nuclear Spectra**)
α-decay theory with surface well potential, George H. Winslow—1032
Energy levels of O^{16} nucleus, David M. Dennison—378
Evidence for two-body spin-orbit forces in nuclei, J. P. Elliott and A. M. Lane—1160(L)
Hole configurations in light nuclei, R. F. Christy and W. A. Fowler—851(A)
Mesonic corrections to quadrupole moment of deuteron, A. M. Sessler—793
Model for nuclear reactions with neutrons, H. Feshbach, C. E. Porter, and V. F. Weisskopf—448
Multi-parameter nuclear wave functions in central-field approximation, Erwin H. Kronheimer—1680
Na^{23} electric quadrupole moment, S. Sengupta—235(L)
Neutron cross sections of light nuclei, Charles E. Porter—836(A)
Nonuniform charge distributions and μ-meson capture, F. Ferrari and C. Villi—1159(L)
n-p mass difference, W. G. Holladay and R. G. Sachs—810(L)
Nuclear forces and β-decay matrix elements, Roland F. Herbst—372
Nuclear normal modes, Ingram Bloch and Yü-Chang Hsieh—382
Nuclear saturation and two-body forces. II. Tensor forces, K. A. Brueckner—508
Pairing effects in Coulomb energies and radii of mirror nuclei, B. C. Carlson and I. Talmi—436
Resonances in $Li^7(p,n)Be^7$, Robert K. Adair—709
Spin-orbit interactions in many-body nuclear shell theory, Ingram Bloch and Yü-Chang Hsieh—855(A)
Spins of excited states of some odd-A nuclei according to collective model, Richard L. Moore—858(A)
W^{180} rotational levels, R. F. Christy—858(A)

Optical Instruments (see **Methods and Instruments**)
Optical Properties (see also **Luminescence**)
Action spectra for photoconductivity of dye films, John W. Weigl—834(A)
Afterglow of MgO single crystals, Eiso Yamaka—293
Color centers in chrome alum crystals, E. A. Braun, A. Many, and A. E. Simchen—1505
Distribution of trapping levels in CdSe, Harald C. Jensen and Robert J. Cashman—798(L)
Effect of dislocations on optical absorption edge in nonmetals, R. M. Blakney and D. L. Dexter—227(L)
Electrical and optical properties of InSe, R. W. Damon and R. W. Redington—1498
Electrical and optical properties of intermetallic compounds. I. InSb, R. G. Breckenridge, R. F. Blunt, W. R. Hosler, H. P. R. Frederikse, J. H. Becker, and W. Oshinsky—571; II. GaSb, R. F. Blunt, W. R. Hosler, and H. P. R. Frederikse—576; III. AlSb, R. F. Blunt, H. P. R. Frederikse, J. H. Becker, and W. R. Hosler—578
Electronic structure of MgO, J. R. Stevenson—839(A)
Exciton bands in crystalline benzene, David Fox and Otto Schnepp—1196
Infrared spectrum of $BaTiO_3$, R. T. Mara, G. B. B. M. Sutherland, and H. V. Tyrell—801(L)
K band in additively colored KCl, H. W. Etzel and F. E. Geiger, Jr.—225(L)
Large magnetic Kerr rotation in BiMn alloy, B. W. Roberts and C. P. Bean—1494
Optical absorption spectra of stoichiometric single crystals of MgO, W. T. Peria—824(A)
Optical and infrared absorption of Cu at 4.2°K, Manfred A. Biondi—534(L)

Optical Properties (Continued)
Optical and infrared volume absorptivity of metals, T. Holstein—535(L)
Optical studies of injected carriers. III. Infrared absorption in Ge at low temperatures, Roger Newman—1188
PbTe optical properties, Marvin E. Lasser and Henry Levinstein—47
Production and bleaching of color centers in x-rayed alkali halide crystals, I. L. Mador, R. F. Wallis, M. C. Williams, and R. C. Herman—617
Properties of Ge doped with Fe. I. Electrical conductivity, W. W. Tyler and H. H. Woodbury—874
Reversibility of additive coloring reaction in KCl, D. R. Westervelt—844(A)
Shapes of absorption and emission lines of impurities in solids, D. L. Dexter—615
Uv absorption in BaO films, Koji Okumura—1704(L)
Uv transmission and α-bombardment conduction inhomogeneities in diamond, A. J. Ahearn—828(A)

Pair Production (see **Electrons and Positrons**)
Phosphors and Phosphorescence (see **Luminescence**)
Photoconductivity (see **Electrical Conductivity and Resistance**)
Photodisintegration (see **Nuclear Photoeffects**)
Photoelasticity (see **Elasticity and Plasticity**)
Photoelectric Effect (see **Electrical Properties**)
Photography and Photographic Emulsions (see **Methods and Instruments; Range and Energy Loss**)
Photometry (see **Methods and Instruments**)
Photons (see **Radiation**)
Photovoltaic Effect (see **Electrical Properties; Semiconductors**)
Piezoelectric Effect (see **Dielectrics and Dielectric Properties**)
Plasticity (see **Elasticity and Plasticity**)
Polarization, Electrical (see **Dielectrics and Dielectric Properties**)
Polymers (see **Molecular Aggregates**)
Positrons (see **Electrons and Positrons**)
Probability (see **Mathematical Methods**)
Proceedings of the American Physical Society
Spring Meeting of the Ohio Section at Ohio University, Athens, Ohio, April 16–17, 1954—814
Minneapolis meeting at Minneapolis, Minnesota, June 28–30, 1954 [Bull. Am. Phys. Soc. **29**, No. 5 (1954)]—817
Pacific Northwest Meeting at University of Washington, Seattle, Washington, July 7–10, 1954 [Bull. Am. Phys. Soc. **29**, No. 6 (1954)]—842
Fall Meeting of the Ohio Section at University of Toledo, Toledo, Ohio, October 8–9, 1954—1454
Protons (see **Elementary Particle Interactions**)

Quantum Electrodynamics (see also **Field Theory**)
Calculation of potentials from new Tamm-Dancoff equation, J. C. Taylor—1438
Direct proof of covariance of Gupta's indefinite metric in quantum electrodynamics, Frederik J. Belinfante—780
Evaluation of collision matrix for Dirac particles in external potential, B. Zumino—202
Multiple photon production in electron-positron annihilation, Suraj N. Gupta—1453(L)
π-p mass difference, W. G. Holladay and R. G. Sachs—810(L)
Nucleon-antinucleon scattering and vacuum polarization, Kenneth A. Johnson—1659
Properties of Bethe-Salpeter wave functions, G. C. Wick—1124
Radiative effects in constant field, Roger G. Newton—523
Scattering of light of very low frequency by systems of spin $\frac{1}{2}$, F. E. Low—1428
Scattering of low-energy photons by particles of spin $\frac{1}{2}$, M. Gell-Mann and M. L. Goldberger—1433
Solutions of Bethe-Salpeter equation, R. E. Cutkosky—1135
Tamm-Dancoff methods and nuclear forces, Behram Kurşunoğlu—1690
Vacuum polarization in mesonic atoms, A. B. Mickelwait and H. C. Corben—1145
Vacuum polarization in strong Coulomb field, Eyvind Wichmann and Norman M. Kroll—232(L)

Quantum Mechanics
Approximate variational principle in quantum statistics, William M. MacDonald, III, and John M. Richardson—18
Bound states and formal theory of scattering, M. N. Hack—196; 1714(E)
Coulomb wave functions in transition region, Milton Abramowitz and H. A. Antosiewicz—75
Evaluation of Coulomb wave functions along transition line, Milton Abramowitz and Philip Rabinowitz—77
Expansion of wave packets, Daniel S. Ling, Jr.—216
Method of transition probabilities in quantum mechanics and quantum statistics, P. T. Landsberg—1420
Model of causal interpretation of quantum theory in terms of fluid with irregular fluctuations, D. Bohm and J. P. Vigier—208
Quantization of multiple frequency linear systems, J. K. Percus—1147
Quantum theory of irreversible processes, U. Fano—869
Solution of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry—944
Space-time representation in wave mechanics: Illustration of method, Malcolm K. Brachman—516
Thermodynamics of Thomas-Fermi atom at low temperature, J. J. Gilvarry—934
Variational principle in quantum mechanics, N. M. Hugenholtz—1158(L)
Quenching of Radiation (see **Radiation**)

Radar (see **Methods and Instruments; Radiation**)
Radiation (see also **Gamma Rays; Range and Energy Loss; X-Rays**)
Alignment of Na atoms, W. B. Hawkins—532(L)
Detection of Hg vapor by resonance ionization, K. C. Clark and L. Kanal—860(A)
Differential cross-section measurements for 1-Mev bremsstrahlung, J. W. Motz and William Miller—544(L)
Entropy of radiation, Philip Rosen—555
High-energy γ-ray studies with nuclear track emulsions, Harry H. Heckman, Peter C. Giles, and Walter H. Barkas—858(A)
Optical studies of radioactive Hg, F. Bitter, S. P. Davis, B. Richter, and J. E. R. Young—1531
Resonance scattering of γ rays by nuclei, A. M. Cormack—716
Scattering of γ rays by nucleons, R. H. Capps and R. G. Sachs—540(L)
Scattering of light of very low frequency by systems of spin $\frac{1}{2}$, F. E. Low—1428
Scattering of low-energy photons by particles of spin $\frac{1}{2}$, M. Gell-Mann and M. L. Goldberger—1433
Statistics of electromagnetic radiation scattered by turbulent medium, Richard A. Silverman and Martin Balser—560
Suppression of coherent radiation by electrons in synchrotron, John S. Nodvick and David S. Saxon—180
Thick target bremsstrahlung spectra for 1.00-, 1.25-, and

140-Mev electrons, William Miller, J. W. Motz, and Carmen Cialella—1344
Radio Waves (see **Radiation**)
Radioactivity (see also **Nuclear Spectra**)
α-decay theory with surface well potential, George H. Winslow—1032
α-γ directional correlation measurements with liquid film sources, T. B. Novey—547(L)
Ba^{128}–Cs^{128} chain, M. I. Kalkstein and J. M. Hollander—730
Bk and Cf isotopes produced in neutron irradiation of Pu, L. B. Magnusson, M. H. Studier, P. R. Fields, C. M. Stevens, J. F. Mech, A. M. Friedman, H. Diamond, and J. R. Huizenga—1576
Correlation of spontaneous fission half-lives, M. H. Studier and J. R. Huizenga—545(L)
Long-lived radioactive Al^{26}, James R. Simanton, Robert A. Rightmire, Alton L. Long, and Truman P. Kohman—1711(L)
Orbital electron capture in heaviest elements, R. W. Hoff and S. G. Thompson—1350
Pb long-lived isotopes, J. R. Huizenga and C. M. Stevens—548(L)
Po^{210} half-life, calorimetric determination, J. F. Eichelberger, K. C. Jordan, S. R. Orr, and J. R. Parks—719
Pr neutron-deficient activities, Thomas H. Handley and Elmer L. Olson—1003
Pt^{188} identification, Robert A. Naumann—90
RaE β spectrum, E. A. Plassmann and L. M. Langer—1593
Short-lived radionuclides produced by synchrocyclotron, H. Tyrén and P. A. Tove—773
Ti^{44}, new Ti nuclide, R. A. Sharp and R. M. Diamond—1713(E)
UX_1, UX_2, and UZ decay, Sven A. E. Johansson—1075
Raman Spectra (see **Molecular Structure and Spectra**)
Range and Energy Loss of Particles (see also **Scattering**)
Charge states of heavy-ion beams passing through gases, P. M. Stier, C. F. Barnett, and G. E. Evans—973
Electron capture and loss by moving ions in dense media, Jacob Neufeld—1470
Emulsion tables, Walter H. Barkas and George Hahn—859(A)
γ-ray absorption coefficients at 6.13 Mev, Ronald S. Paul—1563
Grain density and ionization loss in nuclear track emulsions, John R. Fleming and J. J. Lord—852(A)
Ionization energy loss of mesons in NaI scintillation crystal, Theodore Bowen—754(A)
Ionization produced by 5-Mev α particles in A mixtures, C. E. Melton, T. E. Bortner, and G. S. Hurst—643
Low-energy differential range spectrum of cosmic-ray μ mesons, A. Fafarman and M. H. Shamos—1096
Mass measurement by multiple Coulomb scattering on stopped particles, R. G. Glasser—835(A)
Proton energy loss by integral and differential experiments, Theodore Jorgensen, Jr.—835(A)
Range and straggling of low-energy α particles in cloud chamber, S. Barile, R. Webeler, and G. Allen—673
Range of nitrogen ions in emulsion, H. L. Reynolds and A. Zucker—393
Relative contributions of K-shell and other electrons to stopping power of light and heavy elements, Edwin A. Uehling—861(A)
Spatial distribution of energy dissipation by high-energy x-rays, Henry Brysk—419
Recombination (see **Molecular Structure and Spectra**)
Rectifiers (see **Electrical Conductivity and Resistance; Semiconductors**)
Relativity and Gravitation
Gravitation and electromagnetism, Suraj N. Gupta—1683
Mach's principle and unified field theory, Joseph Callaway—778
Spherically symmetric solutions in nonsymmetrical field theories. II, P. C. Vaidya—5
Resistance, Electrical (see **Electrical Conductivity and Resistance**)
Resonance Radiation (see **Radiation**)

Scattering, General (see also **Diffraction; Elementary Particle Interactions; Nuclear Reactions; Range and Energy Loss of Particles**)
Application of variational principles to scattering problems, H. E. Moses—519
Bound states and formal theory of scattering, M. N. Hack 196; 1714(E)
Cross-section theorem, Robert A. Mapleton—415
Expansion of wave packets, Daniel S. Ling, Jr.—216
Formula for polarization in nucleon-nucleon scattering, G. Breit and J. B. Ehrman—805(L)
Generalized variational principle for scattering amplitude, S. I. Rubinow—218
Limiting processes in formal theory of scattering, F. Coester, Morton Hamermesh, and Katsumi Tanaka—1142
Mass measurement by multiple Coulomb scattering on stopped particles, R. G. Glasser—835(A)
Nucleon-antinucleon scattering and vacuum polarization, Kenneth A. Johnson—1659
Phase shifts for nucleon-nucleon scattering at 280 Mev, G. Breit, J. B. Ehrman, A. M. Saperstein, and M. H. Hull, Jr.—807(L)
Possible triple scattering experiments, L. Wolfenstein—1654
Scattering of light of very low frequency by systems of spin $\frac{1}{2}$, F. E. Low—1428
Scattering of low-energy photons by particles of spin $\frac{1}{2}$, M. Gell-Mann and M. L. Goldberger—1433
Solution of many-body scattering problems by Fredholm's equation, P. Swan—1144
Scattering of α Particles (see also **Nuclear Reactions Induced by α Particles and He^3**)
α-α scattering phase shifts, James N. Snyder—1333
Elastic scattering of α particles by carbon, J. W. Bittner and R. D. Moffat—374
Inelastic scattering of α particles by Li, C. W. Li and R. Sherr—389
Scattering of Atoms and Molecules (see **Atomic and Molecular Beams**)
Scattering of Deuterons (see also **Nuclear Reactions Induced by Deuterons and Tritons**)
Elastic scattering of deuterons by He^3, R. J. S. Brown, K. F. Famularo, H. D. Holmgren, D. Rankin, and T. F. Stratton—80
Li^6 energy levels, A. Galonsky and M. T. McEllistrem—826(A)
Scattering of Electrons and Positrons (see also **Electrons and Positrons**)
Back diffusion of electrons to plane emitting surface, Robert P. Stein—862(A)
Comparison of several approximations to scattering of high-energy electrons, J. Mayo Greenberg—820(A)
Cross-section theorem, Robert A. Mapleton—415
Electron scattering from H, deuterium, and C at 190 Mev, J. A. McIntyre and R. Hofstadter—854(A)
Electron scattering in H and He, R. Hofstadter, R. McAllister, and E. Wiener—854(A)
Inelastic scattering of medium-fast electrons in alkali metals, E. M. Baroody—837(A)

Scattering of Electrons and Positrons (Continued)
Nuclear multipole transitions in inelastic electron scattering, L. I. Schiff—765
Perturbation calculation of elastic scattering of electrons by H atoms, Sidney Borowitz—1523
Phase shift calculation of high-energy electron scattering, D. G. Ravenhall and D. R. Yennie—239(L); 1714(E)
Relativistic Coulomb scattering of electrons and positrons, G. Parzen and T. Wainwright—188
Thick target bremsstrahlung spectra for 1.00-, 1.25-, and 140-Mev electrons, William Miller, J. W. Motz, and Carmen Cialella—1344
Scattering of Mesons (see also **Mesons; Nuclear Reactions Induced by Mesons**)
Elastic scattering of 26-Mev negative pions by H in emulsion, Jay Orear, William Slater, J. J. Lord, and S. L. Eilenberg—174
Inelastic scattering of 500-Mev negative pions in emulsion nuclei, M. Blau and Martin Caulton—150
Low-energy behavior of phase shifts in pion-proton scattering, Jay Orear—176
Measurement of Coulomb interference in 113-Mev π^+-p scattering, Jay Orear—1417
Meson-proton scattering phase shift analysis, H. A. Bethe and F. de Hoffman—1714(E)
Self-energy effects on meson-nucleon scattering according to Tamm-Dancoff method, William M. Visscher—788
Total cross sections for negative and positive pions in hydrogen and deuterium, J. Ashkin, J. P. Blaser, F. Feiner, J. G. Gorman, and M. O. Stern—1104
Scattering of Neutrons (see also **Nuclear Reactions Induced by Neutrons**)
Charge independence with repulsive core potentials, M. A. Preston and J. Shapiro—813(L)
Diffusion parameters of thermal neutrons in water, G. von Dardel and N. G. Sjöstrand—1245
Elastic and inelastic scattering of 14-Mev neutrons by deuterons, John D. Seagrave—855(A)
Inelastic neutron scattering in Fe, D. L. Lafferty, L. A. Rayburn, and T. M. Hahn—381
Multiple scattering of neutrons, George N. Vineyard—93
n-p scattering at 90 Mev, Chung Ying Chih—856(A)
n-p scattering at 91 Mev, R. H. Stahl and N. F. Ramsey—1310
Ratio of $\bar{\Gamma}_n^0/\bar{D}$ for slow neutron resonances, R. S. Carter, J. A. Harvey, D. J. Hughes, and V. E. Pilcher—113
Scattering of polarized neutrons from heavy nuclei, A. Okazaki, R. L. Becker, and H. H. Barschall—836(A); R. K. Adair, S. E. Darden, and R. E. Fields—503
Small-angle n-p scattering at 400 Mev, R. T. Siegel, A. J. Hartzler, and W. Opitz—859(A)
Small-angle scattering of 1-Mev neutrons by intermediate and heavy nuclei, S. E. Darden, W. Haeberli, and R. B. Walton—836(A)
Scattering of Protons (see also **Nuclear Reactions Induced by Protons**)
Charge independence with repulsive core potentials, M. A. Preston and J. Shapiro—813(L)
Coulomb interference effects in p-p scattering, A. Garren—1709(L)
Direct interaction in $Fe^{56}(p,p')Fe^{56}$, G. Schrank, P. C. Gugelot, and I. E. Dayton—1156(L)
Elastic scattering of 9.7-Mev protons by He^4, Bruce Cork and Walter Hartsough—859(A); 1267
Elastic scattering of protons by F^{19}, T. S. Webb, F. B. Hagedorn, W. A. Fowler, and C. C. Lauritsen—851(A)
Electric excitation of Au^{197}, C. F. Cook, C. M. Class, and J. T. Eisinger—658
Energy levels of Al^{27}, C. P. Browne, S. F. Zimmerman, and W. W. Buechner—725
Formula for polarization in nucleon-nucleon scattering, G. Breit and J. B. Ehrman—805(L)
Inelastic proton scattering cross section of F^{19}, C. A Barnes, W. A. Fowler, C. C. Lauritsen, and R. W. Peterson—851(A)
Phase-shift analysis of elastic scattering of protons by He^3, R. W. Lowen—826(A)
Phase shifts for nucleon-nucleon scattering at 280 Mev, G. Breit, J. B. Ehrman, A. M. Saperstein, and M. H. Hull, Jr.—807(L)
Polarization in p-p scattering for P and F waves, M. H. Hull, Jr., and A. M. Saperstein—806(L)
Polarization of high-energy protons in elastic scattering on helium and carbon, O. Chamberlain, E. Segrè, R. Tripp, C. Wiegand, and T. Ypsilantis—807(L)
Polarization of protons by scattering from Be, H. G. de Carvalho, J. Marshall, and L. Marshall—1081
Possible triple scattering experiments, L. Wolfenstein—1654
p-p scattering at 5.77 Mev, E. J. Zimmerman, R. O. Kerman, Sidney Singer, P. Gerald Kruger, and W. Jentschke—1322
Scattering of 9.5-Mev protons by neon and argon, R. G. Freemantle, D. J. Prowse, A. Hossain, and J. Rotblat—1270
Scattering of 9.5-Mev protons by nitrogen, R. G. Freemantle, D. J. Prowse, and J. Rotblat—1268
Scattering of 10-Mev protons on C and Mg, Gerhard E. Fischer—704
Scattering of Radiation (see **Gamma Rays; Radiation; X-Rays**)
Scintillation Counters (see **Methods and Instruments**)
Secondary Emission (see **Electrical Properties**)
Semiconductors
Absence of bombardment annealing in electron bombardment of Ge, R. C. Fletcher, W. L. Brown, and K. A. Wright—833(A)
Afterglow of MgO crystals, Eiso Yamaka—293
Conductivity and Hall effect in oxide cathode, R. Forman—839(A)
Dependence of signal-to-noise ratio in photoconductive PbSe layers on temperature of black-body source, A. M. Crooker and E. B. Dorling—846(A)
Diffusion of impurities in Si, W. C. Dunlap, Jr., H. V. Bohm, and H. P. Mahon, Jr.—822(A)
Effect of oxygen on electrical properties of PbTe films, Donald E. Bode and Henry Levinstein—259
Effect of spin-orbit coupling on magnetic resonance in some semiconductors, R. J. Elliott—266
Effective masses of electrons in Si, R. N. Dexter, Benjamin Lax, A. F. Kip, and G. Dresselhaus—222(L)
Effective masses of holes in Si, R. N. Dexter and Benjamin Lax—223(L)
Elastoresistance in p-type Ge and Si, E. N. Adams—803(L)
Electrical and optical properties of InSe, R. W. Damon and R. W. Redington—1498
Electrical and optical properties of intermetallic compounds. I. InSb, R. G. Breckenridge, R. F. Blunt, W. R. Hosler, H. P. R. Frederikse, J. H. Becker, and W. Oshinsky—571; II. GaSb, R. F. Blunt, W. R. Hosler, and H. P. R. Frederikse—576; III. AlSb, R. F. Blunt, H. P. R. Frederikse, J. H. Becker, and W. R. Hosler—578
Electrical conductivity and Hall effect in oxide cathodes, R. Forman—1479
Electrical properties and solid-vapor equilibrium of PbS, Robert F. Brebrick and Wayne W. Scanlon—598
Electrical properties of natural crystals of iron pyrite, John C. Marinace—593

Electrical properties of Si containing As and boron, F. J. Morin and J. P. Maita—28
Electronic structure of MgO, J. R. Stevenson—839(A)
Fermi level in amorphous Sb films, E. Taft and L. Apker —1496
Fermi level in semiconducting amorphous Sb films, E. Taft and L. Apker—827(A)
Flow of electrons and holes through surface barrier region in point contact rectification, Melvin Cutler—255
Grain-boundary conduction in Au-doped Ge, A. G. Tweet —828(A)
Hole trapping due to lattice defects in Ge, R. G. Shulman, W. L. Brown, and R. C. Fletcher—833(A)
Hyperfine splitting of donor states in Si, J. M. Luttinger and W. Kohn—802(L)
Impurity levels in Si, F. J. Morin, J. P. Maita, R. G. Shulman, and N. B. Hannay—833(A)
Injection breakdown in Fe-doped Ge diodes, W. W. Tyler —226(L)
Interaction of traps and heat treatments in Si, N. B. Hannay, J. R. Haynes, and R. G. Shulman—833(A)
Magnetic susceptibility of residual bisulfate compounds of carbon, H. T. Pinnick—832(A)
Magnetoresistance and planar Hall effects in *n*-type Ge, R. E. Davis and Colman Goldberg—833(A)
Mobility of impurity ions in Ge and Si, C. S. Fuller and J. C. Severiens—21
Mobility ratio in pure *p*-type semiconductors, Allen Nussbaum—828(A)
New minority carrier phenomenon in Ge, Stephen J. Angello and Theodore E. Ebert—221(L)
Optical studies of injected carriers. III. Infrared absorption in Ge at low temperatures, Roger Newman—1188
Oxidation of thin films of Ge and Si, W. C. Dash—822(A)
Photoconductivity of Ge doped with Fe, R. Newman and W. W. Tyler—882
Plastic deformation of Au-doped Ge, C. J. Gallagher and A. G. Tweet—834(A)
Properties of Ge doped with Fe. I. Electrical conductivity, W. W. Tyler and H. H. Woodbury—874
Properties of Zn-, Cu-, and Pt-doped Ge, W. C. Dunlap, Jr.—40
Quantum theory of cyclotron resonance in semiconductors, W. Kohn and J. M. Luttinger—529(L)
Resistivity and Hall effect of Ge at low temperatures, C. S. Hung and J. R. Gliessman—1226
Resistivity changes in Si induced by heat treatment, C. S. Fuller, J. A. Ditzenberger, N. B. Hannay, and E. Buehler—833(A)
Seebeck effect in single crystal Si, T. H. Geballe and G. W. Hull—846(A)
Semiconducting CdTe, Dietrich A. Jenny and Richard H. Bube—1190
Surface "channel" detection method for semiconductors, H. Christensen—827(A)
Theory of donor and acceptor states in Si and Ge, C. Kittel and A. H. Mitchell—1488
Theory of thermoelectric power of semiconductors, Conyers Herring—1163
Thermal conductivity of single crystalline Si, G. W. Hull and T. H. Geballe—846(A)
Thermal effects on lifetime of minority carriers in Ge, R. A. Logan and M. Schwartz—46
Transverse Hall and magnetoresistance effects in *p*-type Ge, R. K. Willardson, T. C. Harman, and A. C. Beer—1512
Traps produced by electron bombardment of Ge at low temperatures, W. L. Brown, R. C. Fletcher, and K. A. Wright—834(A)
Use of *p-n* junctions for solar energy conversion, E. S. Rittner—1708(L)
Uv absorption in BaO films, Koji Okumura—1704(L)

Shock Waves (see **Fluid Dynamics**)
Solid State (see **Crystalline State**)
Solutions (see **Liquids**)
Sound (see **Acoustics**)
Spallation (see **Nuclear Reactions**)
Spark Discharge (see **Electrical Discharges**)
Specific Heat (see **Thermal Properties**)
Spectra, Atomic (see **Atomic Structure and Spectra**)
Spectra, General
Electromagnetic radiations from hydrocarbon flames, Samuel C. Lawrence, Jr.—860(A)
Infrared spectrum of $BaTiO_3$, R. T. Mara, G. B. B. M. Sutherland, and H. V. Tyrell—801(L)
Spectra, Molecular (see **Molecular Structure and Spectra**)
Spectra, Nuclear (see **Nuclear Spectra**)
Spectroscopy Technique (see **Methods and Instruments**)
Spinor Fields (see **Field Theory**)
Standards (see **Constants, Standards, Units**)
Stark Effect (see **Atomic Structure and Spectra**)
Statistical Mechanics and Thermodynamics
Approximate variational principle in quantum statistics, William M. MacDonald, III, and John M. Richardson —18
Critical flow rate and zero entropy of He superfluid, William Band—843(A)
Effects of anisotropy on thermodynamic properties of antiferromagnets, J. A. Eisele and F. Keffer—929
Entropy of radiation, Philip Rosen—555
Heat and entropy of mixing of He^3 and He^4 on the basis of the two-fluid theory of He^4, O. K. Rice—1464
Kinetics of phase transitions for systems undergoing association: Monomer-dimer equilibrium, Howard Saltsburg and Howard Reiss—838(A)
Method of transition probabilities in quantum mechanics and quantum statistics, P. T. Landsberg—1420
Principle of minimum entropy production, Martin J. Klein and Paul H. E. Meijer—250
Properties of quantum statistical impedance, J. L. Jackson and M. C. Yovits—15
Quantum statistics of closed and open systems, F. Ansbacher and P. T. Landsberg—1707(L)
Quantum theory of irreversible processes, U. Fano—869
Relativistic statistical mechanics of ideal gas, Richard Schlegel—820(A)
Shape of coexistence curve of two-phase systems near critical point, O. K. Rice—838(A)
Solution of temperature-perturbed Thomas-Fermi equation, J. J. Gilvarry—944
Statistical mechanics of He II near 1°K, O. K. Rice—1460
Superconductivity of charged boson gas, M. R. Schafroth —1149(L)
Superfluidity of boson gas, J. M. Blatt and S. T. Butler—1149(L)
Tensor virial equations, Eugene N. Parker—1686
Theory of condensation, A. J. F. Siegert—243
Thermodynamics of Thomas-Fermi atom at low temperature, J. J. Gilvarry—934
Virial expansion of ideal Bose-Einstein gas, B. Widom—820(A)
Virial series of ideal Bose-Einstein gas, B. Widom—16

Statistical Methods (see **Mathematical Methods**)
Superconductivity
Adiabatic magnetization of superconducting sphere, R. L. Dolecek—25

Superconductivity (Continued)
Effect of precipitation hardening on superconducting transition of Al alloy, R. E. Mould and D. E. Mapother—797(L)
Effects of elastic dilatation and shear on superconducting transition of Sn, Milan D. Fiske—821(A)
Elastic moduli of Sn at superconducting transition, Joseph K. Landauer—296
Exponential temperature dependence of electronic specific heat of superconducting vanadium, W. S. Corak, B. B. Goodman, C. B. Satterthwaite, and A. Wexler—1442(L)
High-frequency resistance of Sn and In in normal and superconducting state, C. J. Grebenkemper—1197
Lifetime of positrons in superconducting Pb and Sn, Robert Stump and Harry E. Talley—904
Magnetization of Sn at superconducting transition, J. C. Thompson and C. F. Squire—287
New criterion for superconductivity in metals, Gerhart Groetzinger, David Kahn, and Philip Schwed—887
Structure of intermediate state of superconductors, B. Serin—228(L)
Superconductivity of charged boson gas, M. R. Schafroth—1149(L)
Superconductivity of V at 24 000 Mc/sec, C. J. Grebenkemper—316
Theory of superconductivity, M. R. Schafroth—1442(L)
Ultrasonic attenuation in superconducting lead, H. E. Bömmel—220(L)
Supersonics (see **Fluid Dynamics**)

Thermal Conductivity (see **Thermal Properties**)
Thermal Diffusion (see **Diffusion**)
Thermal Expansion (see **Thermal Properties**)
Thermal Properties
Atomic heat of Bi between 1° and 4° K, P. H. Keesom and N. Pearlman—897
Exponential temperature dependence of electronic specific heat of superconducting vanadium, W. S. Corak, B. B. Goodman, C. B. Satterthwaite, and A. Wexler—1442(L)
Oscillatory thermal conductivity of Bi in magnetic fields at liquid He temperatures, J. Babiskin and M. C. Steele—822(A)
Thermal conductivity of single crystalline Si, G. W. Hull and T. H. Geballe—846(A)
Vibrational anharmonicity and lattice thermal properties, J. S. Dugdale and D. K. C. MacDonald—57
Thermal Radiation (see **Radiation**)
Thermionic Emission (see **Electrical Properties**)
Thermodynamics (see **Statistical Mechanics and Thermodynamics**)
Thermoelectric Effect (see **Electrical Properties; Semiconductors**)
Thermoluminescence (see **Luminescence**)
Thermomagnetic Effect (see **Magnetic Properties**)
Total Cross Sections (see **Electrons and Positrons; Nuclear Reactions**)
Transmutation (see **Nuclear Reactions**)

Uncertainty Principle (see **Quantum Mechanics**)
Units (see **Constants, Standards, Units**)

Vacuum Tubes (see **Methods and Instruments**)
Van der Waals Forces (see **Molecular Structure and Spectra**)
Viscosity (see **Liquids**)

Wave Mechanics (see **Quantum Mechanics**)
Work Function (see **Electrical Properties**)

X-Rays
Electron energy levels in ionic crystals, E. L. Jossem and L. G. Parratt—834(A)
Energies of π^--mesonic x-ray K lines, M. B. Stearns, M. Stearns, S. DeBenedetti, and L. Leipuner—804(L)
Relation between the width of an x-ray line and resolving power of double-crystal spectrometer, Gösta Brogren—589
Solar x-ray emission, E. T. Byram, T. A. Chubb, and H. Friedman—860(A)
Spatial distribution of energy dissipation by high-energy x-rays, Henry Brysk—419
Universal curves for dispersion and scattering of x-rays, L. G. Parratt and C. F. Hempstead—820(A)
X-ray diffraction patterns from liquid He, W. L. Gordon, C. H. Shaw, and J. G. Daunt—1444(L)